



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30718005-008
Harvest/Lot ID: 5172 2264 7201 3235
Batch#: 5172 2264 7201 3235
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Processing
Seed to Sale# 4771 1315 6230 9749
Batch Date: 04/20/23
Sample Size Received: 16 gram
Total Amount: 1950 units
Retail Product Size: 1 gram
Ordered: 07/17/23
Sampled: 07/17/23
Completed: 07/20/23
Sampling Method: SOP.T.20.010

PASSED

Jul 20, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US


Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid

PASSED


Total THC
85.582%
Total THC/Container : 855.82 mg

Total CBD
0.291%
Total CBD/Container : 2.91 mg

Total Cannabinoids
90.505%
Total Cannabinoids/Container : 905.05 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	85.508	0.085	0.291	ND	0.292	1.864	0.021	0.873	0.446	ND	1.125
mg/unit	855.08	0.85	2.91	ND	2.92	18.64	0.21	8.73	4.46	ND	11.25
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3112, 3605, 585, 4044

 Weight:
 0.0531g

 Extraction date:
 07/18/23 13:57:56

 Extracted by:
 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062431POT

Instrument Used : DA-LC-007

Analyzed Date : 07/18/23 13:59:48

Reviewed On : 07/19/23 10:15:52

Batch Date : 07/18/23 10:24:46

Dilution : 200

Reagent : 071123.R05; 060723.24; 071123.R04

Consumables : 266969; 280670723; CE123; 115C4-1151; R1KB45277

Pipette : DA-079; DA-108; DA-050

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 07/20/23




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-008
Harvest/Lot ID: 5172 2264 7201 3235
Batch# : 5172 2264 7201 3235
Sampled : 07/17/23
Ordered : 07/17/23
Sample Size Received : 16 gram
Total Amount : 1950 units
Completed : 07/20/23 Expires: 07/20/24
Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	24.2	2.42		FARNESENE		0.15	0.015	
TOTAL TERPINEOL	0.02	<0.2	<0.02		ALPHA-HUMULENE	0.02	0.43	0.043	
ALPHA-BISABOLOL	0.02	0.35	0.035		VALENCENE	0.02	<0.2	<0.02	
ALPHA-PINENE	0.02	0.84	0.084		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.2	<0.02		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.2	<0.02	
BETA-PINENE	0.02	1.11	0.111		GUAJOL	0.02	ND	ND	
BETA-MYRCENE	0.02	5.61	0.561		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	1.38	0.138		Analyzed by: 2076, 585, 4044 Weight: 0.9402g Extraction date: 07/18/23 14:42:30 Extracted by: 2076,3702				
3-CARENE	0.02	0.58	0.058		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.02	0.38	0.038		Analytical Batch : DA062425TER				
LIMONENE	0.02	1.57	0.157		Instrument Used : DA-GCMS-004				
EUCALYPTOL	0.02	<0.2	<0.02		Analyzed Date : 07/20/23 09:15:18				
OCIMENE	0.02	0.34	0.034		Dilution : 10				
GAMMA-TERPINENE	0.02	0.21	0.021		Reagent : 121622.26				
SABINENE HYDRATE	0.02	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.02	8.82	0.882		Pipette : N/A				
FENCHONE	0.04	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.02	0.65	0.065						
FENCHYL ALCOHOL	0.02	0.21	0.021						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	<0.2	<0.02						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	1.57	0.157						
Total (%)				2.42					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-008

Harvest/Lot ID: 5172 2264 7201 3235

Batch# : 5172 2264 7201 3235

Sampled : 07/17/23

Ordered : 07/17/23


Sample Size Received : 16 gram

Total Amount : 1950 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.257g	07/18/23 15:00:12	3379,585		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062418PES			Reviewed On : 07/19/23 13:13:07		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/18/23 09:29:29		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/18/23 14:51:27					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.257g	07/18/23 15:00:12	3379,585		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062423VOL			Reviewed On : 07/19/23 10:32:53		
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/18/23 10:01:28		
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/18/23 15:12:07					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R04; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-008

Harvest/Lot ID: 5172 2264 7201 3235

Batch# : 5172 2264 7201 3235

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 16 gram

Total Amount : 1950 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0268g

 Extraction date:
 07/19/23 11:52:48

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062448SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 07/19/23 11:57:27

 Reviewed On : 07/19/23 13:00:49
 Batch Date : 07/18/23 12:57:15

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30718005-008
 Harvest/Lot ID: 5172 2264 7201 3235

 Batch# : 5172 2264 7201 3235
 Sample Size Received : 16 gram
 Total Amount : 1950 units
 Completed : 07/20/23 Expires: 07/20/24
 Sample Method : SOP.T.20.010
 Sampled : 07/17/23
 Ordered : 07/17/23

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by: 3336, 3621, 585, 4044
 Weight: 0.928g
 Extraction date: 07/18/23 11:42:13
 Extracted by: 3336

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA062416MIC
 Reviewed On : 07/19/23 11:44:37
 Batch Date : 07/18/23 09:03:33

 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 07/18/23 13:47:37

 Dilution : N/A
 Reagent : 050223.36; 062323.R18; 020823.19; 092122.09
 Consumables : 7554003049
 Pipette : N/A

 Analyzed by: 3336, 585, 4044
 Weight: 0.928g
 Extraction date: 07/18/23 11:42:13
 Extracted by: 3336

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA062441TYM
 Instrument Used : Incubator (25-27C) DA-096
 Analyzed Date : 07/18/23 13:25:11
 Reviewed On : 07/20/23 16:39:53
 Batch Date : 07/18/23 11:53:06

 Dilution : 10
 Reagent : 050223.36; 070523.R46
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 585, 4044
 Weight: 0.257g
 Extraction date: 07/18/23 15:00:12
 Extracted by: 3379, 585

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

 Analytical Batch : DA062422MYC
 Instrument Used : N/A
 Analyzed Date : 07/18/23 14:51:47
 Reviewed On : 07/19/23 13:08:47
 Batch Date : 07/18/23 10:01:25

 Dilution : 250
 Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11
 Consumables : 326250IW
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 4044
 Weight: 0.2813g
 Extraction date: 07/18/23 12:39:13
 Extracted by: 1022, 3619

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA062436HEA
 Instrument Used : DA-ICPMS-003
 Analyzed Date : 07/18/23 16:18:41
 Reviewed On : 07/19/23 10:18:44
 Batch Date : 07/18/23 11:04:51

 Dilution : 50
 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15
 Consumables : 179436; 15021042; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-008

Harvest/Lot ID: 5172 2264 7201 3235

Batch# : 5172 2264 7201 3235

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 16 gram

Total Amount : 1950 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062463FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/19/23 10:00:42

Reviewed On : 07/19/23 10:09:55

Batch Date : 07/19/23 09:33:57

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.654	PASS	0.85

Analyzed by: 3807, 585, 4044	Weight: 0.51g	Extraction date: 07/18/23 19:59:47	Extracted by: 3807
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062446WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/19/23 10:12:51

Batch Date : 07/18/23 12:22:46

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.