

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g Miami Vibes

Matrix: Derivative Type: Distillate

Sample: DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388 8846 **Cultivation Facility: Tampa Cultivation**

Processing Facility: Tampa Processing Source Facility: Tampa Processing

Seed to Sale# 3122 5767 2797 7032

Batch Date: 05/18/23

Sample Size Received: 15.5 gram Total Amount: 2833 units

> Retail Product Size: 0.5 gram Ordered: 07/17/23 Sampled: 07/17/23

> > Completed: 07/20/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

82 NE 26th street Miami, FL, 33137, US PRODUCT IMAGE

SAFETY RESULTS







Pesticides



Heavy Metals



Microbials



Mycotoxins



Residuals Solvents PASSED



Filth



Water Activity

THCV

0.561

2.805

0.001

%



Moisture



MISC.

TESTED

PASSED

СВС

1.05

5.25

%

0.001



Cannabinoid

Jul 20, 2023 | FLUENT

Total THC

87,461% Total THC/Container : 437.305 mg

0.53



CBDA

ND

ND

Total CBD

0.334

1.67

0.266%

1.9

9.5

Total CBD/Container: 1.33 mg

CBGA

0.023

0.115

Reviewed On: 07/19/23 10:15:53 Batch Date: 07/18/23 10:24:46



0.791

3.955

0.001

Total Cannabinoids

CBDV

ND

ND

%

Extracted by:

0.001

Total Cannabinoids/Container: 462 mg



436.845

LOD	0.001 %	0.001 %	0.001 %	0.001 %	0.001	0.001	0.001 %
Analyzed by: 3112, 3605, 585	5, 4044			Weight: 0.0563g		Extraction date: 07/18/23 13:57:	

CBD

0.266

1.33

Analysis Method: SOP.T.40.031, SOP.T.30.031

Analytical Batch: DA062431POT Instrument Used: DA-LC-007 Analyzed Date: 07/18/23 13:59:48

ma/unit

Reagent: 071123.R05; 060723.24; 071123.R04 Consumables: 266969; 280670723; CE123; 115C4-1151; R1KB45277 Pipette: DA-079; DA-108; DA-050

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate

Page 2 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388

Sampled: 07/17/23 Ordered: 07/17/23

Sample Size Received: 15.5 gram Total Amount : 2833 units Completed: 07/20/23 Expires: 07/20/24

Sample Method: SOP.T.20.010

Terpenes

TESTED

Terpenes	LOD (%)	mg/un	it %	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TOTAL TERPENES	0.02	6.825	1.365		FARNESENE			0.01	0.002		
OTAL TERPINEOL	0.02	ND	ND		ALPHA-HUMULENE		0.02	0.115	0.023		
LPHA-BISABOLOL	0.02	0.205	0.041		VALENCENE		0.02	< 0.1	< 0.02		
ALPHA-PINENE	0.02	0.155	0.031		CIS-NEROLIDOL		0.02	ND	ND		
CAMPHENE	0.02	ND	ND		TRANS-NEROLIDOL		0.02	ND	ND		
ABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE		0.02	< 0.1	< 0.02		
BETA-PINENE	0.02	ND	ND		GUAIOL		0.02	ND	ND		
ETA-MYRCENE	0.02	0.95	0.19		CEDROL		0.02	< 0.1	< 0.02		
ALPHA-PHELLANDRENE	0.02	0.445	0.089		Analyzed by:	Weight:		Extraction date	:		Extracted by:
B-CARENE	0.02	0.125	0.025		2076, 585, 4044	0.9857g		07/18/23 14:42	:30		2076,3702
LPHA-TERPINENE	0.02	0.1	0.02		Analysis Method: SOP.T.30.061A.FL	L, SOP.T.40.061A.I	L				
IMONENE	0.02	0.41	0.082		Analytical Batch : DA062425TER Instrument Used : DA-GCMS-004					7/20/23 11:24:29 18/23 10:07:35	
UCALYPTOL	0.02	< 0.1	< 0.02		Analyzed Date: 07/20/23 09:15:18			Batch	Date: 07/	18/23 10:07:33	
CIMENE	0.02	0.875	0.175		Dilution: 10						
AMMA-TERPINENE	0.02	< 0.1	< 0.02		Reagent: 121622.26						
ABINENE HYDRATE	0.02	ND	ND		Consumables : 210414634; MKCN99	995; CE0123; R1K	B14270				
ERPINOLENE	0.02	3.095	0.619		Pipette : N/A	0 0	14				
ENCHONE	0.04	ND	ND		Terpenoid testing is performed utilizing	Gas Chromatography	/ Mass Spec	trometry. For all F	lower samp	oles, the Total Terpenes %	s is dry-weight corrected.
NALOOL	0.02	< 0.1	< 0.02								
ENCHYL ALCOHOL	0.02	< 0.1	< 0.02								
OPULEGOL	0.02	ND	ND								
AMPHOR	0.06	< 0.3	< 0.06								
SOBORNEOL	0.02	ND	ND								
ORNEOL	0.04	ND	ND								
EXAHYDROTHYMOL	0.02	< 0.1	< 0.02								
IEROL	0.02	ND	ND								
ULEGONE	0.02	ND	ND								
ERANIOL	0.02	< 0.1	< 0.02								
LIMINOL	0.02	< 0.1	< 0.02								
SERANYL ACETATE	0.02	ND	ND								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388

Sampled: 07/17/23 Ordered: 07/17/23

Sample Size Received: 15.5 gram Total Amount : 2833 units Completed: 07/20/23 Expires: 07/20/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

P	Δ	S	S	E	D
. 4					

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND					PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1		
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND			PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB)					
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
HLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Evtrac	tion date:		Extracted	hv
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 4044 0.2521q		23 15:00:13		3379.585	Dy.
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gair	esville), SOP.	T.30.102.FL	(Davie), SOP	.T.40.101.FL (Gaines
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062418PES			On:07/19/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Dat	te:07/18/23	09:29:29	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date: 07/18/23 14:51:27					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution: 250 Reagent: 071723.R01; 071723.R03; 073	722 004-071	722 002: 06	:0522 D26: 0	71222 001. 0	10521 1
IPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW	1723.R04, 071	723.NUZ, U	00323.K20, 0	/1323.NU1, U-	+0321
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed	l utilizing Liqui	d Chromatoo	raphy Triple-	Quadrupole Ma	SS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule	64ER20-39.				
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	by:
MIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 4044 0.2521g		3 15:00:13		3379,585	
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gair					
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062423VOL Instrument Used : DA-GCMS-001			1:07/19/23 1 07/18/23 10:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/18/23 15:12:07	В	accii Date :	07/10/23 10:	.01.20	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 071723.R04; 040521.11; 0711	23.R21; 0711	23.R22			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401	Y				
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed in accordance with F.S. Rule 64ER20-39.	utilizing Gas (Chromatogra	phy Triple-Qu	adrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388

Sampled: 07/17/23 Ordered: 07/17/23

Sample Size Received: 15.5 gram Total Amount : 2833 units Completed: 07/20/23 Expires: 07/20/24

Sample Method: SOP.T.20.010

Reviewed On: 07/20/23 12:36:55

Batch Date: 07/18/23 12:57:15

Page 4 of 6

Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 4044	Weight: 0.0259g	Extraction date: 07/19/23 11:52		// // \	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA062448SOL Instrument Used: DA-GCMS-002

Analyzed Date: 07/19/23 11:57:27 Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Reviewed On: 07/19/23 13:09:02

Batch Date: 07/18/23 10:01:25

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388

Sampled: 07/17/23 Ordered: 07/17/23

Sample Size Received: 15.5 gram Total Amount : 2833 units Completed: 07/20/23 Expires: 07/20/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reagent: 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01;



Microbial

PASSED



Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA062422MYC

Analyzed Date: 07/18/23 14:51:47

Pipette: DA-093; DA-094; DA-219

Instrument Used : N/A

Consumables: 326250IW

PASSED

Action

Level

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

3379,585

Extracted by:

Analyte	LOD	Units	Result	Pass / Fail	Action	Analyte		LOD	Units	Result	Pas
ASPERGILLUS TERREUS			Not Present	PASS	Level	AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction dat	te:	F	xtrac
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 4044	0.2521g	07/18/23 15:0			379,5
Analyzed by:	zed by: Weight: Extraction date: Ex			Extracte	d by:	Analysis Method : SOF	P.T.30.101.FL (Ga	ainesville), SOP.T.	40.101.FL	(Gainesvi	lle),

3336, 3621, 585, 4044 1.092g 07/18/23 11:44:43

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch: DA062419MIC

Reviewed On: 07/19/23

Extracted by:

Batch Date: 07/18/23 Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date : 07/18/23 13:47:36

Reagent: 050223.36; 062323.R18; 020823.19; 092122.09

Weight: 1.092g

Consumables: 7554003049

Pipette: N/A Analyzed by: 3336, 585, 4044

	ting utilizing Liquid Chromatography with Triple-Quadru h F.S. Rule 64ER20-39.	pole Mass Spectrometry in
На	Heavy Metals	PASS

Dilution: 250

040521.11

Heavy Metals

PASSED

Analysis Method: SOP.T.40.208 (Gainesville), SC	P.T.40.209.FL
Analytical Batch : DA062442TYM	Reviewed On: 07/20/23 16:41:10
Instrument Used : Incubator (25-27C) DA-096	Batch Date: 07/18/23 11:54:41
Analyzed Date : 07/18/23 13:25:09	

Extraction date 07/18/23 11:44:43

Dilution: 10 Reagent: 050223.36; 070523.R46 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LO	AD METAL	. s 0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
	eight: 2694g	Extraction da 07/18/23 12:			ctracted b 022,3619	y:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA062436HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 07/18/23 16:18:41 Reviewed On: 07/19/23 10:18:46 Batch Date: 07/18/23 11:04:51

Dilution: 50

Reagent: 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15

Consumables: 179436; 15021042; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 0.5g

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30718005-012 Harvest/Lot ID: 9962 8976 1388 8846

Batch#: 9962 8976 1388

Sampled: 07/17/23 Ordered: 07/17/23

Total Amount : 2833 units Completed: 07/20/23 Expires: 07/20/24 Sample Method: SOP.T.20.010

Sample Size Received: 15.5 gram



PASSED

Reviewed On: 07/19/23 10:09:09 Batch Date: 07/19/23 09:33:57

Reviewed On: 07/19/23 10:13:05

Batch Date: 07/18/23 12:22:46

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1 Analyzed by: 1879, 4044 Weight: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062463FIL
Instrument Used : Filth/Foreign Material Microscope

Analyzed Date: 07/19/23 10:00:42

Dilution: N/A

Reagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte		LOD	Units	Result	P/F	Action Leve
Water Activity		0.1	aw	0.54	PASS	0.85
Analyzed by:	Weight:		xtraction d			tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA062446WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

