



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30718005-005
Harvest/Lot ID: 2562 1568 8044 8697
Batch#: 2562 1568 8044 8697
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Processing
Seed to Sale# 3169 9341 8554 5316
Batch Date: 05/18/23
Sample Size Received: 900 gram
Total Amount: 4378 units
Retail Product Size: 63.1141 gram
Ordered: 07/17/23
Sampled: 07/17/23
Completed: 07/20/23
Sampling Method: SOP.T.20.010

Jul 20, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
NOT TESTED

MISC.



Cannabinoid

PASSED



Total THC
0.159%

Total THC/Container : 100.351 mg



Total CBD
ND

Total CBD/Container : 0 mg



Total Cannabinoids
0.166%

Total Cannabinoids/Container : 104.769 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|---------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.159 | ND | ND | ND | ND | 0.005 | ND | 0.002 | ND | ND | ND |
| mg/unit | 100.351 | ND | ND | ND | ND | 3.155 | ND | 1.262 | ND | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | | % | % | % | % | % | % | % | % | % | % |

Analized by:
3112, 1665, 585, 4044

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062433POT
Instrument Used : DA-LC-007
Analized Date : 07/18/23 14:10:37

Dilution : 400
Reagent : 070323.01; 071123.R05; 060723.50; 032123.11; 071123.R04
Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

Weight:
2.941g

Extraction date:
07/18/23 14:06:40

Extracted by:
3112

Reviewed On : 07/19/23 10:15:47
Batch Date : 07/18/23 10:25:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/20/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-005

Harvest/Lot ID: 2562 1568 8044 8697

Batch# : 2562 1568 8044 8697

Sampled : 07/17/23

Ordered : 07/17/23


Sample Size Received : 900 gram

Total Amount : 4378 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 2 of 5

| <div><div></div><div>Pesticides</div></div> | | | | | | PASSED | | | | | |
|------------------------------------------------------------------------------------------------------------------------------|------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------|-------------------|---------------------------------|-----------|--------|
| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 30 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 3 | PASS | ND | PYRIDABEN | 0.01 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 3 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 3 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 1 | PASS | ND |
| BOSCALID | 0.01 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 3 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.05 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 3 | PASS | ND | CAPTAN * | 0.35 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 3 | PASS | ND | CHLORDANE * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.05 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.25 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.25 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DIAZINON | 0.01 | ppm | 3 | PASS | ND | 3379, 585, 4044 | 0.8491g | 07/18/23 14:57:27 | 3379,585 | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA062429PES | | | Reviewed On : 07/19/23 15:44:02 | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 07/18/23 10:23:13 | | |
| ETOXAZOLE | 0.01 | ppm | 1.5 | PASS | ND | Analyzed Date : 07/18/23 14:51:33 | | | | | |
| FENHEXAMID | 0.01 | ppm | 3 | PASS | ND | Dilution : 250 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 2 | PASS | ND | Consumables : 326250IW | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLONICAMID | 0.01 | ppm | 2 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 3 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| HEXYTHIAZOX | 0.01 | ppm | 2 | PASS | ND | 450, 585, 4044 | 0.8491g | 07/18/23 14:57:27 | 3379,585 | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 1 | PASS | ND | Analytical Batch : DA062432VOL | | | Reviewed On : 07/19/23 15:41:31 | | |
| KRESOXIM-METHYL | 0.01 | ppm | 1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 07/18/23 10:24:48 | | |
| MALATHION | 0.01 | ppm | 2 | PASS | ND | Analyzed Date : 07/18/23 15:12:24 | | | | | |
| METALAXYL | 0.01 | ppm | 3 | PASS | ND | Dilution : 250 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071723.R04; 040521.11; 071123.R21; 071123.R22 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 3 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| NALED | 0.01 | ppm | 0.5 | PASS | ND | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-005

Harvest/Lot ID: 2562 1568 8044 8697

Batch# : 2562 1568 8044 8697

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 900 gram

Total Amount : 4378 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.8 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.2 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50 | ppm | 500 | PASS | ND |
| ACETONE | 75 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6 | ppm | 60 | PASS | ND |
| BENZENE | 0.1 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.2 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.5 | ppm | 125 | PASS | ND |
| ETHANOL | 500 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.5 | ppm | 5 | PASS | ND |
| HEPTANE | 500 | ppm | 5000 | PASS | ND |
| METHANOL | 25 | ppm | 250 | PASS | ND |
| N-HEXANE | 25 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75 | ppm | 750 | PASS | ND |
| PROPANE | 500 | ppm | 5000 | PASS | ND |
| TOLUENE | 15 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.5 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0249g

 Extraction date:
 07/19/23 13:23:26

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062449SOL
 Instrument Used : DA-GCMS-003
 Analyzed Date : 07/19/23 13:27:48

 Reviewed On : 07/19/23 15:46:07
 Batch Date : 07/18/23 12:57:56

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-005

Harvest/Lot ID: 2562 1568 8044 8697

Batch# : 2562 1568 8044

8697

Sampled : 07/17/23

Ordered : 07/17/23



Sample Size Received : 900 gram

Total Amount : 4378 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 4 of 5

|  | Microbial | PASSED |  | Mycotoxins | PASSED | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|--------|-----------------------------------------------------------------------------------|-------------|--------------|--------|-------------|--------------|---------------------|------|-----|-------------|------|---|-------------------|------|-----|-------------|------|-----|-----------------------|------|-----|-------------|------|-----|--------------------|------|-----|-------------|------|-----|------------------------------------------------------------------------------------------------------------------|--|--|-------------|------|--|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|-------------|------|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-------|-----|------|--------|-------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---------|-----|-------|----------------------------------------------------------------------------------------------------------------------|-------------|--------------|-------------------------------|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|---------|------|-------|--------|-------------|--------------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|------------------------------------------------------------------------------------------------------------------|-------|-----|----|------|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|----|------|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|-------------------------------------------------------------------------------------------------------------------------------------|--|--|--|--|--|
| <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr><tr><td colspan="6">Analyzed by: 3336, 3621, 585, 4044 Weight: 0.933g Extraction date: 07/18/23 11:42:12 Extracted by: 3336</td></tr><tr><td colspan="6">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062416MIC Reviewed On : 07/19/23 11:38:11 Batch Date : 07/18/23 09:03:33 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/18/23 13:47:37</td></tr><tr><td colspan="6">Dilution : N/A Reagent : 050223.36; 062323.R18; 020823.19; 092122.09 Consumables : 7554003049 Pipette : N/A</td></tr></table> | | | Analyte | LOD | Units | Result | Pass / Fail | Action Level | ASPERGILLUS TERREUS | | | Not Present | PASS | | ASPERGILLUS NIGER | | | Not Present | PASS | | ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | ASPERGILLUS FLAVUS | | | Not Present | PASS | | SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | ECOLI SHIGELLA | | | Not Present | PASS | | TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | Analyzed by: 3336, 3621, 585, 4044 Weight: 0.933g Extraction date: 07/18/23 11:42:12 Extracted by: 3336 | | | | | | Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062416MIC Reviewed On : 07/19/23 11:38:11 Batch Date : 07/18/23 09:03:33 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/18/23 13:47:37 | | | | | | Dilution : N/A Reagent : 050223.36; 062323.R18; 020823.19; 092122.09 Consumables : 7554003049 Pipette : N/A | | | | | | <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td colspan="6">Analyzed by: 3379, 585, 4044 Weight: 0.8491g Extraction date: 07/18/23 14:57:27 Extracted by: 3379,585</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062430MYC Reviewed On : 07/19/23 11:25:54 Instrument Used : N/A Batch Date : 07/18/23 10:24:44 Analyzed Date : 07/18/23 14:51:52</td></tr><tr><td colspan="6">Dilution : 250 Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table> | | | Analyte | LOD | Units | Result | Pass / Fail | Action Level | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | Analyzed by: 3379, 585, 4044 Weight: 0.8491g Extraction date: 07/18/23 14:57:27 Extracted by: 3379,585 | | | | | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062430MYC Reviewed On : 07/19/23 11:25:54 Instrument Used : N/A Batch Date : 07/18/23 10:24:44 Analyzed Date : 07/18/23 14:51:52 | | | | | | Dilution : 250 Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3336, 3621, 585, 4044 Weight: 0.933g Extraction date: 07/18/23 11:42:12 Extracted by: 3336 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062416MIC Reviewed On : 07/19/23 11:38:11 Batch Date : 07/18/23 09:03:33 Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/18/23 13:47:37 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : N/A Reagent : 050223.36; 062323.R18; 020823.19; 092122.09 Consumables : 7554003049 Pipette : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3379, 585, 4044 Weight: 0.8491g Extraction date: 07/18/23 14:57:27 Extracted by: 3379,585 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062430MYC Reviewed On : 07/19/23 11:25:54 Instrument Used : N/A Batch Date : 07/18/23 10:24:44 Analyzed Date : 07/18/23 14:51:52 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 250 Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ARSENIC</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.5</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14</td></tr><tr><td colspan="6">Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table> | | | Analyte | LOD | Units | Result | Pass / Fail | Action Level | ARSENIC | 0.08 | ppm | ND | PASS | 5 | CADMIUM | 0.02 | ppm | ND | PASS | 1.5 | MERCURY | 0.02 | ppm | ND | PASS | 0.5 | LEAD | 0.02 | ppm | ND | PASS | 0.5 | Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619 | | | | | | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14 | | | | | | Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | | Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td colspan="6">TOTAL CONTAMINANT LOAD METALS</td></tr><tr><td>ARSENIC</td><td>0.08</td><td>ppm</td><td>ND</td><td>PASS</td><td>5</td></tr><tr><td>CADMIUM</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>MERCURY</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>3</td></tr><tr><td>LEAD</td><td>0.02</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td colspan="6">Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14</td></tr><tr><td colspan="6">Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216</td></tr><tr><td colspan="6">Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table> | | | Analyte | LOD | Units | Result | Pass / Fail | Action Level | TOTAL CONTAMINANT LOAD METALS | | | | | | ARSENIC | 0.08 | ppm | ND | PASS | 5 | CADMIUM | 0.02 | ppm | ND | PASS | 0.5 | MERCURY | 0.02 | ppm | ND | PASS | 3 | LEAD | 0.02 | ppm | ND | PASS | 0.5 | Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619 | | | | | | Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14 | | | | | | Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | | Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARSENIC | 0.08 | ppm | ND | PASS | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 1.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARSENIC | 0.08 | ppm | ND | PASS | 5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CADMIUM | 0.02 | ppm | ND | PASS | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MERCURY | 0.02 | ppm | ND | PASS | 3 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEAD | 0.02 | ppm | ND | PASS | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 1022, 585, 4044 Weight: 0.2462g Extraction date: 07/18/23 12:55:44 Extracted by: 1022,3619 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062439HEA Reviewed On : 07/19/23 10:19:22 Instrument Used : DA-ICPMS-003 Batch Date : 07/18/23 11:19:29 Analyzed Date : 07/18/23 16:18:14 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-005

Harvest/Lot ID: 2562 1568 8044 8697

 Batch# : 2562 1568 8044
 8697

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 900 gram

Total Amount : 4378 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 28

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 |

 Analyzed by: 1879, 4044
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA062463FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/19/23 10:00:42

Reviewed On : 07/19/23 10:09:04

Batch Date : 07/19/23 09:33:57

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-----|-------|--------|------|--------------|
| Water Activity | 0.1 | aw | 0.567 | PASS | 0.85 |

 Analyzed by: 3807, 585, 4044
 Weight: 11.284g
 Extraction date: 07/18/23 19:59:46
 Extracted by: 3807

Analysis Method : SOP.T.40.019

Analytical Batch : DA062446WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/19/23 12:04:17

Batch Date : 07/18/23 12:22:46

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 4.807 | 25 |

 Analyzed by: 3335, 585, 4044
 Average Weight: 6.268g
 Extraction date: 07/18/23 12:59:38
 Extracted By: 3335

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA062417HOM

Instrument Used : DA-LC-004

Analyzed Date : 07/18/23 13:02:07

Reviewed On : 07/19/23 10:12:00

Batch Date : 07/18/23 09:16:18

Dilution : 40

Reagent : 071023.01; 070823.R04; 071222.46; 071423.R06

Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.