



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30718005-009  
Harvest/Lot ID: ID-VAC-070323-A117  
Batch#: 5625 9209 0818 3372  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Processing  
Seed to Sale# 1050 6744 2481 9300  
Batch Date: 06/29/23  
Sample Size Received: 56 gram  
Total Amount: 4244 units  
Retail Product Size: 3.5 gram  
Ordered: 07/17/23  
Sampled: 07/17/23  
Completed: 07/20/23  
Sampling Method: SOP.T.20.010

Jul 20, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**




Total THC  
**24.383%**  
Dry Weight



Total CBD  
**0.073%**  
Dry Weight



Total Cannabinoids  
**28.619%**  
Dry Weight



Total THC  
**21.189%**  
741.615 mg /Container

Total CBD  
**0.064%**  
2.24 mg /Container

Total Cannabinoids  
**24.87%**  
870.45 mg /Container

As Received

Analyzed by:  
3335, 3112, 585, 4044

Weight:  
0.0901g

Extraction date:  
07/18/23 13:40:34

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062435POT  
Instrument Used : DA-LC-002 (Flower)  
Analyzed Date : 07/18/23 13:44:01

Reviewed On : 07/19/23 11:38:32  
Batch Date : 07/18/23 10:25:57

Dilution : 200  
Reagent : 060723.24  
Consumables : 947.109; 15021042; 266969; CE123; 115C4-1151; 61691-131C6-131C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
07/20/23



Vanilla Creme Pie WF 3.5g  
Vanilla Creme Pie  
Matrix : Flower  
Type: Flower-Cured



# PASSED

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

Sample : DA30718005-009  
Harvest/Lot ID: ID-VAC-070323-A117

Batch# : 5625 9209 0818 3372	Sample Size Received : 56 gram
Sampled : 07/17/23	Total Amount : 4244 units
Ordered : 07/17/23	Completed : 07/20/23 Expires: 07/20/24
	Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

**TESTED**

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	59.325	1.695		FARNESENE	0.009	6.58	0.188	
TOTAL TERPINEOL	0.02	1.155	0.033		ALPHA-HUMULENE	0.02	6.58	0.188	
ALPHA-BISABOLOL	0.02	<0.7	<0.02		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	<0.7	<0.02		CIS-NEROLIDOL	0.02	1.435	0.041	
CAMPHERE	0.02	ND	ND		TRANS-NEROLIDOL	0.02	1.54	0.044	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	1.085	0.031	
BETA-PINENE	0.02	<0.7	<0.02		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	1.225	0.035		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analized by:	Weight:	Extraction date:		Extracted by:
3-CARENE	0.02	ND	ND		2076, 585, 4044	1.0675g	07/18/23 14:45:28		3702
ALPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.02	2.415	0.069		Analytical Batch : DA062424TER			Reviewed On : 07/20/23 11:24:18	
EUCALYPTOL	0.02	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 07/18/23 10:02:10	
OCIMENE	0.02	ND	ND		Analized Date : 07/20/23 08:55:42				
GAMMA-TERPINENE	0.02	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.02	ND	ND		Reagent : 121622.26				
TERPINOLENE	0.02	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.04	ND	ND		Pipette : N/A				
LINALOOL	0.02	4.655	0.133		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.02	1.225	0.035						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	<0.7	<0.02						
BETA-CARYOPHYLLENE	0.02	23.66	0.676						
Total (%)		1.695							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/JLA-  
Testing 97164

Signature  
07/20/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-009

Harvest/Lot ID: ID-VAC-070323-A117

 Batch# : 5625 9209 0818  
 3372

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 56 gram

Total Amount : 4244 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.8887g	07/18/23 14:59:01	3379,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062426PES			Reviewed On : 07/19/23 12:55:32		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/18/23 10:21:16		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/18/23 14:51:32					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.8887g	07/18/23 14:59:01	3379,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062428VOL			Reviewed On : 07/19/23 11:24:32		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/18/23 10:22:38		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/18/23 15:12:53					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R04; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					







# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-009

Harvest/Lot ID: ID-VAC-070323-A117

 Batch# : 5625 9209 0818  
 3372

 Sampled : 07/17/23  
 Ordered : 07/17/23



Sample Size Received : 56 gram

Total Amount : 4244 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000						
Analyzed by: 3336, 3621, 585, 4044 Weight: 0.9914g Extraction date: 07/18/23 11:44:42 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062419MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-013, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/18/23 13:47:36 Dilution : N/A Reagent : 050223.36; 062323.R18; 020823.19; 092122.09 Consumables : 7554003049 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 0.8887g Extraction date: 07/18/23 14:59:01 Extracted by: 3379, 585 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062427MYC Instrument Used : N/A Analyzed Date : 07/18/23 14:51:51 Dilution : 250 Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reviewed On : 07/19/23 12:06:52 Batch Date : 07/18/23 09:30:00						Reviewed On : 07/19/23 12:52:42 Batch Date : 07/18/23 10:22:35					
<b>Heavy Metals</b> <b>PASSED</b>											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.292g Extraction date: 07/18/23 11:13:52 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062421HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/18/23 16:18:54 Dilution : 50 Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-009

Harvest/Lot ID: ID-VAC-070323-A117

 Batch# : 5625 9209 0818  
 3372

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 56 gram

Total Amount : 4244 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign  
Material**
**PASSED**

**Moisture**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.1	PASS	15
Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed by: N/A						Analyzed by: 3807, 585, 4044 Weight: 0.497g Extraction date: 07/18/23 15:46:14 Analyzed by: 3807					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062463FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/19/23 10:00:42 Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA062444MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 07/19/23 10:09:55 Batch Date : 07/19/23 09:33:57						Reviewed On : 07/19/23 10:20:35 Batch Date : 07/18/23 12:21:10					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


**Water Activity**
**PASSED**

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.579	PASS	0.65
Analyzed by: 3807, 585, 4044 Weight: 0.581g Extraction date: 07/18/23 19:49:16 Analyzed by: 3807					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062445WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : N/A Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					
Reviewed On : 07/19/23 11:38:24 Batch Date : 07/18/23 12:21:35					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.