



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30718005-013
Harvest/Lot ID: HYB-SB-060923-C0093
Batch#: 4484 5830 4500 5184
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Processing
Seed to Sale#: 7635 9974 9719 6745
Batch Date: 05/08/23
Sample Size Received: 26 gram
Total Amount: 2140 units
Retail Product Size: 1 gram
Ordered: 07/17/23
Sampled: 07/17/23
Completed: 07/20/23
Sampling Method: SOP.T.20.010

Jul 20, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
24.999%
Dry Weight



Total CBD
0.046%
Dry Weight



Total Cannabinoids
29.719%
Dry Weight

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC | TOTAL CBD (DRY) | TOTAL THC (DRY) | TOTAL CANNABINOIDS (DRY) |
|---------|--------|--------|-------|-------|--------|-------|-------|-------|-------|-------|-------|-----------------|-----------------|--------------------------|
| % | 0.384 | 24.673 | ND | 0.047 | <0.01 | 0.095 | 0.912 | 0.012 | ND | ND | 0.057 | 0.046 | 24.999 | 29.719 |
| mg/unit | 3.84 | 246.73 | ND | 0.47 | <0.1 | 0.95 | 9.12 | 0.12 | ND | ND | 0.57 | 0.46 | 249.99 | 297.19 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % | % | % | % |

Total THC
22.022%
220.22 mg /Container

Total CBD
0.041%
0.41 mg /Container

Total Cannabinoids
26.18%
261.8 mg /Container

As Received

Analyzed by:
3335, 3112, 585, 4044

Weight:
0.0951g

Extraction date:
07/18/23 13:40:35

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062435POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 07/18/23 13:44:01

Reviewed On : 07/19/23 10:13:08
Batch Date : 07/18/23 10:25:57

Dilution : 200
Reagent : 060723.24
Consumables : 947.109; 15021042; 266969; CE123; 115C4-1151; 61691-131C6-131C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/20/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-013

Harvest/Lot ID: HYB-SB-060923-C0093

 Batch# : 4484 5830 4500
 5184

Sampled : 07/17/23

Ordered : 07/17/23

Sample Size Received : 26 gram

Total Amount : 2140 units

Completed : 07/20/23 Expires: 07/20/24

Sample Method : SOP.T.20.010

Page 2 of 5

Analyzed by:

2076, 585, 4044

Weight:

0.9605g

Extraction date:

07/18/23 14:45:29

Extracted by:

3702

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA062424TER

Instrument Used : DA-GCMS-008

Analyzed Date : 07/20/23 08:55:42

Reviewed On : 07/20/23 11:24:31

Batch Date : 07/18/23 10:02:10

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30718005-013

Harvest/Lot ID: HYB-SB-060923-C0093

 Batch# : 4484 5830 4500
 5184

 Sampled : 07/17/23
 Ordered : 07/17/23

Sample Size Received : 26 gram

Total Amount : 2140 units

 Completed : 07/20/23 Expires: 07/20/24
 Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|------|-------|--------------|-----------|--------|--|---------|-------------------|---------------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.05 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.35 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.05 | PPM | 0.1 | PASS | ND |
| CLOFENTHIZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.25 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.25 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | 3379, 585, 4044 | 0.9755g | 07/18/23 14:59:02 | 3379,585 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Instrumental Batch : DA062426PES | | | Reviewed On : 07/19/23 12:55:35 | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 07/18/23 10:21:16 | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 07/18/23 14:51:32 | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: | Weight: | Extraction date: | Extracted by: | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | 450, 585, 4044 | 0.9755g | 07/18/23 14:59:02 | 3379,585 | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA062428VOL | | | Reviewed On : 07/19/23 11:24:35 | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 07/18/23 10:22:38 | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 07/18/23 15:12:53 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071723.R04; 040521.11; 071123.R21; 071123.R22 | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |



Certificate of Analysis



PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com


 Sample : DA30718005-013
 Harvest/Lot ID: HYB-SB-060923-C0093

 Batch# : 4484 5830 4500
 Sample Size Received : 26 gram
 Total Amount : 2140 units
 Completed : 07/20/23 Expires: 07/20/24
 Sample Method : SOP.T.20.010
 5184
 Sampled : 07/17/23
 Ordered : 07/17/23

Page 4 of 5

| | | | | | |
|--|------------------|---------------|---|-------------------|---------------|
|  | Microbial | PASSED |  | Mycotoxins | PASSED |
| Analyte | | | Analyte | | |
| | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | 0.02 |
| ASPERGILLUS NIGER | | | Not Present | PASS | 0.02 |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | 0.02 |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | 0.02 |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | 0.02 |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3336, 3621, 585, 4044 | | | Analyzed by: 3379, 585, 4044 | | |
| Weight: 0.871g | | | Weight: 0.9755g | | |
| Extraction date: 07/18/23 11:44:43 | | | Extraction date: 07/18/23 14:59:02 | | |
| Extracted by: 3336 | | | Extracted by: 3379,585 | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA062419MIC | | | | | |
| Reviewed On : 07/19/23 12:06:59 | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | |
| Batch Date : 07/18/23 09:30:00 | | | | | |
| Analyzed Date : 07/18/23 13:47:36 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 050223.36; 062323.R18; 020823.19; 092122.09 | | | | | |
| Consumables : 7554003049 | | | | | |
| Pipette : N/A | | | | | |
| Analyzed by: 3336, 585, 4044 | | | | | |
| Weight: 0.871g | | | | | |
| Extraction date: 07/18/23 11:44:43 | | | | | |
| Extracted by: 3336 | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA062442TYM | | | | | |
| Reviewed On : 07/20/23 16:44:13 | | | | | |
| Instrument Used : Incubator (25-27C) DA-096 | | | | | |
| Batch Date : 07/18/23 11:54:41 | | | | | |
| Analyzed Date : 07/18/23 13:25:09 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 050223.36; 070523.R46 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | |
|---|-------------------|---------------|
|  | Mycotoxins | PASSED |
| Analyte | | |
| | LOD | Units |
| AFLATOXIN B2 | 0.002 | ppm |
| AFLATOXIN B1 | 0.002 | ppm |
| OCHRATOXIN A | 0.002 | ppm |
| AFLATOXIN G1 | 0.002 | ppm |
| AFLATOXIN G2 | 0.002 | ppm |
| Analyzed by: 3379, 585, 4044 | | |
| Weight: 0.9755g | | |
| Extraction date: 07/18/23 14:59:02 | | |
| Extracted by: 3379,585 | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | |
| Analytical Batch : DA062427MYC | | |
| Reviewed On : 07/19/23 12:52:45 | | |
| Instrument Used : N/A | | |
| Batch Date : 07/18/23 10:22:35 | | |
| Analyzed Date : 07/18/23 14:51:51 | | |
| Dilution : 250 | | |
| Reagent : 071723.R01; 071723.R03; 071723.R04; 071723.R02; 060523.R26; 071323.R01; 040521.11 | | |
| Consumables : 326250IW | | |
| Pipette : DA-093; DA-094; DA-219 | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | |

| | | |
|---|---------------------|---------------|
|  | Heavy Metals | PASSED |
| Metal | | |
| | LOD | Units |
| TOTAL CONTAMINANT LOAD METALS | 0.08 | ppm |
| ARSENIC | 0.02 | ppm |
| CADMIUM | 0.02 | ppm |
| MERCURY | 0.02 | ppm |
| LEAD | 0.02 | ppm |
| Analyzed by: 1022, 585, 4044 | | |
| Weight: 0.2098g | | |
| Extraction date: 07/18/23 12:57:21 | | |
| Extracted by: 1022,3619 | | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | |
| Analytical Batch : DA062421HEA | | |
| Reviewed On : 07/19/23 10:29:35 | | |
| Instrument Used : DA-ICPMS-003 | | |
| Batch Date : 07/18/23 10:00:34 | | |
| Analyzed Date : 07/18/23 16:18:54 | | |
| Dilution : 50 | | |
| Reagent : 062723.R18; 071423.R19; 071123.R17; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 | | |
| Consumables : 179436; 15021042; 210508058 | | |
| Pipette : DA-061; DA-191; DA-216 | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30718005-013
 Harvest/Lot ID: HYB-SB-060923-C0093

 Batch# : 4484 5830 4500
 5184
 Sampled : 07/17/23
 Ordered : 07/17/23
 Sample Size Received : 26 gram
 Total Amount : 2140 units
 Completed : 07/20/23 Expires: 07/20/24
 Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|-----|-------|--------|------|--------------|---|-----|-------|--------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 | Moisture Content | 1 | % | 11.91 | PASS | 15 |
| Analyzed by: 1879, 4044 Weight: NA Extraction date: N/A Analyzed Date: 07/19/23 10:00:42 | | | | | | Analyzed by: 3807, 585, 4044 Weight: 0.488g Extraction date: 07/18/23 15:46:14 Analyzed Date: N/A | | | | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA062463FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/19/23 10:12:44 Batch Date : 07/19/23 09:33:57 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA062444MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/19/23 10:13:05 Batch Date : 07/18/23 12:21:10 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|--|-----|-------|--------|------|--------------|
| Water Activity | 0.1 | aw | 0.552 | PASS | 0.65 |
| Analyzed by: 3807, 585, 4044 Weight: 0.546g Extraction date: 07/18/23 19:49:16 Analyzed Date: N/A | | | | | |
| Analysis Method : SOP.T.40.019 Analytical Batch : DA062445WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/19/23 10:13:16 Batch Date : 07/18/23 12:21:35 | | | | | |
| Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.