



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30719002-003
Harvest/Lot ID: ID-GAB-061323-A114
Batch#: 3951 4680 9222 1923
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 1579 8863 8767 7411
Batch Date: 06/09/23
Sample Size Received: 66.5 gram
Total Amount: 5129 units
Retail Product Size: 3.5 gram
Ordered: 07/18/23
Sampled: 07/18/23
Completed: 07/21/23
Sampling Method: SOP.T.20.010

Jul 21, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED




Total THC
24.612%
Dry Weight



Total CBD
0.071%
Dry Weight



Total Cannabinoids
29.115%
Dry Weight



Total THC
21.236%
743.26 mg /Container

Total CBD
0.062%
2.17 mg /Container

Total Cannabinoids
25.121%
879.235 mg /Container

As Received

Analyzed by:
3335, 3112, 585, 1440

Weight:
0.1016g

Extraction date:
07/19/23 11:14:10

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062461POT
Instrument Used : DA-LC-002 (Flower)
Analyzed Date : 07/19/23 11:18:24

Reviewed On : 07/20/23 12:19:59
Batch Date : 07/19/23 09:11:20

Dilution : 400
Reagent : 071923.R31; 060723.24; 071923.R26
Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/21/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30719002-003

Harvest/Lot ID: ID-GAB-061323-A114

Batch# : 3951 4680 9222
1923

Sampled : 07/18/23
Ordered : 07/18/23

Sample Size Received : 66.5 gram

Total Amount : 5129 units

Completed : 07/21/23 Expires: 07/21/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	71.33	2.038		FARNESENE	0.009	0.945	0.027	
TOTAL TERPINEOL	0.02	1.19	0.034		ALPHA-HUMULENE	0.02	6.195	0.177	
ALPHA-BISABOLOL	0.02	5.81	0.166		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	0.77	0.022		CIS-NEROLIDOL	0.02	<0.7	<0.02	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	2.415	0.069	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	0.735	0.021	
BETA-PINENE	0.02	1.225	0.035		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	2.555	0.073		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND						
3-CARENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.02	ND	ND		Analytical Batch : DA062465TER				
LIMONENE	0.02	8.4	0.24		Instrument Used : DA-GCMS-008				
EUCALYPTOL	0.02	<0.7	<0.02		Analysis Date : 07/20/23 10:08:49				
OCIMENE	0.02	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.02	ND	ND		Reagent : 121622.26				
SABINENE HYDRATE	0.02	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.02	ND	ND		Pipette : N/A				
FENCHONE	0.04	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.02	11.165	0.319						
FENCHYL ALCOHOL	0.02	1.26	0.036						
ISOPULEGOL	0.02	<0.7	<0.02						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	18.9	0.54						
Total (%)			2.038						



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30719002-003

Harvest/Lot ID: ID-GAB-061323-A114

 Batch# : 3951 4680 9222
 1923

Sampled : 07/18/23

Ordered : 07/18/23

Sample Size Received : 66.5 gram

Total Amount : 5129 units

Completed : 07/21/23 Expires: 07/21/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTHIZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.8973g	07/19/23 14:08:15	450,585		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062469PES			Reviewed On : 07/20/23 11:42:35		
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/19/23 10:03:41		
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/19/23 14:36:19					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 071723.R01; 071723.R03; 071923.R03; 071723.R02; 060523.R26; 071923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8973g	07/19/23 14:08:15	450,585		
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062471VOL			Reviewed On : 07/20/23 11:40:27		
MALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/19/23 10:05:57		
METALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/19/23 14:12:09					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30719002-003

Harvest/Lot ID: ID-GAB-061323-A114

 Batch# : 3951 4680 9222
 1923

 Sampled : 07/18/23
 Ordered : 07/18/23




Sample Size Received : 66.5 gram

Total Amount : 5129 units

Completed : 07/21/23 Expires: 07/21/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000						
Analyzed by: 3336, 585, 1440 Weight: 0.8089g Extraction date: 07/19/23 10:36:21 Extracted by: 3336						Analyzed by: 3379, 585, 1440 Weight: 0.8973g Extraction date: 07/19/23 14:08:15 Extracted by: 450,585					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062453MIC Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/19/23 12:19:39						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062470MYC Instrument Used : N/A Analyzed Date : 07/19/23 14:37:53 Dilution : 250 Reagent : 071723.R01; 071723.R03; 071923.R03; 071723.R02; 060523.R26; 071923.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 050223.54; 062323.R18; 020823.19; 092122.09 Consumables : 7562003047 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 1440 Weight: 0.8089g Extraction date: 07/19/23 10:36:21 Extracted by: 3336, 3390						 Heavy Metals PASSED					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062476TYM Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 07/19/23 12:17:38						Metal LOD Units Result Pass / Fail Action Level TOTAL CONTAMINANT LOAD METALS 0.08 ppm ND PASS 1.1 ARSENIC 0.02 ppm ND PASS 0.2 CADMIUM 0.02 ppm ND PASS 0.2 MERCURY 0.02 ppm ND PASS 0.2 LEAD 0.02 ppm ND PASS 0.5					
Dilution : 10 Reagent : 050223.54; 070523.R46 Consumables : N/A Pipette : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.2664g Extraction date: 07/19/23 09:37:15 Extracted by: 3619					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062456HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/19/23 14:02:10					
						Dilution : 50 Reagent : 062723.R18; 071423.R19; 071823.R02; 071423.R17; 071423.R18; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30719002-003

Harvest/Lot ID: ID-GAB-061323-A114

 Batch# : 3951 4680 9222
 1923

Sampled : 07/18/23

Ordered : 07/18/23

Sample Size Received : 66.5 gram

Total Amount : 5129 units

Completed : 07/21/23 Expires: 07/21/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.72	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3807, 585, 1440	Weight: 0.502g	Extraction date: 07/19/23 14:08:40	Extracted by: 3807		
Analysis Method : SOP.T.40.090 Analytical Batch : DA062463FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/19/23 10:00:42						Analysis Method : SOP.T.40.021 Analytical Batch : DA062473MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : N/A					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					
Reviewed On : 07/19/23 10:09:44 Batch Date : 07/19/23 09:33:57						Reviewed On : 07/19/23 15:58:09 Batch Date : 07/19/23 10:08:51					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.562	PASS	0.65
Analyzed by: 3807, 585, 1440	Weight: 0.675g	Extraction date: 07/19/23 14:37:52	Extracted by: 3807		
Analysis Method : SOP.T.40.019			Reviewed On : 07/19/23 15:58:05 Batch Date : 07/19/23 10:09:04		
Analytical Batch : DA062474WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Analyzed Date : N/A					
Dilution : N/A					
Reagent : 050923.04					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.