



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30722003-002
Harvest/Lot ID: HYB-GB-062123-C0095
Batch#: 8374 3470 1794 7230
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 4787 6198 3465 6604
Batch Date: 05/12/23
Sample Size Received: 26 gram
Total Amount: 1098 units
Retail Product Size: 1 gram
Ordered: 07/21/23
Sampled: 07/21/23
Completed: 07/25/23
Sampling Method: SOP.T.20.010

Jul 25, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

24.531%

Dry Weight



Total CBD

0.055%


Dry Weight



Total Cannabinoids

28.559%

Dry Weight



Total THC
21.794%
217.94 mg /Container

Total CBD
0.049%
0.49 mg /Container

Total Cannabinoids
25.372%
253.72 mg /Container

As Received

Analyzed by:
3112, 1665, 585, 1440

Weight:
0.202g

Extraction date:
07/24/23 10:23:42

Extracted by:
1665,3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062600POT

Instrument Used : DA-LC-002

Analyzed Date : 07/24/23 10:36:20

Reviewed On : 07/25/23 12:22:31

Batch Date : 07/22/23 20:39:18

Dilution : 400

Reagent : 072423.R04; 060723.24; 072423.R02

Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
07/25/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30722003-002
Harvest/Lot ID: HYB-GB-062123-C0095

Batch# : 8374 3470 1794
7230

Sampled : 07/21/23
Ordered : 07/21/23

Sample Size Received : 26 gram
Total Amount : 1098 units
Completed : 07/25/23 Expires: 07/25/24
Sample Method : SOP.T.20.010

Page 2 of 5

</



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30722003-002

Harvest/Lot ID: HYB-GB-062123-C0095

 Batch# : 8374 3470 1794
 7230

Sampled : 07/21/23

Ordered : 07/21/23


Sample Size Received : 26 gram

Total Amount : 1098 units

Completed : 07/25/23 Expires: 07/25/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.8082g	Extraction date: 07/24/23 11:14:36	Extracted by: 4056,450		
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062616PES					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/24/23 14:15:27					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.8082g	Extraction date: 07/24/23 11:14:36	Extracted by: 4056,450		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062617VOL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Instrument Used : DA-GCMS-001					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/24/23 11:20:07					
MALATHION	0.01	ppm	0.2	PASS	ND	Dilution : 250					
METALAXYL	0.01	ppm	0.1	PASS	ND	Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHOMYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30722003-002
 Harvest/Lot ID: HYB-GB-062123-C0095
 Batch# : 8374 3470 1794
 Sample Size Received : 26 gram
 Total Amount : 1098 units
 Completed : 07/25/23 Expires: 07/25/24
 Sample Method : SOP.T.20.010
 Sampled : 07/21/23
 Ordered : 07/21/23

Page 4 of 5

<div></div> <div>Microbial</div>						<div>PASSED</div>					
<div>Analyte</div> <div>ASPERGILLUS TERREUS</div> <div>ASPERGILLUS NIGER</div> <div>ASPERGILLUS FUMIGATUS</div> <div>ASPERGILLUS FLAVUS</div> <div>SALMONELLA SPECIFIC GENE</div> <div>ECOLI SHIGELLA</div> <div>TOTAL YEAST AND MOLD</div> <div>10</div> <div>CFU/g</div> <div>10</div> <div>PASS</div> <div>100000</div>						<div>Analyte</div> <div>AFLATOXIN B2</div> <div>AFLATOXIN B1</div> <div>OCHRATOXIN A</div> <div>AFLATOXIN G1</div> <div>AFLATOXIN G2</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div>					
<div>Analyzed by: 3390, 3621, 585, 1440</div> <div>Weight: 0.9308g</div> <div>Extraction date: 07/22/23 15:30:45</div> <div>Extracted by: 3336</div> <div>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</div> <div>Analytical Batch : DA062578MIC</div> <div>Reviewed On : 07/25/23 12:20:38</div> <div>Batch Date : 07/22/23 09:32:15</div> <div>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</div> <div>Analyzed Date : 07/24/23 12:42:54</div>						<div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062618MYC</div> <div>Instrument Used : N/A</div> <div>Analyzed Date : 07/24/23 14:15:36</div> <div>Reviewed On : 07/25/23 12:02:34</div> <div>Batch Date : 07/23/23 14:35:41</div>					
<div>Dilution : N/A</div> <div>Reagent : 050223.35; 071823.R01; 020823.19; 092122.09</div> <div>Consumables : 7563004024</div> <div>Pipette : N/A</div>						<div>Dilution : 250</div> <div>Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div>					
<div>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>											
<div><div><div><div>Hg</div></div></div></div>						<div>Heavy Metals</div> <div>PASSED</div>					
<div>Metal</div> <div>TOTAL CONTAMINANT LOAD METALS</div> <div>0.08</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>1.1</div>						<div>Metal</div> <div>TOTAL CONTAMINANT LOAD METALS</div> <div>0.08</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>1.1</div>					
<div>ARSENIC</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>						<div>ARSENIC</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>					
<div>CADMIUM</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>						<div>CADMIUM</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>					
<div>MERCURY</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>						<div>MERCURY</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div>					
<div>LEAD</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.5</div>						<div>LEAD</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.5</div>					
<div>Analyzed by: 1022, 585, 1440</div> <div>Weight: 0.26g</div> <div>Extraction date: 07/22/23 13:09:50</div> <div>Extracted by: 3807,3619</div> <div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA062581HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 07/24/23 15:36:25</div> <div>Reviewed On : 07/25/23 12:13:43</div> <div>Batch Date : 07/22/23 12:00:20</div>						<div>Analyzed by: 1022, 585, 1440</div> <div>Weight: 0.26g</div> <div>Extraction date: 07/22/23 13:09:50</div> <div>Extracted by: 3807,3619</div> <div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA062581HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 07/24/23 15:36:25</div> <div>Reviewed On : 07/25/23 12:13:43</div> <div>Batch Date : 07/22/23 12:00:20</div>					
<div>Dilution : 50</div> <div>Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15</div> <div>Consumables : 179436; 15021042; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div>						<div>Dilution : 50</div> <div>Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15</div> <div>Consumables : 179436; 15021042; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div>					
<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30722003-002

Harvest/Lot ID: HYB-GB-062123-C0095

 Batch# : 8374 3470 1794
 7230

Sampled : 07/21/23

Ordered : 07/21/23

Sample Size Received : 26 gram

Total Amount : 1098 units

Completed : 07/25/23 Expires: 07/25/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.16	PASS	15

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

 Analysis Method : SOP.T.40.090
 Analytical Batch : DA062599FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 07/22/23 19:31:38

 Reviewed On : 07/22/23 19:41:46
 Batch Date : 07/22/23 19:30:33

 Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Analyzed by: 4056, 585, 1440	Weight: 0.502g	Extraction date: 07/23/23 11:01:09	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.021
 Analytical Batch : DA062589MOI
 Instrument Used : DA-003 Moisture Analyzer
 Analyzed Date : 07/22/23 14:08:29

 Reviewed On : 07/24/23 13:05:58
 Batch Date : 07/22/23 13:45:48

 Dilution : N/A
 Reagent : 031523.19; 020123.02
 Consumables : N/A
 Pipette : DA-066

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.542	PASS	0.65

Analyzed by: 4056, 585, 1440	Weight: 0.696g	Extraction date: 07/23/23 11:06:30	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

 Analysis Method : SOP.T.40.019
 Analytical Batch : DA062590WAT
 Instrument Used : DA-028 Rotronic HygroPalm
 Analyzed Date : 07/23/23 08:12:33

 Reviewed On : 07/24/23 13:05:59
 Batch Date : 07/22/23 13:47:31

 Dilution : N/A
 Reagent : 050923.04
 Consumables : PS-14
 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

