



Certificate of Analysis

COMPLIANCE FOR RETAIL











Sample: DA30722003-003
Harvest/Lot ID: HYB-JBF-062723-C0096
Batch#: 2726 3816 9773 9825
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 3509 7114 3213 4679
Batch Date: 05/18/23
Sample Size Received: 26 gram
Total Amount: 799 units
Retail Product Size: 1 gram
Ordered: 07/21/23
Sampled: 07/21/23
Completed: 07/25/23
Sampling Method: SOP.T.20.010

Jul 25, 2023 | FLUENT
82 NE 26th street
Miami, FL, 33137, US




PASSED

Pages 1 of 5

| PRODUCT IMAGE | SAFETY RESULTS | | | | | | | | MISC. |
|---|---|---|---|---|---|--|---|---|---|
|  |  |  |  |  |  |  |  |  |  |
| | Pesticides PASSED | Heavy Metals PASSED | Microbials PASSED | Mycotoxins PASSED | Residuals Solvents NOT TESTED | Filtration PASSED | Water Activity PASSED | Moisture PASSED | Terpenes TESTED |

| | | |
|--|--------------------|---------------|
|  | Cannabinoid | PASSED |
|--|--------------------|---------------|



| | | | |
|--|--------------------|---------------------------------------|----------------------------|
| Analyzed by: 3112, 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062600POT Instrument Used : DA-LC-002 Analyzed Date : 07/24/23 10:36:20 Dilution : 400 Reagent : 072423.R04; 060723.24; 072423.R02 Consumables : 250346; 280670723; CE0123; 115C4-1151; R1KB14270 Pipette : DA-079; DA-108; DA-078 | Weight: 0.2073g | Extraction date: 07/24/23 10:23:51 | Extracted by: 1665,3112 |
| Reviewed On : 07/25/23 12:22:05 Batch Date : 07/22/23 20:39:18 | | | |

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
07/25/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30722003-003

Harvest/Lot ID: HYB-JBF-062723-C0096

Batch# : 2726 3816 9773
9825

Sampled : 07/21/23

Ordered : 07/21/23

Sample Size Received : 26 gram

Total Amount : 799 units

Completed : 07/25/23 Expires: 07/25/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|---------|---------|--------------|------------|---------------------|---------|---------|-------|------------|
| TOTAL TERPENES | 0.02 | 15.04 | 1.504 | | FARNESENE | 0.009 | 0.42 | 0.042 | |
| TOTAL TERPINEOL | 0.02 | 0.72 | 0.072 | | ALPHA-HUMULENE | 0.02 | 0.67 | 0.067 | |
| ALPHA-BISABOLOL | 0.02 | 0.32 | 0.032 | | VALENCENE | 0.02 | ND | ND | |
| ALPHA-PINENE | 0.02 | 0.39 | 0.039 | | CIS-NEROLIDOL | 0.02 | ND | ND | |
| CAMPHENE | 0.02 | <0.2 | <0.02 | | TRANS-NEROLIDOL | 0.02 | 0.26 | 0.026 | |
| SABINENE | 0.02 | ND | ND | | CARYOPHYLLENE OXIDE | 0.02 | 0.23 | 0.023 | |
| BETA-PINENE | 0.02 | 0.61 | 0.061 | | GUAIOL | 0.02 | ND | ND | |
| BETA-MYRCENE | 0.02 | 0.61 | 0.061 | | CEDROL | 0.02 | ND | ND | |
| ALPHA-PHELLANDRENE | 0.02 | ND | ND | | | | | | |
| 3-CARENE | 0.02 | ND | ND | | | | | | |
| ALPHA-TERPINENE | 0.02 | ND | ND | | | | | | |
| LIMONENE | 0.02 | 2.43 | 0.243 | | | | | | |
| EUCALYPTOL | 0.02 | ND | ND | | | | | | |
| OCIMENE | 0.02 | <0.2 | <0.02 | | | | | | |
| GAMMA-TERPINENE | 0.02 | ND | ND | | | | | | |
| SABINENE HYDRATE | 0.02 | ND | ND | | | | | | |
| TERPINOLENE | 0.02 | ND | ND | | | | | | |
| FENCHONE | 0.04 | <0.4 | <0.04 | | | | | | |
| LINALOOL | 0.02 | 3.02 | 0.302 | | | | | | |
| FENCHYL ALCOHOL | 0.02 | 0.88 | 0.088 | | | | | | |
| ISOPULEGOL | 0.02 | ND | ND | | | | | | |
| CAMPHOR | 0.06 | ND | ND | | | | | | |
| ISOBORNEOL | 0.02 | ND | ND | | | | | | |
| BORNEOL | 0.04 | <0.4 | <0.04 | | | | | | |
| HEXAHYDROTHYMOL | 0.02 | ND | ND | | | | | | |
| NEROL | 0.02 | ND | ND | | | | | | |
| PULEGONE | 0.02 | ND | ND | | | | | | |
| GERANIOL | 0.02 | <0.2 | <0.02 | | | | | | |
| GERANYL ACETATE | 0.02 | ND | ND | | | | | | |
| ALPHA-CEDRENE | 0.02 | ND | ND | | | | | | |
| BETA-CARYOPHYLLENE | 0.02 | 2.47 | 0.247 | | | | | | |
| Total (%) | | | 1.504 | | | | | | |

Analyzed by:
2076, 585, 1440

Weight:
0.9301g

Extraction date:
07/24/23 12:44:58

Extracted by:
2076

Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL

Analytical Batch : DA062592TER

Instrument Used : DA-GCMS-008

Analyzed Date : 07/25/23 08:35:12

Reviewed On : 07/25/23 15:41:02

Batch Date : 07/22/23 15:28:37

Dilution : 10

Reagent : 121622.26

Consumables : 210414634; MKCN9995; CE0123; R1KB14270

Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30722003-003

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 2726 3816 9773
 9825

Sampled : 07/21/23

Ordered : 07/21/23


Sample Size Received : 26 gram

Total Amount : 799 units

Completed : 07/25/23 Expires: 07/25/24

Sample Method : SOP.T.20.010

Page 3 of 5

| <div><div></div><div>Pesticides</div></div> | | | | | | PASSED | | | | | |
|--|------|-------|--------------|-----------|--------|--|--|-------|---------------------------------|-----------|--------|
| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.01 | ppm | 5 | PASS | ND | OXAMYL | 0.01 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.01 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.01 | ppm | 0.1 | PASS | ND | PHOSMET | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.01 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.01 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.01 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.01 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.01 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.01 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.01 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.01 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.01 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.01 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.01 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.01 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.01 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.01 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.01 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.01 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.01 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.01 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.01 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.01 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.01 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.01 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.05 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.01 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.01 | ppm | 1 | PASS | ND | CAPTAN * | 0.35 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.01 | ppm | 1 | PASS | ND | CHLORDANE * | 0.05 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.01 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.05 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.01 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.25 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.01 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.25 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: 3379, 585, 1440 Weight: 0.8999g Extraction date: 07/24/23 11:14:37 Extracted by: 4056,450 | | | | | |
| DIAZINON | 0.01 | ppm | 0.1 | PASS | ND | | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | | | | |
| DICHLORVOS | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA062616PES | | | Reviewed On : 07/25/23 12:05:55 | | |
| DIMETHOATE | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-003 (PES) | | | Batch Date : 07/23/23 14:33:09 | | |
| ETHOPROPHOS | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 07/24/23 14:15:27 | | | | | |
| ETOFENPROX | 0.01 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01 | | | | | |
| FENHEXAMID | 0.01 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENOXYCARB | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed by: 450, 585, 1440 Weight: 0.8999g Extraction date: 07/24/23 11:14:37 Extracted by: 4056,450 | | | | | |
| FLONICAMID | 0.01 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| FLUDIOXONIL | 0.01 | ppm | 0.1 | PASS | ND | Analytical Batch : DA062617VOL | | | Reviewed On : 07/25/23 12:04:11 | | |
| HEXYTHIAZOX | 0.01 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-001 | | | Batch Date : 07/23/23 14:35:11 | | |
| IMAZALIL | 0.01 | ppm | 0.1 | PASS | ND | Analyzed Date : 07/24/23 11:20:07 | | | | | |
| IMIDACLOPRID | 0.01 | ppm | 0.4 | PASS | ND | Dilution : 250 | | | | | |
| KRESOXIM-METHYL | 0.01 | ppm | 0.1 | PASS | ND | Reagent : 071923.R03; 040521.11; 071123.R21; 071123.R22 | | | | | |
| MALATHION | 0.01 | ppm | 0.2 | PASS | ND | Consumables : 326250IW; 14725401 | | | | | |
| METALAXYL | 0.01 | ppm | 0.1 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METHIOCARB | 0.01 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHOMYL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.01 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.01 | ppm | 0.25 | PASS | ND | | | | | | |




Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30722003-003
 Harvest/Lot ID: HYB-JBF-062723-C0096
 Batch# : 2726 3816 9773
 Sample Size Received : 26 gram
 Total Amount : 799 units
 Completed : 07/25/23 Expires: 07/25/24
 Sample Method : SOP.T.20.010
 Sampled : 07/21/23
 Ordered : 07/21/23

Page 4 of 5

| | | | | | | | | | | | |
|---|--|--|--|--|--|--|--|--|--|--|--|
| <div></div> <div>Microbial</div> | | | | | | <div>PASSED</div> | | | | | |
| <div>Analyte</div> <div>ASPERGILLUS TERREUS</div> <div>ASPERGILLUS NIGER</div> <div>ASPERGILLUS FUMIGATUS</div> <div>ASPERGILLUS FLAVUS</div> <div>SALMONELLA SPECIFIC GENE</div> <div>ECOLI SHIGELLA</div> <div>TOTAL YEAST AND MOLD</div> <div>10</div> <div>CFU/g</div> <div>10</div> <div>PASS</div> <div>100000</div> | | | | | | <div>Analyte</div> <div>AFLATOXIN B2</div> <div>AFLATOXIN B1</div> <div>OCHRATOXIN A</div> <div>AFLATOXIN G1</div> <div>AFLATOXIN G2</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div> <div>0.002</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.02</div> | | | | | |
| <div>Analyzed by: 3390, 3621, 585, 1440</div> <div>Weight: 0.9346g</div> <div>Extraction date: 07/22/23 15:30:46</div> <div>Extracted by: 3336</div> <div>Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</div> <div>Analytical Batch : DA062578MIC</div> <div>Reviewed On : 07/25/23 12:20:38</div> <div>Batch Date : 07/22/23 09:32:15</div> <div>Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021</div> <div>Analyzed Date : 07/24/23 12:42:54</div> | | | | | | <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062618MYC</div> <div>Instrument Used : N/A</div> <div>Analyzed Date : 07/24/23 14:15:36</div> <div>Reviewed On : 07/25/23 12:02:35</div> <div>Batch Date : 07/23/23 14:35:41</div> <div>Dilution : 250</div> <div>Reagent : 071923.R03; 040521.11; 071723.R01; 072123.R01; 071723.R02; 060523.R26; 071923.R01</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> | | | | | |
| <div>Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> | | | | | | | | | | | |
| <div><div><div>Hg</div></div></div> | | | | | | <div>Heavy Metals</div> <div>PASSED</div> | | | | | |
| <div>Metal</div> <div>TOTAL CONTAMINANT LOAD METALS</div> <div>0.08</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>1.1</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.2</div> <div>0.02</div> <div>ppm</div> <div>ND</div> <div>PASS</div> <div>0.5</div> | | | | | | <div>Analyzed by: 1022, 585, 1440</div> <div>Weight: 0.2366g</div> <div>Extraction date: 07/22/23 13:18:31</div> <div>Extracted by: 3807,3619</div> <div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA062581HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 07/24/23 15:36:25</div> <div>Reviewed On : 07/25/23 12:13:25</div> <div>Batch Date : 07/22/23 12:00:20</div> <div>Dilution : 50</div> <div>Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15</div> <div>Consumables : 179436; 15021042; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div> | | | | | |
| <div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div> | | | | | | | | | | | |



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30722003-003

Harvest/Lot ID: HYB-JBF-062723-C0096

 Batch# : 2726 3816 9773
 9825

Sampled : 07/21/23

Ordered : 07/21/23

Sample Size Received : 26 gram

Total Amount : 799 units

Completed : 07/25/23 Expires: 07/25/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level | Analyte | LOD | Units | Result | P/F | Action Level |
|--|---------------|-------------------------|----------------------|------|--------------|---|------------------|---------------------------------------|-----------------------|------|--------------|
| Filth and Foreign Material | 0.1 | % | ND | PASS | 1 | Moisture Content | 1 | % | 13.39 | PASS | 15 |
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A | | | Analyzed by: 4056, 585, 1440 | Weight: 0.56g | Extraction date: 07/23/23 11:01:09 | Extracted by: 4056 | | |
| Analysis Method : SOP.T.40.090 Analytical Batch : DA062599FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/22/23 19:31:38 | | | | | | Analysis Method : SOP.T.40.021 Analytical Batch : DA062589MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/22/23 14:08:29 | | | | | |
| Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A | | | | | | Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066 | | | | | |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|---|------------------|---------------------------------------|---|-----------------------|--------------|
| Water Activity | 0.1 | aw | 0.536 | PASS | 0.65 |
| Analyzed by: 4056, 585, 1440 | Weight: 1.04g | Extraction date: 07/23/23 11:06:30 | | Extracted by: 4056 | |
| Analysis Method : SOP.T.40.019 | | | Reviewed On : 07/24/23 13:06:01 Batch Date : 07/22/23 13:47:31 | | |
| Analytical Batch : DA062590WAT | | | | | |
| Instrument Used : DA-028 Rotronic HygroPalm | | | | | |
| Analyzed Date : 07/23/23 08:12:33 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 050923.04 | | | | | |
| Consumables : PS-14 | | | | | |
| Pipette : N/A | | | | | |

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.