



Certificate of Analysis

COMPLIANCE FOR RETAIL












Sample: DA30725004-006
Harvest/Lot ID: 6522 5417 2715 9087
Batch#: 6522 5417 2715 9087
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 2611 5673 6413 2437
Batch Date: 05/18/23
Sample Size Received: 960 gram
Total Amount: 5359 units
Retail Product Size: 60.5455 gram
Ordered: 07/24/23
Sampled: 07/24/23
Completed: 07/27/23
Sampling Method: SOP.T.20.010


Jul 27, 2023 | FLUENT
 82 NE 26th street
 Miami, FL, 33137, US



PASSED

Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity PASSED	 Moisture NOT TESTED	 Terpenes NOT TESTED
 Cannabinoid									PASSED



Analyzed by: 3112, 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062646POT Instrument Used : DA-LC-007 Analyzed Date : 07/25/23 13:42:41	Weight: 2.9399g	Extraction date: 07/25/23 13:39:58 Reviewed On : 07/26/23 22:19:32 Batch Date : 07/25/23 09:28:24	Extracted by: 1665
---	--------------------	--	-----------------------

Dilution : 40
 Reagent : 070323.01; 071923.R30; 060723.50; 071923.R27
 Consumables : 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 07/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-006

Harvest/Lot ID: 6522 5417 2715 9087

Batch# : 6522 5417 2715 9087

Sampled : 07/24/23

Ordered : 07/24/23


Sample Size Received : 960 gram

Total Amount : 5359 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 2 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9812g	Extraction date: 07/25/23 15:36:19	Extracted by: 3379,450		
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch : DA062659PES					
FENHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution : 250					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11					
FLONICAMID	0.01	ppm	2	PASS	ND	Consumables : 326250IW					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Pipette : DA-093; DA-094; DA-219					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9812g	Extraction date: 07/25/23 15:36:19	Extracted by: 3379,450		
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
METHOMYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062661VOL					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Analyzed Date : 07/25/23 12:51:58					
NALED	0.01	ppm	0.5	PASS	ND	Dilution : 250					
						Reagent : 072423.R20; 040521.11; 071123.R21; 071123.R22					
						Consumables : 326250IW; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-006

Harvest/Lot ID: 6522 5417 2715 9087

Batch# : 6522 5417 2715 9087

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 960 gram

Total Amount : 5359 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 1665, 1440, 585

 Weight:
 0.0204g

 Extraction date:
 07/26/23 15:39:13

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA062678SOL
 Instrument Used : DA-GCMS-002
 Analyzed Date : 07/26/23 15:57:31

 Reviewed On : 07/26/23 17:58:49
 Batch Date : 07/25/23 14:33:44

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-006

Harvest/Lot ID: 6522 5417 2715 9087

Batch# : 6522 5417 2715 9087

Sampled : 07/24/23

Ordered : 07/24/23




Sample Size Received : 960 gram

Total Amount : 5359 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 585, 1440 Weight: 1.0133g Extraction date: 07/25/23 10:51:26 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062647MIC Reviewed On : 07/26/23 21:49:26 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Batch Date : 07/25/23 09:33:18 Analyzed Date : 07/25/23 14:08:07 Dilution : N/A Reagent : 050223.51; 071823.R01; 020823.19; 092122.09 Consumables : 7563004006 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.9812g Extraction date: 07/25/23 15:36:19 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062660MYC Reviewed On : 07/27/23 10:01:49 Instrument Used : N/A Batch Date : 07/25/23 11:34:16 Analyzed Date : N/A Dilution : 250 Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
 Heavy Metals PASSED											
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2873g Extraction date: 07/25/23 10:09:03 Extracted by: 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062648HEA Reviewed On : 07/26/23 15:05:04 Instrument Used : DA-ICPMS-003 Batch Date : 07/25/23 09:35:38 Analyzed Date : 07/25/23 13:16:53 Dilution : 50 Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-006

Harvest/Lot ID: 6522 5417 2715 9087

Batch# : 6522 5417 2715 9087

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 960 gram

Total Amount : 5359 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED
Homogeneity
PASSED

Amount of tests conducted : 34

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

 Analyzed by: 1879, 1440
 Weight: NA
 Extraction date: N/A
 Extracted by: N/A

Analysis Method : SOP.T.40.090

Analytical Batch : DA062679FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 07/25/23 23:13:27

Batch Date : 07/25/23 16:34:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.55	PASS	0.85

 Analyzed by: 4056, 1665, 1440
 Weight: 5.905g
 Extraction date: 07/26/23 10:20:26
 Extracted by: 4056

Analysis Method : SOP.T.40.019

Analytical Batch : DA062675WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 07/26/23 17:58:59

Batch Date : 07/25/23 13:25:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	3.006	25

 Analyzed by: 3963, 1665, 3605, 1440
 Average Weight: 5.928g
 Extraction date: 07/25/23 10:28:02
 Extracted By: 3963

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA062641HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 07/25/23 10:36:35

Reviewed On : 07/26/23 08:56:33

Batch Date : 07/25/23 09:12:56

Dilution : 400

Reagent : 070323.01; 070523.R40; 071222.35; 071123.R03

Consumables : 947.109; 266969; CE0123; 115C4-1151; 61691-131C6-131C; 41073-116C4; R1KB14270

Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.