

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%) Miami Vibes

Matrix: Derivative Type: Distillate



Sample: DA30725004-007

Batch#: 5178 3792 8539 2773

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Harvest/Lot ID: 5178 3792 8539 2773

Source Facility: Tampa Cultivation Seed to Sale# 3845 4468 1109 6147

Batch Date: 05/18/23

Sample Size Received: 16 gram Total Amount: 1935 units

> Retail Product Size: 1 gram Ordered: 07/24/23 Sampled: 07/24/23

Completed: 07/27/23

Sampling Method: SOP.T.20.010

PASSED

Pages 1 of 6

Jul 27, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



PRODUCT IMAGE

SAFETY RESULTS













Certificate of Analysis

Heavy Metals



Microbials

Mycotoxins





Residuals Solvents PASSED



Filth



Water Activity



Moisture



TESTED

PASSED



Cannabinoid

Total THC





Total THC/Container: 821.64 mg



Total CBD 0.203%

Total CBD/Container: 2.03 mg



Total Cannabinoids/Container: 863.42



70 (!#-	820.53	
mg/unit	020.55	
LOD	0.001	
	%	
Analyzed by: 3112, 1665, 585	5, 1440	

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA062642POT Instrument Used : DA-LC-007 Analyzed Date: 07/25/23 13:36:47

Reagent: 072423.R03; 060723.24; 072423.R01

Consumables: 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Total Cannabinoids

mg



1	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	тнсу	CBDV	СВС
3	0.127	0.203	ND	0.328	1.646	ND	0.475	0.661	ND	0.849
3	1.27	2.03	ND	3.28	16.46	ND	4.75	6.61	ND	8.49
	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%
			Weight: 0.1004g	\.	Extraction date: 07/25/23 13:30:41			\times	Extracted by: 3112	

Reviewed On: 07/26/23 22:19:14 Batch Date: 07/25/23 09:22:08

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative



PASSED

Type: Distillate

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30725004-007 Harvest/Lot ID: 5178 3792 8539 2773

Batch#: 5178 3792 8539

Sampled: 07/24/23 Ordered: 07/24/23

Sample Size Received: 16 gram Total Amount : 1935 units

Completed: 07/27/23 Expires: 07/27/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/ur		Result (%)	\rightarrow	enes		LOD (%)	mg/unit		Result (%)	
OTAL TERPENES	0.02	16.23	1.623		FARM	IESENE			< 0.018	<0.0018		
OTAL TERPINEOL	0.02	ND	ND		ALPH	A-HUMULENE		0.02	0.25	0.025		
LPHA-BISABOLOL	0.02	< 0.2	< 0.02		VALE	NCENE		0.02	< 0.2	< 0.02		
LPHA-PINENE	0.02	0.38	0.038		CIS-N	IEROLIDOL		0.02	ND	ND		
AMPHENE	0.02	ND	ND		TRAN	IS-NEROLIDOL		0.02	ND	ND		
ABINENE	0.02	ND	ND		CARY	OPHYLLENE OXIDE		0.02	< 0.2	< 0.02		
BETA-PINENE	0.02	0.45	0.045		GUAI	OL		0.02	ND	ND		
ETA-MYRCENE	0.02	2.3	0.23		CEDF	OL		0.02	ND	ND		
LPHA-PHELLANDRENE	0.02	1.02	0.102		Analyz	ed by:	Weight:		Extraction da	te:		Extracted by:
-CARENE	0.02	0.29	0.029			585, 1440	1.018g		07/25/23 15:5	5:23		3702
LPHA-TERPINENE	0.02	0.25	0.025			is Method: SOP.T.30.061A.F	L, SOP.T.40.061A.FI	M				
IMONENE	0.02	0.98	0.098			ical Batch : DA062668TER nent Used : DA-GCMS-004					/27/23 10:53:11 5/23 12:32:03	
UCALYPTOL	0.02	< 0.2	< 0.02			ed Date: 07/27/23 09:29:36			Batch	Date: 07/2	5/23 12:32:03	
CIMENE	0.02	2.09	0.209		Dilutio							
AMMA-TERPINENE	0.02	< 0.2	< 0.02		Reage	nt: 020923.13						
ABINENE HYDRATE	0.02	ND	ND			mables: 210414634; MKCN9	995; CE0123; R1KB	14270				
ERPINOLENE	0.02	7.28	0.728		Pipette				A			
ENCHONE	0.04	ND	ND		Terpen	oid testing is performed utilizing	Gas Chromatography	Mass Spec	trometry. For all F	lower sampl	es, the Total Terpenes %	is dry-weight corrected
NALOOL	0.02	0.2	0.02									
ENCHYL ALCOHOL	0.02	< 0.2	< 0.02									
OPULEGOL	0.02	ND	ND									
AMPHOR	0.06	< 0.6	< 0.06									
OBORNEOL	0.02	ND	ND									
ORNEOL	0.04	ND	ND									
EXAHYDROTHYMOL	0.02	< 0.2	< 0.02									
EROL	0.02	ND	ND									
ULEGONE	0.02	ND	ND									
ERANIOL	0.02	< 0.2	< 0.02									
ERANYL ACETATE	0.02	ND	ND									
LPHA-CEDRENE	0.02	ND	ND									
ETA-CARYOPHYLLENE	0.02	0.74	0.074									
DE LA CALLIOT TITLEFUL	0.02	0.74	0.074									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample : DA30725004-007 Harvest/Lot ID: 5178 3792 8539 2773

Batch#:5178 3792 8539

2773 Sampled: 07/24/23 Ordered: 07/24/23 Sample Size Received: 16 gram
Total Amount: 1935 units
Completed: 07/27/23 Expires: 07/27/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED)
---------------	---

Pesticide	LOD		Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	mag	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND		0.01	ppm	0.1	PASS	ND
СЕРНАТЕ	0.01	ppm	0.1	PASS	ND	PROPOXUR					
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND		0.05	PPM	0.13	PASS	ND
HLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *			0.1		ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM		PASS	
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Ex	traction da	te:	Extracte	d by:
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 1665, 1440, 585 0.2678g		/25/23 15:3		3379,45	
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (Gainesvi	lle), SOP.1	Г.30.102.FL	(Davie), SOP	.T.40.101.FL (Gainesvi
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)				\ .L \ \	
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062656PES			On:07/26/2		
ENHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES) Analyzed Date : N/A		Batch Dat	e:07/25/23	11:28:14	
ENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent: 072123.R01; 072423.R05; 072423.	R20: 072	423.R06: 06	0523.R26: 0	71923.R01: 0	40521.11
PRONIL	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW	/ ' \	//////	/	//	
LONICAMID	0.01	ppm	0.1	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utili		d Chromatog	raphy Triple-0	Quadrupole Ma	iSS
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64ER		\/			\sim
MAZALIL	0.01	ppm	0.1	PASS	ND ND	Analyzed by: Weight: 450, 3379, 1440 0.2678g		tion date: 23 15:33:54		Extracted 3379.450	by:
IIDACLOPRID	0.01	ppm	0.4	PASS		Analysis Method : SOP.T.30.151.FL (Gainesvi			(Davie) SO		
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062658VOL			1:07/26/23 1		
ALATHION	0.01	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001			07/25/23 11:		
ETALAXYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/25/23 15:39:45			/ ` `		
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 072423.R20; 040521.11; 071123.R	21; 0711	23.R22			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401					
YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					- /
NALED	0.01	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utili in accordance with F.S. Rule 64ER20-39.	zing Gas C	nromatogra	pny Tripie-Qu	iadrupole Mass	Spectr

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30725004-007 Harvest/Lot ID: 5178 3792 8539 2773

Batch#: 5178 3792 8539

Sampled: 07/24/23 Ordered: 07/24/23

Sample Size Received: 16 gram Total Amount : 1935 units Completed: 07/27/23 Expires: 07/27/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	8.0	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 1665, 1440, 585	Weight: 0.021g	Extractio 07/26/23	n date: 15:39:13	//	Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA062678SOL Instrument Used: DA-GCMS-002

Analyzed Date: 07/26/23 15:57:31 Dilution: 1

Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Reviewed On: 07/26/23 17:59:36 Batch Date: 07/25/23 14:33:44

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30725004-007 Harvest/Lot ID: 5178 3792 8539 2773

Batch#: 5178 3792 8539

Sampled: 07/24/23 Ordered: 07/24/23 Sample Size Received: 16 gram Total Amount: 1935 units Completed: 07/27/23 Expires: 07/27/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial

Batch Date: 07/25/23

09:33:18



Mycotovino

DASSED

Analyte		LOD	Units	Result	Pass / Fail	Action Level
ASPERGILL	US TERREUS			Not Present	PASS	
ASPERGILL	US NIGER			Not Present	PASS	
ASPERGILL	US FUMIGATUS			Not Present	PASS	
ASPERGILL	US FLAVUS			Not Present	PASS	
SALMONEL	LA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIG	ELLA			Not Present	PASS	
TOTAL YEA	ST AND MOLD	10	CFU/g	<10	PASS	100000
	//.					. /

Weight: **Extraction date:** Extracted by: 3621, 3336, 585, 1440 1.159g 07/25/23 10:51:26 3336,3390

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062647MIC **Reviewed On:** 07/26/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/25/23 14:08:07

Reagent: 050223.51; 071823.R01; 020823.19; 092122.09 Consumables: 7563004006

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted
3390, 3336, 585, 1440	1 159a	07/25/23 10:51:26	3336 339

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA062654TYM Reviewed On: 07/27/23 13:03:59 Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 07/25/23 12:30:33 Batch Date: 07/25/23 10:59:31

Reagent: 050223.51; 070523.R46

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

J.	Mycotoxilis			ı	PAS	SEI
nalyte		LOD	Units	Result	Pass / Fail	Actio Level
FLATOXIN	B2	0.002	ppm	ND	PASS	0.02
FLATOXIN	B1	0.002	ppm	ND	PASS	0.02
CHRATOXII	NΑ	0.002	nnm	ND	PASS	0.02

Analysis Method : SOP T 30	101 FL (Gaines)	ville) SOP T	40 101 FL (Gaines	/ille)		
Analyzed by: 3379, 1665, 1440, 585	Weight: 0.2678g	Extraction 07/25/23	n date: 15:33:54		Extracte 3379,45		
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch: DA062657MYC

Instrument Used: N/A

Analyzed Date: N/A

Dilution: 250 Reagent: 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01;

040521.11

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: Weight: Ex	traction da	te:	E	tracted b	v:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA062649HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 07/25/23 14:29:02 Reviewed On: 07/26/23 15:05:56 Batch Date: 07/25/23 10:30:38

Reviewed On: 07/26/23 17:59:47

Batch Date: 07/25/23 11:31:07

Dilution: 50

1022, 585, 1440

Reagent: 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15

0.2715g 07/25/23 11:54:37

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Page 6 of 6

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30725004-007 Harvest/Lot ID: 5178 3792 8539 2773

Batch#: 5178 3792 8539

Sampled: 07/24/23 Ordered: 07/24/23

Sample Size Received: 16 gram Total Amount : 1935 units Completed: 07/27/23 Expires: 07/27/24 Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 1879, 1440 Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062679FIL
Instrument Used : Filth/Foreign Material Microscope

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Reviewed On: 07/25/23 23:13:28 Batch Date: 07/25/23 16:34:43

Reviewed On: 07/26/23 17:59:23

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte LOD Units Result P/F **Action Level** PASS Water Activity 0.1 aw 0.526 0.85

Extraction date: 07/26/23 10:20:26 Extracted by: 4056 Analyzed by: 4056, 1665, 1440

Analysis Method: SOP.T.40.019 Analytical Batch: DA062675WAT

Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 07/25/23 13:25:45 Analyzed Date : N/A

Dilution: N/A Reagent : N/A Consumables : N/A Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

