



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30725004-008
Harvest/Lot ID: 6239 1329 6098 5234
Batch#: 6239 1329 6098 5234
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6793 2499 3686 8038
Batch Date: 05/01/23
Sample Size Received: 16 gram
Total Amount: 1934 units
Retail Product Size: 1 gram
Ordered: 07/24/23
Sampled: 07/24/23
Completed: 07/27/23
Sampling Method: SOP.T.20.010

Jul 27, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
85.113%
Total THC/Container : 851.13 mg

Total CBD
2.16%
Total CBD/Container : 21.6 mg

Total Cannabinoids
91.9%
Total Cannabinoids/Container : 919 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	84.93	0.209	2.16	ND	0.969	1.138	ND	1.394	0.633	ND	0.467
mg/unit	849.3	2.09	21.6	ND	9.69	11.38	ND	13.94	6.33	ND	4.67
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 3112, 1665, 1440

 Weight:
 0.1003g

 Extraction date:
 07/25/23 13:30:41

 Extracted by:
 3112

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062642POT

Instrument Used : DA-LC-007

Analyzed Date : 07/25/23 13:36:47

Reviewed On : 07/27/23 08:41:12

Batch Date : 07/25/23 09:22:08

Dilution : 400

Reagent : 072423.R03; 060723.24; 072423.R01

Consumables : 266969; 280670723; CE0123; 115C4-1151; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



 Signature
 07/27/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-008

Harvest/Lot ID: 6239 1329 6098 5234

Batch# : 6239 1329 6098 5234

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 16 gram

Total Amount : 1934 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-008

Harvest/Lot ID: 6239 1329 6098 5234

 Batch# : 6239 1329 6098
 5234

Sampled : 07/24/23

Ordered : 07/24/23


Sample Size Received : 16 gram

Total Amount : 1934 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 1665, 1440, 585Weight: 0.256gExtraction date: 07/25/23 15:33:54Extracted by: 3379,450</div> <div>Analysis Method :SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch :DA062656PESReviewed On :07/26/23 17:59:58</div> <div>Instrument Used :DA-LCMS-003 (PES)Batch Date :07/25/23 11:28:14</div> <div>Analyzed Date :N/A</div> <div>Dilution : 250</div> <div>Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-008

Harvest/Lot ID: 6239 1329 6098 5234

Batch# : 6239 1329 6098 5234

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 16 gram

Total Amount : 1934 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 1665, 1440, 585

 Weight:
 0.0216g

 Extraction date:
 07/26/23 15:39:14

 Extracted by:
 850

 Analysis Method : SOP.T.40.041.FL
 Analytical Batch : DA06267850L
 Instrument Used : DA-GCMS-002
 Analyzed Date : 07/26/23 15:57:31

 Reviewed On : 07/26/23 18:00:22
 Batch Date : 07/25/23 14:33:44

 Dilution : 1
 Reagent : 030420.09
 Consumables : R2017.167; G201.167
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-008

Harvest/Lot ID: 6239 1329 6098 5234

Batch# : 6239 1329 6098 5234

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 16 gram

Total Amount : 1934 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED
	Mycotoxins	PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000

 Analyzed by: 3621, 3336, 585, 1440
 Weight: 1.051g
 Extraction date: 07/25/23 10:51:26
 Extracted by: 3336,3390

 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL
 Analytical Batch : DA062647MIC
 Reviewed On : 07/26/23 21:49:28
 Batch Date : 07/25/23 09:33:18

 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021
 Analyzed Date : 07/25/23 14:08:07

 Dilution : N/A
 Reagent : 050223.51; 071823.R01; 020823.19; 092122.09
 Consumables : 7563004006
 Pipette : N/A

 Analyzed by: 3390, 3336, 585, 1440
 Weight: 1.051g
 Extraction date: 07/25/23 10:51:26
 Extracted by: 3336,3390,3621

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA062654TYM
 Instrument Used : Incubator (25-27C) DA-096
 Analyzed Date : 07/25/23 12:30:33
 Reviewed On : 07/27/23 13:03:59
 Batch Date : 07/25/23 10:59:31

 Dilution : 10
 Reagent : 050223.51; 070523.R46
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02

 Analyzed by: 3379, 1665, 1440, 585
 Weight: 0.256g
 Extraction date: 07/25/23 15:33:54
 Extracted by: 3379,450

Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA062657MYC

Instrument Used : N/A

Analyzed Date : N/A

 Reviewed On : 07/26/23 18:00:30
 Batch Date : 07/25/23 11:31:07

 Dilution : 250
 Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11
 Consumables : 326250IW
 Pipette : DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 1440
 Weight: 0.274g
 Extraction date: 07/25/23 11:51:03
 Extracted by: 1022,3619

Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch : DA062649HEA

Instrument Used : DA-ICPMS-003

Analyzed Date : 07/25/23 14:29:02

 Reviewed On : 07/26/23 15:05:57
 Batch Date : 07/25/23 10:30:38

 Dilution : 50
 Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15
 Consumables : 179436; 15021042; 210508058
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-008

Harvest/Lot ID: 6239 1329 6098 5234

Batch# : 6239 1329 6098 5234

Sampled : 07/24/23

Ordered : 07/24/23

Sample Size Received : 16 gram

Total Amount : 1934 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 6 of 6


Filth/Foreign Material
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062679FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 07/25/23 23:13:30

Batch Date : 07/25/23 16:34:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.472	PASS	0.85

Analyzed by: 4056, 1665, 1440	Weight: 0.21g	Extraction date: 07/26/23 10:20:27	Extracted by: 4056
----------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062675WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : N/A

Reviewed On : 07/26/23 18:00:10

Batch Date : 07/25/23 13:25:45

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.