



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30725004-010
Harvest/Lot ID: ID-APT-071723-A119
Batch#: 3070 7950 9179 5252
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6327 8482 7332 9353
Batch Date: 07/12/23
Sample Size Received: 31.5 gram
Total Amount: 909 units
Retail Product Size: 3.5 gram
Ordered: 07/24/23
Sampled: 07/24/23
Completed: 07/27/23
Sampling Method: SOP.T.20.010

Jul 27, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
NOT TESTED**

**Filtration
PASSED**

**Water Activity
PASSED**


**Moisture
PASSED**

**Terpenes
TESTED**
MISC.

Cannabinoid
PASSED

Total THC
22.598%
Dry Weight

Total CBD
0.045%
Dry Weight

Total Cannabinoids
26.823%
Dry Weight

**Total THC
20.079%**
702.765 mg /Container

**Total CBD
0.04%**
1.4 mg /Container

**Total Cannabinoids
23.833%**
834.155 mg /Container

As Received
Analyzed by:
1665, 585, 1440

Weight:
0.2104g

Extraction date:
07/25/23 13:18:38

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062644POT
Instrument Used : DA-LC-002
Analyzed Date : 07/25/23 13:20:57

Reviewed On : 07/26/23 21:59:32
Batch Date : 07/25/23 09:24:54

Dilution : 400
Reagent : 072423.R04; 070121.27; 072423.R02
Consumables : 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
07/27/23



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30725004-010

Harvest/Lot ID: ID-APT-071723-A119

Batch# : 3070 7950 9179
5252

Sampled : 07/24/23
Ordered : 07/24/23

Sample Size Received : 31.5 gram

Total Amount : 909 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 2 of 5

Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	82.95	2.37	<div></div>	FARNESENE	0.009	1.05	0.03	<div></div>
TOTAL TERPINEOL	0.02	1.12	0.032	<div></div>	ALPHA-HUMULENE	0.02	2.52	0.072	<div></div>
ALPHA-BISABOLOL	0.02	4.305	0.123	<div></div>	VALENCENE	0.02	ND	ND	<div></div>
ALPHA-PINENE	0.02	5.95	0.17	<div></div>	CIS-NEROLIDOL	0.02	<0.7	<0.02	<div></div>
CAMPHENE	0.02	<0.7	<0.02	<div></div>	TRANS-NEROLIDOL	0.02	<0.7	<0.02	<div></div>
SABINENE	0.02	ND	ND	<div></div>	CARYOPHYLLENE OXIDE	0.02	<0.7	<0.02	<div></div>
BETA-PINENE	0.02	3.675	0.105	<div></div>	GUAIOL	0.02	2.415	0.069	<div></div>
BETA-MYRCENE	0.02	26.39	0.754	<div></div>	CEDROL	0.02	ND	ND	<div></div>
ALPHA-PHELLANDRENE	0.02	ND	ND	<div></div>	<div>Analyzed by: 2076, 585, 1440Weight: 1.0449gExtraction date: 07/25/23 16:13:38Extracted by: 3702</div>				
3-CARENE	0.02	ND	ND	<div></div>	<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FLReviewed On : 07/27/23 14:14:09</div>				
ALPHA-TERPINENE	0.02	ND	ND	<div></div>	<div>Analytical Batch : DA062667TERBatch Date : 07/25/23 12:28:39</div>				
LIMONENE	0.02	13.51	0.386	<div></div>	<div>Instrument Used : DA-GCMS-008</div>				
EUCALYPTOL	0.02	ND	ND	<div></div>	<div>Analyzed Date : N/A</div>				
OCIMENE	0.02	<0.7	<0.02	<div></div>	<div>Dilution : 10</div>				
GAMMA-TERPINENE	0.02	ND	ND	<div></div>	<div>Reagent : 020923.13</div>				
SABINENE HYDRATE	0.02	ND	ND	<div></div>	<div>Consumables : 210414634; MKCN9995; CE0123; R1KB14270</div>				
TERPINOLENE	0.02	ND	ND	<div></div>	<div>Pipette : N/A</div>				
FENCHONE	0.04	ND	ND	<div></div>	<div>Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
LINALOOL	0.02	1.435	0.041	<div></div>					
FENCHYL ALCOHOL	0.02	1.82	0.052	<div></div>					
ISOPULEGOL	0.02	<0.7	<0.02	<div></div>					
CAMPHOR	0.06	ND	ND	<div></div>					
ISOBORNEOL	0.02	ND	ND	<div></div>					
BORNEOL	0.04	ND	ND	<div></div>					
HEXAHYDROTHYMOL	0.02	ND	ND	<div></div>					
NEROL	0.02	ND	ND	<div></div>					
PULEGONE	0.02	ND	ND	<div></div>					
GERANIOL	0.02	ND	ND	<div></div>					
GERANYL ACETATE	0.02	ND	ND	<div></div>					
ALPHA-CEDRENE	0.02	ND	ND	<div></div>					
BETA-CARYOPHYLLENE	0.02	9.52	0.272	<div></div>					
Total (%)				2.37					



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-010

Harvest/Lot ID: ID-APT-071723-A119

 Batch# : 3070 7950 9179
 5252

Sampled : 07/24/23

Ordered : 07/24/23


Sample Size Received : 31.5 gram

Total Amount : 909 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 0.9736g	Extraction date: 07/25/23 15:36:19	Extracted by: 3379,450		
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062659PES					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Analyzed Date : N/A					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 0.9736g	Extraction date: 07/25/23 15:36:19	Extracted by: 3379,450		
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062661VOL					
METALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/25/23 12:51:58					
METHOMYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Reagent : 072423.R20; 040521.11; 071123.R21; 071123.R22					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
NALED	0.01	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					
Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-010

Harvest/Lot ID: ID-APT-071723-A119

 Batch# : 3070 7950 9179
 5252

 Sampled : 07/24/23
 Ordered : 07/24/23



Sample Size Received : 31.5 gram

Total Amount : 909 units

Completed : 07/27/23 Expires: 07/27/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3621, 3336, 585, 1440 Weight: 1.1242g Extraction date: 07/25/23 10:51:27 Extracted by: 3336,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062647MIC Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/25/23 14:08:07 Dilution : N/A Reagent : 050223.51; 071823.R01; 020823.19; 092122.09 Consumables : 7563004006 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.9736g Extraction date: 07/25/23 15:36:19 Extracted by: 3379,450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062660MYC Instrument Used : N/A Analyzed Date : N/A Dilution : 250 Reagent : 072123.R01; 072423.R05; 072423.R20; 072423.R06; 060523.R26; 071923.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.1242g Extraction date: 07/25/23 10:51:27 Extracted by: 3336,3390,3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062654TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 07/25/23 12:30:33 Dilution : 10 Reagent : 050223.51; 070523.R46 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by: 1022, 585, 1440 Weight: 0.2128g Extraction date: 07/25/23 10:52:15 Extracted by: 1022,3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062650HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/25/23 14:47:26 Dilution : 50 Reagent : 071923.R45; 072023.R11; 072123.R16; 071823.R02; 072123.R14; 072123.R15; 070723.R18; 071023.01; 062823.R15 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30725004-010

Harvest/Lot ID: ID-APT-071723-A119

 Batch# : 3070 7950 9179
 5252

Sample Size Received : 31.5 gram

Total Amount : 909 units

Completed : 07/27/23 Expires: 07/27/24

Ordered : 07/24/23

Sample Method : SOP.T.20.010

Page 5 of 5


Filth/Foreign Material
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.15	PASS	15
Analyzed by: 1879, 1440 Weight: NA Extraction date: N/A Analyzed Date: N/A						Analyzed by: 3807, 1665, 1440 Weight: 0.52g Extraction date: 07/25/23 14:56:53 Analyzed Date: N/A					
Analysis Method : SOP.T.40.090 Analytical Batch : DA062679FIL Instrument Used : Filth/Foreign Material Microscope Reviewed On : 07/25/23 23:13:31 Batch Date : 07/25/23 16:34:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA062663MOI Instrument Used : DA-003 Moisture Analyzer Reviewed On : 07/26/23 18:01:56 Batch Date : 07/25/23 11:41:20					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.54	PASS	0.65
Analyzed by: 3807, 1665, 1440 Weight: 0.683g Extraction date: 07/26/23 09:37:34 Analyzed Date: N/A					
Analysis Method : SOP.T.40.019 Analytical Batch : DA062674WAT Instrument Used : DA-028 Rotronic HygroPalm Reviewed On : 07/26/23 18:01:39 Batch Date : 07/25/23 13:19:03					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.