



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30726019-003  
Harvest/Lot ID: HYB-WG-072123-C0100  
Batch#: 8321 9525 5021 1324  
Cultivation Facility: Zolfo Springs Cultivation  
Processing Facility: Zolfo Springs Processing  
Source Facility: Zolfo Springs Cultivation  
Seed to Sale# 0525 0502 6350 9120  
Batch Date: 06/13/23  
Sample Size Received: 31.5 gram  
Total Amount: 1862 units  
Retail Product Size: 3.5 gram  
Ordered: 07/26/23  
Sampled: 07/26/23  
Completed: 07/29/23  
Sampling Method: SOP.T.20.010

Jul 29, 2023 | FLUENT  
82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



**Total THC**  
**22.098%**  
Dry Weight



**Total CBD**  
**0.059%**  
Dry Weight



**Total Cannabinoids**  
**25.879%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.291	21.405	ND	0.059	0.016	0.108	0.37	0.011	ND	ND	0.065	0.06	22.427	26.264
mg/unit	10.185	749.175	ND	2.065	0.56	3.78	12.95	0.385	ND	ND	2.275	2.1	784.945	919.24
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

**Total THC**  
**19.063%**  
771.82 mg /Container

**Total CBD**  
**0.051%**  
2.17 mg /Container

**Total Cannabinoids**  
**22.325%**  
903.49 mg /Container

**As Received**

Analyzed by:  
1665, 3112, 1440

Weight:  
0.217g

Extraction date:  
07/27/23 14:40:55

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062726POT

Instrument Used : DA-LC-002

Analyzed Date : 07/27/23 14:45:26

Dilution : 400

Reagent : 072423.R04; 070121.27; 072423.R01

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Reviewed On : 07/29/23 07:49:46

Batch Date : 07/27/23 09:39:52

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

FTH-Wise Guy WF 3.5g  
FTH-Wise Guy  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30726019-003

Harvest/Lot ID: HYB-WG-072123-C0100

Batch# : 8321 9525 5021  
1324

Sampled : 07/26/23

Ordered : 07/26/23

Sample Size Received : 31.5 gram

Total Amount : 1862 units

Completed : 07/29/23 Expires: 07/29/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	52.29	1.494		FARNESENE	0.945	0.027		
TOTAL TERPINEOL	0.02	1.05	0.03		ALPHA-HUMULENE	0.02	ND	ND	
ALPHA-BISABOLOL	0.02	2.1	0.06		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	1.47	0.042		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	0.735	0.021	
BETA-PINENE	0.02	1.995	0.057		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	5.775	0.165		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND						
3-CARENE	0.02	ND	ND						
ALPHA-TERPINENE	0.02	ND	ND						
LIMONENE	0.02	13.265	0.379						
EUCALYPTOL	0.02	<0.7	<0.02						
OCIMENE	0.02	<0.7	<0.02						
GAMMA-TERPINENE	0.02	ND	ND						
SABINENE HYDRATE	0.02	ND	ND						
TERPINOLENE	0.02	<0.7	<0.02						
FENCHONE	0.04	<1.4	<0.04						
LINALOOL	0.02	4.585	0.131						
FENCHYL ALCOHOL	0.02	1.225	0.035						
ISOPULEGOL	0.02	<0.7	<0.02						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	<0.7	<0.02						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	11.305	0.323						

Total (%)

1.494

Analyzed by: 2076, 585, 1440 Weight: 0.8924g Extraction date: 07/27/23 12:09:39 Extracted by: 2076  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA062742TER Reviewed On : 07/29/23 13:02:01  
Instrument Used : DA-GCMS-004 Batch Date : 07/27/23 12:03:49  
Analyzed Date : 07/28/23 12:47:09  
Dilution : 10  
Reagent : 121622.26  
Consumables : 210414634; MKCN9995; CE0123; R1KB14270  
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
07/29/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30726019-003

Harvest/Lot ID: HYB-WG-072123-C0100

 Batch# : 8321 9525 5021  
 1324

Sampled : 07/26/23

Ordered : 07/26/23

Sample Size Received : 31.5 gram

Total Amount : 1862 units

Completed : 07/29/23 Expires: 07/29/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.9705g	07/27/23 16:33:14	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA062732PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/27/23 15:47:14					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072123.R01; 072723.R26; 072723.R01; 072423.R06; 072523.R14; 072723.R02; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.9705g	07/27/23 16:33:14	3379,450		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062734VOL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 07/27/23 16:39:09					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30726019-003

Harvest/Lot ID: HYB-WG-072123-C0100

 Batch# : 8321 9525 5021  
 1324

 Sampled : 07/26/23  
 Ordered : 07/26/23



Sample Size Received : 31.5 gram


Total Amount : 1862 units

Completed : 07/29/23 Expires: 07/29/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.9705g	Extraction date: 07/27/23 16:33:14	Extracted by: 3379,450		
Analyzed by: 3390, 3336, 585, 1440	Weight: 1.0945g	Extraction date: 07/27/23 11:40:29	Extracted by: 3390	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 07/28/23 11:40:37	Analytical Batch : DA062733MYC							
Analytical Batch : DA062720MIC				Reviewed On : 07/28/23 11:44:36							
				Batch Date : 07/27/23 10:28:27							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 07/27/23 08:27:04	Dilution : 250							
Analyzed Date : 07/27/23 14:09:05				Reagent : 072123.R01; 072723.R26; 072723.R01; 072423.R06; 072523.R14; 072723.R02; 040521.11							
				Consumables : 326250IW							
				Pipette : DA-093; DA-094; DA-219							
Dilution : N/A				Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							
Reagent : 062123.17; 071823.R01; 020823.18; 092122.09											
Consumables : 7563004014											
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 1440	Weight: 1.0945g	Extraction date: N/A	Extracted by: 3390								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062740TYM		Reviewed On : 07/29/23 13:02:03									
Instrument Used : Incubator (25-27C) DA-096		Batch Date : 07/27/23 11:26:30									
Analyzed Date : 07/27/23 14:09:13											
Dilution : 10											
Reagent : 062123.17; 070523.R46											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	<b>Heavy Metals</b>	<b>PASSED</b>			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2501g	Extraction date: 07/27/23 10:29:47	Extracted by: 3619		

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.08	ppm	ND	PASS	1.1
ARSENIC		0.02	ppm	ND	PASS	0.2
CADMIUM		0.02	ppm	ND	PASS	0.2
MERCURY		0.02	ppm	ND	PASS	0.2
LEAD		0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440		Weight: 0.2501g	Extraction date: 07/27/23 10:29:47		Extracted by: 3619	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA062723HEA			Reviewed On : 07/28/23 11:38:40			
Instrument Used : DA-ICPMS-003			Batch Date : 07/27/23 09:24:26			
Analyzed Date : 07/27/23 14:20:05						
Dilution : 50						
Reagent : 071923.R45; 072023.R11; 072123.R16; 072523.R13; 072123.R14; 072123.R15; 072523.R11; 071023.01; 072523.R10						
Consumables : 179436; 15021042; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

.....  
FTH-Wise Guy WF 3.5g  
FTH-Wise Guy  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30726019-003

Harvest/Lot ID: HYB-WG-072123-C0100

Batch# : 8321 9525 5021  
1324

Sampled : 07/26/23

Ordered : 07/26/23

Sample Size Received : 31.5 gram

Total Amount : 1862 units

Completed : 07/29/23 Expires: 07/29/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	13.735	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3807, 585, 1440	Weight: 0.481g	Extraction date: 07/27/23 15:13:09	Extracted by: 3807		
Analysis Method : SOP.T.40.090						Analysis Method : SOP.T.40.021					
Analytical Batch : DA062753FIL			Reviewed On : 07/27/23 13:28:52			Analytical Batch : DA062744MOI			Reviewed On : 07/29/23 13:49:53		
Instrument Used : Filth/Foreign Material Microscope			Batch Date : 07/27/23 13:20:36			Instrument Used : DA-003 Moisture Analyzer			Batch Date : 07/27/23 12:12:57		
Analyzed Date : 07/27/23 13:24:03						Analyzed Date : 07/27/23 15:13:19					
Dilution : N/A						Dilution : N/A					
Reagent : N/A						Reagent : 031523.19; 020123.02					
Consumables : N/A						Consumables : N/A					
Pipette : N/A						Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.556	PASS	0.65
Analyzed by: 3807, 585, 1440	Weight: 0.665g	Extraction date: 07/27/23 15:44:54		Extracted by: 3807	
Analysis Method : SOP.T.40.019					
Analytical Batch : DA062745WAT			Reviewed On : 07/28/23 11:57:24		
Instrument Used : DA-028 Rotronic HygroPalm			Batch Date : 07/27/23 12:13:36		
Analyzed Date : 07/27/23 15:43:57					
Dilution : N/A					
Reagent : 050923.04					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation P/LA-  
Testing 97164

Signature  
07/29/23