

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# Certificate of Analysis

Kaycha Labs

Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix: Derivative Type: Distillate




Sample:DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535 Batch#: 2931 8217 8744 7535 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 0204 1799 9455 2399 Batch Date: 05/18/23 Sample Size Received: 15.3 gram Total Amount: 1956 units Retail Product Size: 0.3 gram Ordered: 07/26/23 Sampled: 07/26/23 Completed: 07/30/23 Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Jul 30, 2023 | FLUENT 82 NE 26th street Miami, FL, 33137, US

#### anni, FL, 33137, 03



Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23



Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535 Batch#: 2931 8217 8744 7535 Sample

Sampled : 07/26/23 Ordered : 07/26/23 44 /535 Sample Size Received : 15.3 gram Total Amount : 1956 units Completed : 07/30/23 Expires: 07/30/24 Sample Method : SOP.T.20.010

Page 2 of 6

# Ô

_		
Ter	pen	les

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)		
TOTAL TERPENES	0.02	8.007	2.669			FARNESENE			0.171	0.057			
TOTAL TERPINEOL	0.02	0.195	0.065		1	ALPHA-HUMULENE		0.02	0.411	0.137			
ALPHA-BISABOLOL	0.02	0.117	0.039			VALENCENE		0.02	0.06	0.02			
ALPHA-PINENE	0.02	0.186	0.062			CIS-NEROLIDOL		0.02	ND	ND			
CAMPHENE	0.02	0.069	0.023			TRANS-NEROLIDOL		0.02	< 0.06	< 0.02			
SABINENE	0.02	ND	ND			CARYOPHYLLENE OXIDE		0.02	0.084	0.028			
BETA-PINENE	0.02	0.261	0.087			GUAIOL		0.02	< 0.06	< 0.02			
BETA-MYRCENE	0.02	1.383	0.461			CEDROL		0.02	ND	ND			
ALPHA-PHELLANDRENE	0.02	< 0.06	< 0.02			Analyzed by:	Weight:		Extraction da	ate:		Extracted by:	
3-CARENE	0.02	< 0.06	< 0.02			2076, 585, 1440	0.8323g		07/28/23 10:			2076	
ALPHA-TERPINENE	0.02	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL						
LIMONENE	0.02	1.971	0.657			Analytical Batch : DA062743TER Instrument Used : DA-GCMS-004					7/30/23 00:33:07		
EUCALYPTOL	0.02	< 0.06	< 0.02			Analyzed Date : 07/28/23 09:51:28			Batch	Date: 07/	27/23 12:00:19		
OCIMENE	0.02	0.102	0.034			Dilution : 10							
GAMMA-TERPINENE	0.02	ND	ND			Reagent : 121622.26							
SABINENE HYDRATE	0.02	ND	ND			Consumables : 210414634; MKCN9995; C	CE0123; R1KB14	4270					
TERPINOLENE	0.02	0.12	0.04			Pipette : N/A							
FENCHONE	0.04	< 0.12	< 0.04			Terpenoid testing is performed utilizing Gas Ch	romatography Ma	ass Spectr	ometry. For all F	Hower samp	ples, the Total Terpenes %	is dry-weight corrected.	
LINALOOL	0.02	0.948	0.316										
FENCHYL ALCOHOL	0.02	0.351	0.117										
ISOPULEGOL	0.02	< 0.06	< 0.02										
CAMPHOR	0.06	<0.18	< 0.06										
ISOBORNEOL	0.02	< 0.06	< 0.02										
BORNEOL	0.04	< 0.12	< 0.04										
HEXAHYDROTHYMOL	0.02	ND	ND										
NEROL	0.02	ND	ND										
PULEGONE	0.02	ND	ND			ĺ							
GERANIOL	0.02	< 0.06	< 0.02										
GERANYL ACETATE	0.02	ND	ND										
ALPHA-CEDRENE	0.02	ND	ND										
BETA-CARYOPHYLLENE	0.02	1.578	0.526										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23



Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535

Batch# : 2931 8217 8744 7535 Sampled : 07/26/23 Ordered : 07/26/23 Sample Size Received : 15.3 gram Total Amount : 1956 units Completed : 07/30/23 Expires: 07/30/24 Sample Method : SOP.T.20.010

Page 3 of 6



### Pesticides

esticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
DTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
AMECTIN B1A	0.01	ppm	0.1	PASS	ND		0.01		0.1	PASS	ND
EPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR		ppm			
EQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
DICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
OXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
ENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
SCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
RBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
RBOFURAN	0.01	ppm	0.1	PASS	ND						
LORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
LORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
LORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
UMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
MINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND			ion date:		Extra store	
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.207g		3 16:35:09		Extracted 3379,450	by:
HOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines)					Gainesvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		(24110)) 201		ounicorn
OXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062729PES		Reviewed	l On :07/29/2	3 13:01:09	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:07/27/23	10:23:37	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/27/23 15:47:15					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent : 072423.R05; 072723.R26; 07272 Consumables : 326250IW	3.R01; 0724	423.R06; 0	/2523.R14; 0	/2/23.R02; 04	0521.11
ONICAMID	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed ut	ilizina Liauid	Chromator	ranhy Trinle-(	Quadrupole Ma	55
XYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64E				Lan apore mu	
AZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	on date:		Extracted	oy:
IDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440 0.207g	07/27/23	16:35:09		3379,450	
ESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method :SOP.T.30.151.FL (Gaines)					
LATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062731VOL			n:07/29/231		
TALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 07/27/23 16:39:18	Ba	atch Date	07/27/23 10:	25:21	
THIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
THOMYL	0.01	ppm	0.1	PASS	ND	<b>Reagent :</b> 072723.R01; 040521.11; 071123	R21.07113	23 B22			
VINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401		-9.1144			
CLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
		- F	0.25	PASS	ND			hromatogra			

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



07/30/23



Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

### **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535 Batch# : 2931 8217 8744 Sample

7535 Sampled : 07/26/23 Ordered : 07/26/23 744 7535 Sample Size Received : 15.3 gram Total Amount : 1956 units Completed : 07/30/23 Expires: 07/30/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0276g				<b>xtracted by:</b> 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062755SOL Instrument Used : DA-GCMS-002 Analyzed Date : 07/29/23 09:57:58			ved On : 07/30/23 00:33:13 Date : 07/27/23 14:27:22		

Reagent : 030420.09 Consumables : R2017.167; G201.167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule SK-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23

#### PASSED



Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535 Batch# : 2931 8217 8744 Sample

7535 Sampled : 07/26/23 Ordered : 07/26/23 Sample Size Received : 15.3 gram Total Amount : 1956 units Completed : 07/30/23 Expires: 07/30/24 Sample Method : SOP.T.20.010

Page 5 of 6	С	6		Dİ	C	5	e	ag	P
-------------	---	---	--	----	---	---	---	----	---

ſĘ,	Microk	pial			PAS	SED	လို့	Му	cotoxi	ns			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	C TEDDEIIC			Not Present	PASS	Level	AFLATOXIN E	2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN E			0.002	ppm	ND	PASS	0.02
	S FUMIGATUS			Not Present	PASS		OCHRATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	maa	ND	PASS	0.02
	A SPECIFIC GENE	=		Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ECOLI SHIGE		-		Not Present	PASS			-						
TOTAL YEAS		10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 144	)	Weight: 0.207g	Extraction dat 07/27/23 16:3			<b>xtracted I</b> 379,450	by:
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.03g Extraction date: 07/27/23 11:40:31 Extracted by: 3390   Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062720MIC Reviewed On : 07/28/23					-		L (Davie), 1 : DA0627 d : N/A		L (Davie) <b>Revie</b>	.40.101.FL wed On : 0 Date : 07/	7/28/23 1	5:10:42		
DA-020,fisherb Isotemp Heat I Analyzed Date Dilution : N/A	: 07/27/23 14:09:0	at Block DA-04	19,Fisher Scie	entific			040521.11 Consumables : Pipette : DA-09	326250IW 3; DA-094	; DA-219 Liquid Chromatog					
Analyzed by: 3390, 3336, 58	35, 1440	Weight: 1.03g	Extractio N/A	on date:	Extracted 3390	by:	Hg	Hea	avy Me	tals			PAS	SED
Analytical Batc	od : SOP.T.40.208 :h : DA062740TYM ed : Incubator (25-		Revi	9.FL ewed On : 07/2 h Date : 07/27/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
	: 07/27/23 14:09:1		Date			0	TOTAL CONT	MINANT	LOAD METALS	<b>5</b> 0.08	ppm	ND	PASS	1.1
Dilution : 10							ARSENIC			0.02	ppm	ND	PASS	0.2
	123.17; 070523.R4	46					CADMIUM			0.02	ppm	ND	PASS	0.2
Consumables :	- ,						MERCURY			0.02	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-39		1PN and traditi	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 144	)	Weight: 0.2401g	Extraction da 07/27/23 12			Extracted 3619	by:
							Analysis Metho Analytical Batc Instrument Use Analyzed Date	n:DA0627 d:DA-ICP	MS-003	Review	ed On : 07, ate : 07/2			

Dilution : 50

Reagent : 071923.R45; 072023.R11; 072123.R16; 072523.R13; 072123.R14; 072123.R15; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

07/30/23



Emerald Fire OG Disposable Pen 0.3g Emerald Fire OG Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Eilth/Eoreign

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-008 Harvest/Lot ID: 2931 8217 8744 7535 Batch#: 2931 8217 8744 7535 Sample

DACCED

Sampled : 07/26/23 Ordered : 07/26/23 Sample Size Received : 15.3 gram Total Amount : 1956 units Completed : 07/30/23 Expires: 07/30/24 Sample Method : SOP.T.20.010

	Materia		jri		PA	33ED
Analyte Filth and Forei	gn Material	<b>LOD</b> 0.1	Units %	<b>Result</b> ND	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	-	<b>xtraction</b>	date:	<b>Extra</b> N/A	cted by:
		rial Micr	oscope			7/23 13:28:54 23 13:20:36
Dilution: N/A Reagent: N/A Consumables: N/ Pipette: N/A	A	rformed	hy visual in	spection utilizi	ng naked ev	re and microscope
	Water A				ΡΑ	SSED
Analyte Water Activity		<b>LOD</b> 0.1	<b>Units</b> aw	<b>Result</b> 0.482	P/F PASS	Action Level 0.85
Analyzed by: 3807, 585, 1440	Weight: 0.495g		<b>traction d</b> 7/27/23 15			tracted by: 07

Analysis Method : SOP.T.40.019 Analytical Batch : DA062746WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A Reagent : 050923.04

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23

#### PASSED

Page 6 of 6