

COMPLIANCE FOR RETAIL

Kaycha Labs

Rainmaker Drops 11.25g

Rainmaker

Matrix: Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Batch#: 8068 1226 3121 5071

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing Source Facility: Tampa Cultivation

Seed to Sale# 0520 2357 0077 6636

Batch Date: 05/01/23

Sample Size Received: 67.5 gram

Total Amount: 1422 units Retail Product Size: 11.25 gram

Ordered: 07/26/23

Sampled: 07/26/23 Completed: 07/30/23

Sampling Method: SOP.T.20.010

PASSED

Jul 30, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides





Heavy Metals Microbials

Certificate of Analysis



Mycotoxins PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

3.848% Total THC/Container: 432.9 mg



Total CBD 0.049%

Total CBD/Container: 5.513 mg

Reviewed On: 07/28/23 12:35:14 Batch Date: 07/27/23 09:40:44



Total Cannabinoids

Total Cannabinoids/Container: 459.9 mg



Analyzed by: 1665, 585, 1440 Extraction date Extracted by: Weight: 07/27/23 14:16:28

Analysis Method: SOP.T.40.031, SOP.T.30.031 Analytical Batch: DA062727POT Instrument Used: DA-LC-007 Analyzed Date: 07/27/23 14:18:32

Dilution: 400

Reagent: 071923.R30; 061623.02; 071923.R27 Consumables: 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 07/30/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Kaycha Labs

Rainmaker Drops 11.25g Rainmaker

Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-006 Harvest/Lot ID: 8068 1226 3121 5071

Batch#: 8068 1226 3121

Sampled: 07/26/23 Ordered: 07/26/23

Sample Size Received: 67.5 gram Total Amount : 1422 units

Completed: 07/30/23 Expires: 07/30/24

Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.02	13.387	0.119		FARNESENE			0.225	0.002	
OTAL TERPINEOL	0.02	ND	ND		ALPHA-HUMULENE		0.02	<2.25	< 0.02	
LPHA-BISABOLOL	0.02	<2.25	< 0.02		VALENCENE		0.02	ND	ND	
LPHA-PINENE	0.02	ND	ND		CIS-NEROLIDOL		0.02	ND	ND	
AMPHENE	0.02	ND	ND		TRANS-NEROLIDOL		0.02	ND	ND	
ABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE		0.02	<2.25	< 0.02	
BETA-PINENE	0.02	ND	ND		GUAIOL		0.02	ND	ND	
ETA-MYRCENE	0.02	5.737	0.051		CEDROL		0.02	ND	ND	
LPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
-CARENE	0.02	ND	ND		2076, 585, 1440	0.8468g		07/28/23 10		2076
LPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOF	7.T.40.061A.FL				
IMONENE	0.02	4.5	0.04		Analytical Batch : DA062743TER					/30/23 00:33:03
UCALYPTOL	0.02	ND	ND		Instrument Used : DA-GCMS-004 Analyzed Date : 07/28/23 09:51:28			Batch	Date: 07/2	7/23 12:06:19
CIMENE	0.02	<2.25	< 0.02		Dilution: 10					
AMMA-TERPINENE	0.02	ND	ND		Reagent: 121622.26					
ABINENE HYDRATE	0.02	ND	ND		Consumables: 210414634; MKCN9995; 0	E0123; R1KB1	4270			
ERPINOLENE	0.02	ND	ND		Pipette : N/A					
ENCHONE	0.04	<4.5	< 0.04		Terpenoid testing is performed utilizing Gas Cl	romatography M	ass Specti	rometry. For all I	Flower sampl	es, the Total Terpenes % is dry-weight corrected.
INALOOL	0.02	<2.25	< 0.02							
ENCHYL ALCOHOL	0.02	<2.25	< 0.02							
SOPULEGOL	0.02	ND	ND							
AMPHOR	0.06	ND	ND							
SOBORNEOL	0.02	ND	ND							
ORNEOL	0.04	ND	ND							
IEXAHYDROTHYMOL	0.02	ND	ND							
IEROL	0.02	ND	ND							
ULEGONE	0.02	ND	ND							
ERANIOL	0.02	ND	ND							
GERANYL ACETATE	0.02	ND	ND							
LPHA-CEDRENE	0.02	ND	ND							
	0.02				1					

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23



Kaycha Labs

Rainmaker Drops 11.25g Rainmaker

Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-006 Harvest/Lot ID: 8068 1226 3121 5071

Batch#: 8068 1226 3121

Sampled: 07/26/23 Ordered: 07/26/23

Sample Size Received: 67.5 gram Total Amount : 1422 units

Completed: 07/30/23 Expires: 07/30/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail		Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	mag	0.2	PASS	ND
OTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
OTAL SPINOSAD	0.01	ppm	3	PASS	ND				1	PASS	
BAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPICONAZOLE	0.01	ppm	_		ND
СЕРНАТЕ	0.01	ppm	3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	2	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
CETAMIPRID	0.01	ppm	3	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ZOXYSTROBIN	0.01	ppm	3	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
IFENAZATE	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
FENTHRIN	0.01	ppm	0.5	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
OSCALID	0.01	ppm	3	PASS	ND	THIAMETHOXAM	0.01	mag	1	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
ARBOFURAN	0.01	ppm	0.1	PASS	ND					PASS	
HLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2		ND
HLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
OFENTEZINE	0.01	ppm	0.5	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
AZINON	0.01	ppm	3	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	hu
METHOATE	0.01	ppm	0.1	PASS	ND	3379, 585, 1440 0.2035g		3 16:35:08		3379.450	by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaine				,	Gainesvi
TOFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	546/, 561	.50.1202 2	(541.0), 50.		Carresti
TOXAZOLE	0.01	ppm	1.5	PASS	ND	Analytical Batch: DA062729PES		Reviewed	On:07/29/2	3 13:01:07	
NHEXAMID	0.01	ppm	3	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Da	te:07/27/23	10:23:37	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/27/23 15:47:15					
ENPYROXIMATE	0.01	ppm	2	PASS	ND	Dilution: 250	22 021 072	122 006 0	70500 014 0	72722 002 0	10501 11
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 072423.R05; 072723.R26; 0727 Consumables: 326250IW	23.R01; 072	123.RUb; U	/2523.R14; U	/2/23.RU2; U ²	10521.11
LONICAMID	0.01	ppm	2	PASS	ND	Pipette: DA-093; DA-094; DA-219					
LUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed	ıtilizina Liauic	Chromator	ranhy Trinle-(Quadrunole Ma	SS
EXYTHIAZOX	0.01	ppm	2	PASS	ND	Spectrometry in accordance with F.S. Rule 6			,,pic \	a ar apore ma	
MAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted	by:
MIDACLOPRID	0.01	ppm	1	PASS	ND	450, 585, 1440 0.2035g		16:35:08		3379,450	
RESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analysis Method: SOP.T.30.151.FL (Gaine					
ALATHION	0.01	ppm	2	PASS	ND	Analytical Batch : DA062731VOL			n:07/29/23 1		
ETALAXYL	0.01	ppm	3	PASS	ND	Instrument Used: DA-GCMS-001 Analyzed Date: 07/27/23 16:39:18	В	atch Date	07/27/23 10:	25:21	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.01	ppm	0.1	PASS	ND	Reagent: 072723.R01; 040521.11; 07112	3 R21· 0711	23 R22			
EVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401	J21, U/11/				
YCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
ALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed	itilizing Gas C	hromatogra	nhy Trinle-Ou	adrunnle Mass	Spectro

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23



Kaycha Labs

Rainmaker Drops 11.25g
Rainmaker

Matrix : Derivative

Matrix : Derivative



Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30726020-006 Harvest/Lot ID: 8068 1226 3121 5071

Batch#: 8068 1226 3121

Sampled: 07/26/23 Ordered: 07/26/23 Sample Size Received: 67.5 gram
Total Amount: 1422 units

Completed: 07/30/23 Expires: 07/30/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0253g	Extraction date: 07/28/23 14:28:5	51		Extracted by: 850

Analysis Method: SOP.T.40.041.FL Analytical Batch: DA062755SOL Instrument Used: DA-GCMS-002 Analyzed Date: 07/29/23 09:57:58

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028 Reviewed On: 07/29/23 14:13:07 Batch Date: 07/27/23 14:27:22

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Jorge Segredo

Lab Director

Signature 07/30/23



Kaycha Labs

Rainmaker Drops 11.25g

Rainmaker Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30726020-006 Harvest/Lot ID: 8068 1226 3121 5071

Batch#: 8068 1226 3121

Sampled: 07/26/23 Ordered: 07/26/23

Sample Size Received: 67.5 gram Total Amount: 1422 units

Sample Method: SOP.T.20.010

Completed: 07/30/23 Expires: 07/30/24

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		-
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3
				_		

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3336, 585, 1440 07/27/23 11:40:30 0.9314g

Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA062720MIC

Reviewed On: 07/28/23 11:40:41

Batch Date: 07/27/23 Instrument Used: PathogenDx Scanner DA-111.Applied

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 08:27:04

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 07/27/23 14:09:05

Dilution: N/A

Reagent: 062123.17; 071823.R01; 020823.18; 092122.09

Consumables: 7563004014

Pipette: N/A

0					
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02

Analyzed by: 3379, 585, 1440	Weight: 0.2035g	Extraction dat			xtracted		
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
			le le				

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA062730MYC

Reviewed On: 07/28/23 15:10:41 Instrument Used : N/A Batch Date: 07/27/23 10:25:19

Analyzed Date: 07/27/23 15:47:21

Dilution: 250

Reagent: 072423.R05; 072723.R26; 072723.R01; 072423.R06; 072523.R14; 072723.R02;

040521.11 Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Analyzed by:	Weight:	Extraction date:	Extracted by
3390, 3336, 585, 1440	0.9314g	N/A	3390
Analysis Method : SOP.T.40.203	8 (Gainesville), S	OP.T.40.209.FL	
Analytical Batch: DA062740TY	M	Reviewed On: 0	7/29/23 13:05:13
Instrument Used: Incubator (2	5-27C) DA-096	Batch Date: 07/	27/23 11:26:30
Analyzed Date: 07/27/23 14:00	9.13		

Dilution: 10 Reagent: 062123.17; 070523.R46 Consumables : N/A

Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD MET	TALS 0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	< 0.1	PASS	0.5
Analyzed by	Extraction d	ato.		Evtractor	d byu

07/27/23 11:57:36

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 07/28/23 11:59:44 Analytical Batch : DA062725HEA Instrument Used : DA-ICPMS-003 Batch Date: 07/27/23 09:35:09 Analyzed Date: 07/27/23 14:30:27

Dilution: 50

1022, 585, 1440

Reagent: 071923.R45; 072023.R11; 072123.R16; 072523.R13; 072123.R14; 072123.R15; 072523.R11; 071023.01; 072523.R10

Consumables: 179436; 15021042; 210508058 Pipette: DA-061; DA-191; DA-216

0.2372g

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 07/30/23



Kaycha Labs

Rainmaker Drops 11.25g Rainmaker

Matrix : Derivative

usable products)

Page 6 of 6

Type: Products for oral administration (pills, capsules, tinctures, and similar



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30726020-006 Harvest/Lot ID: 8068 1226 3121 5071

Batch#: 8068 1226 3121

Sampled: 07/26/23 Ordered: 07/26/23

Sample Size Received: 67.5 gram Total Amount: 1422 units

Completed: 07/30/23 Expires: 07/30/24

Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material % ND PASS 0.1

Analyzed by: 1879, 1440 Weight: Extraction date: Extracted by: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA062753FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 07/27/23 13:28:53 Batch Date: 07/27/23 13:20:36

Analyzed Date: 07/27/23 13:24:03

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte LOD Units Result P/F **Action Level** 0.462 **TESTED** Water Activity 0.1 aw

Extraction date: 07/27/23 15:36:40 Analyzed by: 3807, 585, 1440 Extracted by: 3807

Analysis Method: SOP.T.40.019 Analytical Batch: DA062746WAT Instrument Used : DA-028 Rotronic Hygropalm Analyzed Date : N/A

Reviewed On: 07/28/23 12:35:16 Batch Date: 07/27/23 12:16:07

Dilution: N/A Reagent: 050923.04 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-



5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Signature Testing 97164 07/30/23