



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

Batch#: 7553 3275 4827 1458

Cultivation Facility: Tampa Cultivation

Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation

Seed to Sale#: 3465 1770 4212 7139

Batch Date: 06/09/23

Sample Size Received: 16 gram

Total Amount: 1941 units

Retail Product Size: 1 gram

Ordered: 08/07/23

Sampled: 08/07/23

Completed: 08/10/23

Sampling Method: SOP.T.20.010

PASSED

Aug 10, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

93.985%

Total THC/Container : 939.85 mg



Total CBD

0.270%

Total CBD/Container : 2.70 mg



Total Cannabinoids

97.423%

Total Cannabinoids/Container : 974.23 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	93.904	0.093	0.270	ND	0.297	1.492	ND	ND	0.521	ND	0.846
mg/unit	939.04	0.93	2.70	ND	2.97	14.92	ND	ND	5.21	ND	8.46
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1023g

Extraction date:
08/08/23 12:47:22

Extracted by:
2076

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA063087POT

Instrument Used : DA-LC-007

Analyzed Date : 08/08/23 12:51:00

Reviewed On : 08/10/23 11:42:19

Batch Date : 08/08/23 10:59:47

Dilution : 400

Reagent : 080823.R06; 030923.08; 080823.R03

Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

Batch# : 7553 3275 4827
1458

Sampled : 08/07/23

Ordered : 08/07/23

Sample Size Received : 16 gram

Total Amount : 1941 units

Completed : 08/10/23 Expires: 08/10/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)				
TOTAL TERPENES	0.007	20.27	2.027		FARNESENE	0.001	<0.09	<0.009					
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	0.29	0.029					
ALPHA-BISABOLOL	0.007	0.24	0.024		VALENCENE	0.007	0.23	0.023					
ALPHA-PINENE	0.007	0.33	0.033		CIS-NEROLIDOL	0.007	ND	ND					
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND					
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020					
BETA-PINENE	0.007	0.46	0.046		GUAIOL	0.007	ND	ND					
BETA-MYRCENE	0.007	2.64	0.264		CEDROL	0.007	ND	ND					
ALPHA-PHELLANDRENE	0.007	1.29	0.129		Analyzed by:	2076, 585, 1440	Weight:	0.8219g	Extraction date:	08/08/23 17:44:57	Extracted by:	2076	
3-CARENE	0.007	0.29	0.029		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL							
ALPHA-TERPINENE	0.007	0.22	0.022		Analytical Batch :	DA063080TER							
LIMONENE	0.007	1.03	0.103		Instrument Used :	DA-GCMS-008							
EUCALYPTOL	0.007	ND	ND		Analyzed Date :	N/A							
OCIMENE	0.007	2.45	0.245		Dilution :	10							
GAMMA-TERPINENE	0.007	<0.20	<0.020		Reagent :	121622.26							
SABINENE HYDRATE	0.007	ND	ND		Consumables :	210414634; MKCN9995; CE0123; R1KB14270							
TERPINOLENE	0.007	9.55	0.955		Pipette :	N/A							
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.								
LINALOOL	0.007	0.20	0.020										
FENCHYL ALCOHOL	0.007	<0.20	<0.020										
ISOPULEGOL	0.007	ND	ND										
CAMPHOR	0.007	ND	ND										
ISOBORNEOL	0.007	ND	ND										
BORNEOL	0.013	ND	ND										
HEXAHYDROTHYMOL	0.007	<0.20	<0.020										
NEROL	0.007	ND	ND										
PULEGONE	0.007	ND	ND										
GERANIOL	0.007	ND	ND										
GERANYL ACETATE	0.007	ND	ND										
ALPHA-CEDRENE	0.007	ND	ND										
BETA-CARYOPHYLLENE	0.007	1.05	0.105										
Total (%)				2.027									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/10/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)

Miami Vibes

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

Batch# : 7553 3275 4827

1458

Sampled : 08/07/23

Ordered : 08/07/23

Sample Size Received : 16 gram

Total Amount : 1941 units

Completed : 08/10/23 Expires: 08/10/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2092g	Extraction date: 08/08/23 14:20:08	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA063086PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 08/09/23 15:20:15		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/08/23 14:42:01			Batch Date : 08/08/23 10:58:03		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 080723.R01; 080823.R01; 080423.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.2092g	Extraction date: 08/08/23 14:20:08	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Method : DA063089VOL					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Reviewed On : 08/09/23 11:29:44		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/08/23 16:40:57			Batch Date : 08/08/23 11:01:38		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 080423.R04; 040521.11; 071123.R21; 071123.R22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
08/10/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

 Batch# : 7553 3275 4827
 1458

Sampled : 08/07/23

Ordered : 08/07/23

Sample Size Received : 16 gram

Total Amount : 1941 units

Completed : 08/10/23 Expires: 08/10/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0255g

 Extraction date:
 08/09/23 14:40:01

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA06310450L

Instrument Used : DA-GCMS-002

Analyzed Date : 08/09/23 14:49:06

Reviewed On : 08/09/23 15:16:54

Batch Date : 08/08/23 15:38:23

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

Batch# : 7553 3275 4827
1458




Sample Size Received : 16 gram

Total Amount : 1941 units

Completed : 08/10/23 Expires: 08/10/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
Analyte			Analyte		
LOD			LOD		
Units			Units		
Result			Result		
Pass / Fail			Pass / Fail		
Action Level			Action Level		
SALMONELLA SPECIFIC GENE			AFLATOXIN B2		
ECOLI SHIGELLA			AFLATOXIN B1		
ASPERGILLUS FLAVUS			OCHRATOXIN A		
ASPERGILLUS FUMIGATUS			AFLATOXIN G1		
ASPERGILLUS TERREUS			AFLATOXIN G2		
ASPERGILLUS NIGER					
TOTAL YEAST AND MOLD					
10 CFU/g			<10		
100000					
Analyzed by: 3390, 585, 1440			Weight: 0.2092g		
Extraction date: 08/08/23 12:14:54			Extraction date: 08/08/23 14:20:08		
Extracted by: 3621			Extracted by: 3379		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)		
Analytical Batch : DA063083MIC			Analytical Batch : DA063088MYC		
Reviewed On : 08/09/23 12:09:18			Reviewed On : 08/09/23 15:19:01		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Instrument Used : N/A		
Analyzed Date : 08/08/23 13:28:26			Analyzed Date : 08/08/23 14:42:41		
Dilution : N/A			Dilution : 250		
Reagent : 073123.R24; 071823.R01; 061323.13; 092122.09; 073123.R31			Reagent : 080723.R01; 080823.R01; 080423.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11		
Consumables : 7563004035			Consumables : 326250IW		
Pipette : N/A			Pipette : DA-093; DA-094; DA-219		
Analyzed by: 3390, 3336, 585, 1440			Analyzed by: 1022, 585, 1440		
Weight: 0.831g			Weight: 0.2307g		
Extraction date: 08/08/23 12:14:54			Extraction date: 08/08/23 12:39:01		
Extracted by: 3621,3390			Extracted by: 1022		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL		
Analytical Batch : DA063101TYM			Analytical Batch : DA063078HEA		
Instrument Used : Incubator (25-27C) DA-097			Instrument Used : DA-ICPMS-003		
Analyzed Date : 08/08/23 13:20:18			Analyzed Date : 08/08/23 15:39:35		
Dilution : 10			Dilution : 50		
Reagent : 073123.R24; 073123.R31; 080323.R04			Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 080823.01; 072523.R10		
Consumables : N/A			Consumables : 179436; 210508058; 12620-307CD-307D		
Pipette : N/A			Pipette : DA-061; DA-191; DA-216		
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
		Heavy Metals		PASSED	
Metal		LOD		Units	
Result		Pass / Fail		Action Level	
TOTAL CONTAMINANT LOAD METALS		0.080		ppm	
ARSENIC		0.020		ppm	
CADMIUM		0.020		ppm	
MERCURY		0.020		ppm	
LEAD		0.020		ppm	
Analyzed by: 1022, 585, 1440		Weight: 0.2307g		Extraction date: 08/08/23 12:39:01	
Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA063078HEA					
Instrument Used : DA-ICPMS-003					
Analyzed Date : 08/08/23 15:39:35					
Dilution : 50					
Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 080823.01; 072523.R10					
Consumables : 179436; 210508058; 12620-307CD-307D					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Miami Vibes Cartridge Concentrate 1g (90%)
Miami Vibes
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30808010-007

Harvest/Lot ID: 7553 3275 4827 1458

Batch# : 7553 3275 4827
1458

Sampled : 08/07/23

Ordered : 08/07/23

Sample Size Received : 16 gram

Total Amount : 1941 units

Completed : 08/10/23 Expires: 08/10/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA063133FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/09/23 12:38:56

Reviewed On : 08/09/23 13:01:09

Batch Date : 08/09/23 11:20:32

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.546	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.51g	Extraction date: 08/08/23 14:26:40	Extracted by: 3619
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA063100WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 08/08/23 14:27:05

Reviewed On : 08/08/23 15:05:28

Batch Date : 08/08/23 11:43:19

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/10/23