



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30824004-004  
**Harvest/Lot ID:** 5002 5142 6508 6918  
**Batch#:** 5002 5142 6508 6918  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 6420 6262 4391 8603  
**Batch Date:** 02/24/23  
**Sample Size Received:** 15.5 gram  
**Total Amount:** 422 units  
**Retail Product Size:** 0.5 gram  
**Ordered:** 08/23/23  
**Sampled:** 08/23/23  
**Completed:** 08/27/23  
**Sampling Method:** SOP.T.20.010

Aug 27, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

# PASSED



Total THC

**84.558%**

Total THC/Container : 422.79 mg



Total CBD

**0.456%**

Total CBD/Container : 2.28 mg



Total Cannabinoids

**89.085%**

Total Cannabinoids/Container : 445.43 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.784	0.883	0.149	0.351	0.065	1.921	0.754	0.114	0.235	ND	0.829
mg/unit	418.92	4.42	0.75	1.76	0.33	9.61	3.77	0.57	1.18	ND	4.15
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.0924g

Extraction date:  
08/24/23 11:41:33

Extracted by:  
3605,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA063645POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 08/24/23 12:09:56

Reviewed On : 08/25/23 11:59:30  
 Batch Date : 08/24/23 08:29:57

Dilution : 400  
 Reagent : 081823.R05; 061623.02; 081823.R02  
 Consumables : 947.109; 280670723; CE0123; R1KB14270  
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
08/27/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Vanilla Crème Pie Cartridge Live Rosin 0.5g  
Vanilla Creme Pie  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30824004-004

Harvest/Lot ID: 5002 5142 6508 6918

Batch# : 5002 5142 6508

6918

Sampled : 08/23/23

Ordered : 08/23/23

Sample Size Received : 15.5 gram

Total Amount : 422 units

Completed : 08/27/23 Expires: 08/27/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	34.94	6.988		FARNESENE	0.001	3.34	0.667	
TOTAL TERPINEOL	0.007	0.58	0.116		ALPHA-HUMULENE	0.007	3.77	0.754	
ALPHA-BISABOLOL	0.007	0.19	0.038		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.87	0.173		CIS-NEROLIDOL	0.007	0.62	0.123	
CAMPHENE	0.007	0.23	0.046		TRANS-NEROLIDOL	0.007	0.61	0.121	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.32	0.063	
BETA-PINENE	0.007	0.48	0.095		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	2.14	0.428		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analyzed by:	Weight:	Extraction date:	Extracted by:	
ALPHA-TERPINENE	0.007	ND	ND		2076, 585, 1440	1.0854g	08/24/23 12:53:35	2076	
LIMONENE	0.007	3.55	0.709		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
EUCALYPTOL	0.007	ND	ND		Analytical Batch : DA063657TER			Reviewed On : 08/27/23 15:41:49	
OCIMENE	0.007	<0.10	<0.020		Instrument Used : DA-GCMS-008			Batch Date : 08/24/23 10:04:39	
GAMMA-TERPINENE	0.007	ND	ND		Analyzed Date : N/A				
SABINENE HYDRATE	0.007	ND	ND		Dilution : 10				
TERPINOLENE	0.007	<0.10	<0.020		Reagent : 012522.07				
FENCHONE	0.007	<0.20	<0.040		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
LINALOOL	0.007	2.21	0.441		Pipette : N/A				
FENCHYL ALCOHOL	0.007	0.93	0.186		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	0.23	0.045						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.10	<0.020						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	0.32	0.064						
BETA-CARYOPHYLLENE	0.007	14.60	2.919						
Total (%)			6.988						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/27/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30824004-004

Harvest/Lot ID: 5002 5142 6508 6918

Batch# : 5002 5142 6508

6918

Sampled : 08/23/23

Ordered : 08/23/23

Sample Size Received : 15.5 gram

Total Amount : 422 units

Completed : 08/27/23 Expires: 08/27/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440 Weight: 0.2687g Extraction date: 08/24/23 14:55:42 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) Analytical Batch : DA063652PES Instrument Used : DA-LCMS-003 (PES) Batch Date : 08/24/23 09:47:55 Analyzed Date : N/A Dilution : 250 Reagent : 082023.R01; 082323.R33; 081523.R04; 082423.R01; 072523.R14; 082323.R01; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND						
DIMETHOATE	0.010	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND						
ETOFENPROX	0.010	ppm	0.1	PASS	ND						
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reviewed On : 08/26/23 19:51:19					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Batch Date : 08/24/23 09:47:55					
FENOXYCARB	0.010	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND						
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND						
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: 53, 450, 585, 1440					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Weight: 0.2687g					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Extraction date: 08/24/23 14:55:42					
MALATHION	0.010	ppm	0.2	PASS	ND	Extracted by: 450,3379					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063654VOL					
METHOMYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/24/23 16:17:10					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
NALED	0.010	ppm	0.25	PASS	ND	Reagent : 081523.R04; 040521.11; 080723.R26; 080723.R27					
						Consumables : 326250IW; 14725401					
						Pipette : DA-080; DA-146; DA-218					
						Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in					



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30824004-004

Harvest/Lot ID: 5002 5142 6508 6918

Batch# : 5002 5142 6508 6918

Sampled : 08/23/23

Ordered : 08/23/23

Sample Size Received : 15.5 gram

Total Amount : 422 units

Completed : 08/27/23 Expires: 08/27/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0246g

 Extraction date:  
 08/25/23 15:00:52

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA06367650L

Instrument Used : DA-GCMS-003

Analyzed Date : 08/25/23 15:04:01

Reviewed On : 08/26/23 20:00:08

Batch Date : 08/24/23 13:17:11

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30824004-004

Harvest/Lot ID: 5002 5142 6508 6918

Batch# : 5002 5142 6508 6918

Sampled : 08/23/23

Ordered : 08/23/23



Sample Size Received : 15.5 gram


Total Amount : 422 units

Completed : 08/27/23 Expires: 08/27/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2687g	Extraction date: 08/24/23 14:55:42		Extracted by: 450,3379	
Analyzed by: 3390, 3621, 585, 1440	Weight: 0.947g	Extraction date: 08/24/23 10:31:13		Extracted by: 3336		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					Reviewed On : 08/25/23 11:58:14	Analytical Batch : DA063653MYC					Reviewed On : 08/25/23 11:32:35
Analytical Batch : DA063649MIC						Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : N/A					
Analyzed Date : 08/24/23 12:05:12					Batch Date : 08/24/23 09:05:20	Dilution : 250					
						Reagent : 082023.R01; 082323.R33; 081523.R04; 082423.R01; 072523.R14; 082323.R01; 040521.11					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 081123.R25; 080923.R15; 071023.06; 092122.09											
Consumables : 7565002007											
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 1440	Weight: 0.947g	Extraction date: 08/24/23 10:31:13		Extracted by: 3336,3390							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA063674TYM			Reviewed On : 08/26/23 20:00:36								
Instrument Used : Incubator (25-27C) DA-096			Batch Date : 08/24/23 12:02:55								
Analyzed Date : 08/24/23 12:35:16											
Dilution : 10											
Reagent : 081123.R25; 081523.R08											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	<b>Heavy Metals</b>	<b>PASSED</b>			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2629g	Extraction date: 08/24/23 11:27:33		Extracted by: 3807,1022	

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

<div><div>Hg</div></div>	Heavy Metals			PASSED	
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2629g	Extraction date: 08/24/23 11:27:33		Extracted by: 3807,1022	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA063665HEA			Reviewed On : 08/25/23 11:35:56		
Instrument Used : DA-ICPMS-003			Batch Date : 08/24/23 10:18:55		
Analyzed Date : 08/24/23 15:14:11					
Dilution : 50					
Reagent : 082323.R34; 081823.R22; 081823.R19; 081823.R20; 081823.R21; 072523.R11; 080823.01; 072523.R10					
Consumables : 179436; 2209282; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Vanilla Crème Pie Cartridge Live Rosin 0.5g  
Vanilla Creme Pie  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30824004-004

Harvest/Lot ID: 5002 5142 6508 6918

Batch# : 5002 5142 6508 6918

Sampled : 08/23/23

Ordered : 08/23/23

Sample Size Received : 15.5 gram

Total Amount : 422 units

Completed : 08/27/23 Expires: 08/27/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA063672FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/24/23 11:08:07

Reviewed On : 08/24/23 11:39:48

Batch Date : 08/24/23 10:43:22

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.492g	Extraction date: 08/24/23 14:13:35	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA063656WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 08/24/23 14:14:42

Reviewed On : 08/24/23 15:45:13

Batch Date : 08/24/23 10:04:36

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/27/23