



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30729007-004
Harvest/Lot ID: HYB-BS-072723-C0101
Batch#: 7417 4263 1068 8449
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 0458 4475 3773 9434
Batch Date: 07/03/23
Sample Size Received: 31.5 gram
Total Amount: 1320 units
Retail Product Size: 3.5 gram
Ordered: 07/28/23
Sampled: 07/28/23
Completed: 08/01/23
Sampling Method: SOP.T.20.010

Aug 01, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC
27.408%
Dry Weight



Total CBD
0.062%
Dry Weight



Total Cannabinoids
32.163%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC	TOTAL CBD (DRY)	TOTAL THC (DRY)	TOTAL CANNABINOIDS (DRY)
%	0.312	27.285	ND	0.063	0.016	0.145	0.561	0.011	ND	ND	0.052	0.062	27.408	32.163
mg/unit	10.92	954.975	ND	2.205	0.56	5.075	19.635	0.385	ND	ND	1.82	2.17	959.28	1125.705
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%	%	%	%

Total THC
24.24%
848.4 mg /Container

Total CBD
0.055%
1.925 mg /Container

Total Cannabinoids
28.445%
995.575 mg /Container

As Received

Analyzed by:
1665, 585, 1440

Weight:
0.2127g

Extraction date:
07/31/23 09:46:02

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062824POT

Instrument Used : DA-LC-002

Analyzed Date : 07/31/23 10:59:17

Reviewed On : 08/01/23 12:05:09

Batch Date : 07/30/23 23:17:55

Dilution : 400

Reagent : 060723.24; 070823.R04; 072423.R02

Consumables : 947.109; 15021042; 250350; CE0123; 115C4-1151; 61630-123C6-123E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/01/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Biscotti WF 3.5g
FTH-Biscotti
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30729007-004

Harvest/Lot ID: HYB-BS-072723-C0101

Batch# : 7417 4263 1068
8449

Sampled : 07/28/23
Ordered : 07/28/23

Sample Size Received : 31.5 gram

Total Amount : 1320 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	102.865	2.939		FARNESENE	0.009	6.65	0.19	
TOTAL TERPINEOL	0.02	1.575	0.045		ALPHA-HUMULENE	0.02	6.58	0.188	
ALPHA-BISABOLOL	0.02	3.465	0.099		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	2.03	0.058		CIS-NEROLIDOL	0.02	1.295	0.037	
CAMPHENE	0.02	<0.7	<0.02		TRANS-NEROLIDOL	0.02	ND	ND	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	1.19	0.034	
BETA-PINENE	0.02	3.08	0.088		GUAIOL	0.02	ND	ND	
BETA-MYRCENE	0.02	11.69	0.334		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analyzed by: 2076, 585, 1440				
3-CARENE	0.02	ND	ND		Weight: 1.044g				
ALPHA-TERPINENE	0.02	ND	ND		Extraction date: 07/30/23 14:06:48				
LIMONENE	0.02	20.86	0.596		Extracted by: 1879				
EUCALYPTOL	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.02	<0.7	<0.02		Analytical Batch : DA062818TER				
GAMMA-TERPINENE	0.02	ND	ND		Instrument Used : DA-GCMS-008				
SABINENE HYDRATE	0.02	ND	ND		Analyzed Date : 07/31/23 09:39:59				
TERPINOLENE	0.02	ND	ND		Dilution : 10				
FENCHONE	0.04	<1.4	<0.04		Reagent : 020923.13				
LINALOOL	0.02	6.3	0.18		Consumables : 0000182861; MKCN9995; CE0123; R1KB14270				
FENCHYL ALCOHOL	0.02	2.59	0.074		Pipette : N/A				
ISOPULEGOL	0.02	<0.7	<0.02		Reviewed On : 08/01/23 12:05:13				
CAMPHOR	0.06	ND	ND		Batch Date : 07/29/23 17:29:43				
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	<0.7	<0.02						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	<0.7	<0.02						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	<0.7	<0.02						
BETA-CARYOPHYLLENE	0.02	23.695	0.677						
Total (%)				2.939					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/01/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30729007-004

Harvest/Lot ID: HYB-BS-072723-C0101

 Batch# : 7417 4263 1068
 8449

Sampled : 07/28/23

Ordered : 07/28/23


Sample Size Received : 31.5 gram

Total Amount : 1320 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 3 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.8692g	07/31/23 14:20:00	3379,450		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062840PES					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/31/23 13:38:37					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.8692g	07/31/23 14:20:00	3379,450		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062841VOL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Instrument Used : DA-GCMS-001					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/01/23 16:05:40					
MALATHION	0.01	ppm	0.2	PASS	ND	Batch Date : 07/31/23 08:44:07					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30729007-004

Harvest/Lot ID: HYB-BS-072723-C0101

Batch# : 7417 4263 1068

8449

Sampled : 07/28/23

Ordered : 07/28/23




Sample Size Received : 31.5 gram

Total Amount : 1320 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.8462g Extraction date: 07/29/23 15:20:43 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062805MIC Reviewed On : 08/01/23 11:38:37 Batch Date : 07/29/23 09:39:51 Instrument Used : PathogenDx Scanner DA-111, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254 Analyzed Date : 07/31/23 11:40:06 Dilution : N/A Reagent : 062123.13; 071823.R01; 020823.18; 092122.09 Consumables : 7563004021 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.8692g Extraction date: 07/31/23 14:20:00 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062842MYC Instrument Used : N/A Analyzed Date : 07/31/23 13:40:11 Dilution : 250 Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 3963, 585, 1440 Weight: 0.8462g Extraction date: 07/29/23 15:20:43 Extracted by: 3336, 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062809TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 07/29/23 16:21:36 Dilution : 10 Reagent : 062123.13; 070523.R46 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1						
ARSENIC	0.02	ppm	ND	PASS	0.2						
CADMIUM	0.02	ppm	ND	PASS	0.2						
MERCURY	0.02	ppm	ND	PASS	0.2						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2219g Extraction date: 07/31/23 09:19:20 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062800HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/31/23 11:41:03 Dilution : 50 Reagent : 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30729007-004

Harvest/Lot ID: HYB-BS-072723-C0101

 Batch# : 7417 4263 1068
 8449

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 31.5 gram

Total Amount : 1320 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 5 of 5


**Filth/Foreign
Material**
PASSED

Moisture
PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1	Moisture Content	1	%	11.56	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 4056, 585, 1440	Weight: 0.519g	Extraction date: 07/31/23 09:02:15	Extracted by: 4056		
Analysis Method : SOP.T.40.090 Analytical Batch : DA062821FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 07/30/23 10:19:59						Analysis Method : SOP.T.40.021 Analytical Batch : DA062807MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 07/30/23 15:34:51					
Reviewed On : 07/30/23 20:52:18 Batch Date : 07/30/23 10:14:50						Reviewed On : 08/01/23 12:05:18 Batch Date : 07/29/23 15:11:36					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.


Water Activity
PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.539	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 0.573g	Extraction date: 07/31/23 09:34:38		Extracted by: 4056	
Analysis Method : SOP.T.40.019			Reviewed On : 08/01/23 12:05:15 Batch Date : 07/29/23 15:16:06		
Analytical Batch : DA062808WAT					
Instrument Used : DA-028 Rotronic Hygropalm					
Analyzed Date : 07/31/23 08:55:14					
Dilution : N/A					
Reagent : 050923.04					
Consumables : PS-14					
Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.