



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30729005-007  
Harvest/Lot ID: 5704 2919 2616 5838  
Batch#: 5352 1192 9790 0006  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 5704 2919 2616 5838  
Batch Date: 05/11/23  
Sample Size Received: 16 gram  
Total Amount: 964 units  
Retail Product Size: 1 gram  
Ordered: 07/28/23  
Sampled: 07/28/23  
Completed: 08/01/23  
Sampling Method: SOP.T.20.010

Aug 01, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 6

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC

**76.389%**

Total THC/Container : 763.89 mg



Total CBD

**0.227%**

Total CBD/Container : 2.27 mg



Total Cannabinoids

**80.498%**

Total Cannabinoids/Container : 804.98 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	76.291	0.112	0.227	ND	0.353	1.437	ND	0.737	0.632	ND	0.709
mg/unit	762.91	1.12	2.27	ND	3.53	14.37	ND	7.37	6.32	ND	7.09
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.0895g

Extraction date:  
07/31/23 09:24:13

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062828POT  
Instrument Used : DA-LC-007  
Analyzed Date : 07/31/23 10:50:18

Reviewed On : 08/01/23 10:37:08  
Batch Date : 07/30/23 23:23:24

Dilution : 400  
Reagent : 060723.24; 071923.R30; 071923.R27  
Consumables : 947.109; 18421047; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/01/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Hella Jelly RSO Syringes 1g  
Hella Jelly  
Matrix : Derivative  
usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30729005-007

Harvest/Lot ID: 5704 2919 2616 5838

Batch# : 5352 1192 9790  
0006

Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 07/28/23

Ordered : 07/28/23

Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	20.68	2.068		FARNESENE	0.009	0.67	0.067	
TOTAL TERPINEOL	0.02	0.39	0.039		ALPHA-HUMULENE	0.02	1.67	0.167	
ALPHA-BISABOLOL	0.02	2.09	0.209		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	ND	ND		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHENE	0.02	ND	ND		TRANS-NEROLIDOL	0.02	0.52	0.052	
SABINENE	0.02	ND	ND		CARYOPHYLLENE OXIDE	0.02	<0.2	<0.02	
BETA-PINENE	0.02	ND	ND		GUAIOL	0.02	2.26	0.226	
BETA-MYRCENE	0.02	4.9	0.49		CEDROL	0.02	<0.2	<0.02	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analysis by:	Weight:	Extraction date:	Extracted by:	
3-CARENE	0.02	ND	ND		3702, 2076, 585, 1440	0.9486g	07/30/23 12:09:54	1879.3702	
ALPHA-TERPINENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
LIMONENE	0.02	0.53	0.053		Analytical Batch : DA002815TER			Reviewed On : 08/01/23 15:57:32	
EUCALYPTOL	0.02	ND	ND		Instrument Used : DA-GCMS-008			Batch Date : 07/29/23 16:20:35	
OCIMENE	0.02	0.22	0.022		Analyzed Date : 07/30/23 22:03:40				
GAMMA-TERPINENE	0.02	ND	ND		Dilution : 10				
SABINENE HYDRATE	0.02	ND	ND		Reagent : 020923.13				
TERPINOLENE	0.02	0.2	0.02		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHONE	0.04	ND	ND		Pipette : N/A				
LINALOOL	0.02	1.29	0.129		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHYL ALCOHOL	0.02	0.34	0.034						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	ND	ND						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	5.6	0.56						
Total (%)			2.068						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature

08/01/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30729005-007

Harvest/Lot ID: 5704 2919 2616 5838

 Batch# : 5352 1192 9790  
 0006

Sampled : 07/28/23

Ordered : 07/28/23


Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440</div> <div>Weight: 0.2049g</div> <div>Extraction date: 07/31/23 14:17:33</div> <div>Extracted by: 3379,450</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062834PES</div> <div>Instrument Used : DA-LCMS-003 (PES)</div> <div>Analyzed Date : 07/31/23 13:38:41</div> <div>Dilution : 250</div> <div>Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	3	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	1.5	PASS	ND						
FENHEXAMID	0.01	ppm	3	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	2	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	2	PASS	ND						
FLUDIOXONIL	0.01	ppm	3	PASS	ND						
HEXYTHIAZOX	0.01	ppm	2	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	1	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND						
MALATHION	0.01	ppm	2	PASS	ND						
METALAXYL	0.01	ppm	3	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30729005-007

Harvest/Lot ID: 5704 2919 2616 5838

 Batch# : 5352 1192 9790  
 0006

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm		TESTED	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0266g

 Extraction date:  
 08/01/23 13:20:40

 Extracted by:  
 850

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA062823SOL  
 Instrument Used : DA-GCMS-003  
 Analyzed Date : 08/01/23 13:42:25

 Reviewed On : 08/01/23 14:19:12  
 Batch Date : 07/30/23 15:16:48

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : R2017.167; G201.167  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30729005-007

Harvest/Lot ID: 5704 2919 2616 5838

 Batch# : 5352 1192 9790  
 0006

Sampled : 07/28/23

Ordered : 07/28/23




Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 5 of 6

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:	3379, 585, 1440	Weight:	0.2049g	Extraction date:	07/31/23 14:17:33
Analyzed by:	3390, 3621, 585, 1440	Weight:	0.861g	Extraction date:	07/29/23 15:22:15	Extracted by:	3621			Extracted by:	3379,450
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062804MIC						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062836MYC Instrument Used : N/A Analyzed Date : 07/31/23 13:40:04					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems MiniAmp Thermocycler DA-190,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/31/23 11:40:02						Dilution : 250 Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					
Dilution : N/A Reagent : 062123.13; 071823.R01; 020823.18; 092122.09 Consumables : 7563004021 Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by:						 <b>Heavy Metals</b> <b>PASSED</b>					
3621, 3963, 585, 1440						Metal					
Weight:						LOD					
0.861g						Units					
Extraction date:						Result					
07/29/23 15:22:15						Pass / Fail					
Extracted by:						Action Level					
3621						TOTAL CONTAMINANT LOAD METALS					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						0.08 ppm ND PASS 5					
Analytical Batch : DA062813TYM						ARSENIC					
Instrument Used : Incubator (25-27C) DA-096						0.02 ppm ND PASS 1.5					
Analyzed Date : 07/29/23 16:21:37						CADMIUM					
Dilution : 10						0.02 ppm ND PASS 0.5					
Reagent : 062123.13; 070523.R46						MERCURY					
Consumables : N/A						0.02 ppm ND PASS 3					
Pipette : N/A						LEAD					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analyzed by:					
						1022, 585, 1440					
						Weight:					
						0.2061g					
						Extraction date:					
						07/31/23 09:16:16					
						Extracted by:					
						1022,3619					
						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
						Analytical Batch : DA062799HEA					
						Instrument Used : DA-ICPMS-003					
						Analyzed Date : 07/31/23 11:36:02					
						Dilution : 50					
						Reagent : 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10					
						Consumables : 179436; 15021042; 210508058					
						Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Hella Jelly RSO Syringes 1g

Hella Jelly

Matrix : Derivative

usable products)



Type: Products for oral administration (pills, capsules, tinctures, and similar

# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30729005-007

Harvest/Lot ID: 5704 2919 2616 5838

Batch# : 5352 1192 9790  
0006

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 16 gram

Total Amount : 964 units

Completed : 08/01/23 Expires: 08/01/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062821FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/30/23 10:19:59

Reviewed On : 07/30/23 21:08:43

Batch Date : 07/30/23 10:14:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.464	TESTED	

Analyzed by: 4056, 585, 1440	Weight: 0.367g	Extraction date: 07/31/23 09:22:28	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062816WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 07/31/23 08:55:12

Reviewed On : 08/01/23 10:37:10

Batch Date : 07/29/23 17:24:52

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/01/23