



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs



Cannabis Drink Powder 100mg  
Cannabis Drink Powder  
Matrix: Edible  
Type: Beverage

# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30729005-008  
Harvest/Lot ID: 3613 3285 4207 6162  
Batch#: 5467 1303 1395 1641  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 3613 3285 4207 6162  
Batch Date: 05/01/23  
Sample Size Received: 50 gram  
Total Amount: 922 units  
Retail Product Size: 9.9165 gram  
Ordered: 07/28/23  
Sampled: 07/28/23  
Completed: 08/02/23  
Sampling Method: SOP.T.20.010

Aug 02, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



PASSED

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
PASSED



Heavy Metals  
PASSED



Microbials  
PASSED



Mycotoxins  
PASSED



Residuals Solvents  
PASSED



Filtration  
PASSED



Water Activity  
PASSED



Moisture  
NOT TESTED



Terpenes  
NOT TESTED

### MISC.



### Cannabinoid

PASSED



Total THC  
**0.93%**

Total THC/Container : 92.223 mg



Total CBD  
**0.002%**

Total CBD/Container : 0.198 mg



Total Cannabinoids  
**0.993%**

Total Cannabinoids/Container : 98.471 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.928	0.003	0.002	ND	0.003	0.032	ND	0.014	0.004	ND	0.007
mg/unit	92.025	0.297	0.198	ND	0.297	3.173	ND	1.388	0.396	ND	0.694
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
2.8149g

Extraction date:  
07/31/23 09:35:36

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA062829POT  
Instrument Used : DA-LC-007  
Analyzed Date : 07/31/23 09:39:33

Reviewed On : 08/01/23 10:38:03  
Batch Date : 07/30/23 23:24:09

Dilution : 40  
Reagent : 070323.01; 071923.R30; 030322.03; 061623.02; 071923.R27  
Consumables : 280670723; CE0123; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cannabis Drink Powder 100mg  
Cannabis Drink Powder  
Matrix : Edible  
Type: Beverage



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30729005-008

Harvest/Lot ID: 3613 3285 4207 6162

Batch# : 5467 1303 1395  
1641

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 50 gram

Total Amount : 922 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.35	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.25	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	3	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2266g	07/31/23 14:22:02	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA062843PES			Reviewed On : 08/02/23 11:41:28		
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 07/31/23 08:47:31		
FENHEXAMID	0.01	ppm	3	PASS	ND	Analyzed Date : 07/31/23 13:38:32					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.01	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMAZALIL	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2266g	07/31/23 14:22:02	3379,450		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analytical Batch : DA062844VOL			Reviewed On : 08/02/23 10:15:56		
MALATHION	0.01	ppm	2	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 07/31/23 08:49:43		
METALAXYL	0.01	ppm	3	PASS	ND	Analyzed Date : 08/01/23 09:59:21					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.01	ppm	0.5	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cannabis Drink Powder 100mg  
Cannabis Drink Powder  
Matrix : Edible  
Type: Beverage



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30729005-008

Harvest/Lot ID: 3613 3285 4207 6162

Batch# : 5467 1303 1395  
1641

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 50 gram

Total Amount : 922 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:  
850, 585, 1440

Weight:  
0.0229g

Extraction date:  
08/01/23 13:20:41

Extracted by:  
850

Analysis Method : SOP.T.40.041.FL  
Analytical Batch : DA062823SOL  
Instrument Used : DA-GCMS-003  
Analyzed Date : 08/01/23 13:42:25

Reviewed On : 08/01/23 14:19:13  
Batch Date : 07/30/23 15:16:48

Dilution : 1  
Reagent : 030420.09  
Consumables : R2017.167; G201.167  
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30729005-008

Harvest/Lot ID: 3613 3285 4207 6162

 Batch# : 5467 1303 1395  
 1641

Sampled : 07/28/23

Ordered : 07/28/23




Sample Size Received : 50 gram

Total Amount : 922 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 4 of 5

 <b>Microbial</b> <b>PASSED</b>						 <b>Mycotoxins</b> <b>PASSED</b>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 1440 Weight: 0.9634g Extraction date: 07/29/23 15:22:15 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA062804MIC Reviewed On : 08/01/23 11:33:39 Batch Date : 07/29/23 09:38:50 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems MiniAmp Thermocycler DA-190, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 07/31/23 11:40:02 Dilution : N/A Reagent : 062123.13; 071823.R01; 020823.18; 092122.09 Consumables : 7563004021 Pipette : N/A						Analyzed by: 3379, 585, 1440 Weight: 0.2266g Extraction date: 07/31/23 14:22:02 Extracted by: 3379, 450 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA062845MYC Instrument Used : N/A Analyzed Date : 07/31/23 13:40:12 Dilution : 250 Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 3963, 585, 1440 Weight: 0.9634g Extraction date: 07/29/23 15:22:15 Extracted by: 3621 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA062813TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 07/29/23 16:21:37 Dilution : 10 Reagent : 062123.13; 070523.R46 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 <b>Heavy Metals</b> <b>PASSED</b>					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5						
ARSENIC	0.02	ppm	ND	PASS	1.5						
CADMIUM	0.02	ppm	ND	PASS	0.5						
MERCURY	0.02	ppm	ND	PASS	3						
LEAD	0.02	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2393g Extraction date: 07/31/23 08:04:44 Extracted by: 1022, 3619 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062796HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 07/31/23 11:22:56 Dilution : 50 Reagent : 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cannabis Drink Powder 100mg  
Cannabis Drink Powder  
Matrix : Edible  
Type: Beverage



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30729005-008

Harvest/Lot ID: 3613 3285 4207 6162

Batch# : 5467 1303 1395  
1641

Sampled : 07/28/23

Ordered : 07/28/23

Sample Size Received : 50 gram

Total Amount : 922 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED

Homogeneity

Amount of tests conducted : 12

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090  
Analytical Batch : DA062821FIL  
Instrument Used : Filth/Foreign Material Microscope  
Analyzed Date : 07/30/23 10:19:59  
Reviewed On : 07/30/23 21:08:45  
Batch Date : 07/30/23 10:14:50

Dilution : N/A  
Reagent : N/A  
Consumables : N/A  
Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.326	PASS	0.85

Analyzed by: 4056, 585, 1440	Weight: 0.525g	Extraction date: 07/31/23 09:16:57	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019  
Analytical Batch : DA062817WAT  
Instrument Used : DA-028 Rotronic HygroPalm  
Analyzed Date : 07/31/23 08:55:07  
Reviewed On : 08/01/23 10:37:56  
Batch Date : 07/29/23 17:25:20

Dilution : N/A  
Reagent : 050923.04  
Consumables : PS-14  
Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	3.694	25

3621, 3335, 585, 1440	Average Weight 1g	Extraction date : 07/29/23 10:08:38	Extracted By : 3621
-----------------------	----------------------	--	------------------------

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL  
Analytical Batch : DA062798HOM  
Instrument Used : DA-LC-004  
Analyzed Date : 07/29/23 10:11:54  
Reviewed On : 08/01/23 10:37:11  
Batch Date : 07/29/23 08:39:24

Dilution : 40  
Reagent : 071023.01; 060723.50; 071923.R32; 071423.R06  
Consumables : 947.109; 15021042; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270  
Pipette : DA-079; DA-108; DA-078

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23