



# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30730001-006**
**Harvest/Lot ID: 3955 4424 2600 0754**
**Batch#: 3955 4424 2600 0754**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 3594 6295 1935 3206**
**Batch Date: 05/22/23**
**Sample Size Received: 15.5 gram**
**Total Amount: 1905 units**
**Retail Product Size: 0.5 gram**
**Ordered: 07/29/23**
**Sampled: 07/29/23**
**Completed: 08/02/23**
**Sampling Method: SOP.T.20.010**

Aug 02, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

**Pesticides  
PASSED**

**Heavy Metals  
PASSED**

**Microbials  
PASSED**

**Mycotoxins  
PASSED**

**Residuals Solvents  
PASSED**

**Filtration  
PASSED**

**Water Activity  
PASSED**

**Moisture  
NOT TESTED**

**Terpenes  
TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**69.141%**
**Total THC/Container : 345.705 mg**

**Total CBD**
**20.011%**
**Total CBD/Container : 100.055 mg**

**Total Cannabinoids**
**94.236%**
**Total Cannabinoids/Container : 471.18 mg**

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	69.081	0.069	20.011	ND	0.276	2.116	ND	0.629	0.51	0.101	1.443
mg/unit	345.405	0.345	100.055	ND	1.38	10.58	ND	3.145	2.55	0.505	7.215
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 4044

Weight:  
0.1103g

Extraction date:  
07/31/23 09:24:15

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062828POT

Instrument Used : DA-LC-007

Analyzed Date : 07/31/23 10:50:18

Reviewed On : 08/01/23 12:32:33

Batch Date : 07/30/23 23:23:24

Dilution : 400

Reagent : 060723.24; 071923.R30; 071923.R27

Consumables : 947.109; 18421047; 250350; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/02/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Ghost of Jupiter Cartridge Concentrate (1:3) 0.5g

Ghost of Jupiter

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30730001-006

Harvest/Lot ID: 3955 4424 2600 0754

Batch# : 3955 4424 2600  
0754

Sampled : 07/29/23

Ordered : 07/29/23

Sample Size Received : 15.5 gram

Total Amount : 1905 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.02	14.46	2.892		FARNESENE	0.12	0.024		
TOTAL TERPINEOL	0.02	<0.1	<0.02		ALPHA-HUMULENE	0.02	0.425	0.085	
ALPHA-BISABOLOL	0.02	0.265	0.053		VALENCENE	0.02	ND	ND	
ALPHA-PINENE	0.02	0.51	0.102		CIS-NEROLIDOL	0.02	ND	ND	
CAMPHERE	0.02	<0.1	<0.02		TRANS-NEROLIDOL	0.02	<0.1	<0.02	
SABINENE	0.02	0.33	0.066		CARYOPHYLLENE OXIDE	0.02	<0.1	<0.02	
BETA-PINENE	0.02	0.305	0.061		GUAIOL	0.02	<0.1	<0.02	
BETA-MYRCENE	0.02	0.285	0.057		CEDROL	0.02	ND	ND	
ALPHA-PHELLANDRENE	0.02	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.02	ND	ND		Analytical Batch : DA062846TER				
ALPHA-TERPINENE	0.02	ND	ND		Instrument Used : DA-GCMS-004				
LIMONENE	0.02	1.96	0.392		Analyzed Date : 07/31/23 10:26:45				
EUCALYPTOL	0.02	<0.1	<0.02		Dilution : 10				
OCIMENE	0.02	8.335	1.667		Reagent : 121622.26				
GAMMA-TERPINENE	0.02	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
SABINENE HYDRATE	0.02	ND	ND		Pipette : N/A				
TERPINOLENE	0.02	<0.1	<0.02		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.04	<0.2	<0.04						
LINALOOL	0.02	0.375	0.075						
FENCHYL ALCOHOL	0.02	0.14	0.028						
ISOPULEGOL	0.02	ND	ND						
CAMPHOR	0.06	ND	ND						
ISOBORNEOL	0.02	ND	ND						
BORNEOL	0.04	ND	ND						
HEXAHYDROTHYMOL	0.02	ND	ND						
NEROL	0.02	ND	ND						
PULEGONE	0.02	ND	ND						
GERANIOL	0.02	<0.1	<0.02						
GERANYL ACETATE	0.02	ND	ND						
ALPHA-CEDRENE	0.02	ND	ND						
BETA-CARYOPHYLLENE	0.02	1.41	0.282						
Total (%)			2.892						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23



# Certificate of Analysis

**PASSED**

FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30730001-006

Harvest/Lot ID: 3955 4424 2600 0754

 Batch# : 3955 4424 2600  
 0754

Sampled : 07/29/23

Ordered : 07/29/23

Sample Size Received : 15.5 gram

Total Amount : 1905 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.05	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.05	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.35	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.05	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.05	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.25	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.25	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 4044	0.2317g	07/31/23 14:22:06	3379,450		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrumental Batch : DA062843PES					
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 07/31/23 13:38:32					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 4044	0.2317g	07/31/23 14:22:06	3379,450		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062844VOL					
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001					
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 08/01/23 09:59:21					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30730001-006

Harvest/Lot ID: 3955 4424 2600 0754

 Batch# : 3955 4424 2600  
 0754

Sampled : 07/29/23

Ordered : 07/29/23

Sample Size Received : 15.5 gram

Total Amount : 1905 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0224g

 Extraction date:  
 08/01/23 13:55:47

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA062847SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 08/01/23 14:01:39

Reviewed On : 08/01/23 14:21:44

Batch Date : 07/31/23 15:13:41

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30730001-006

Harvest/Lot ID: 3955 4424 2600 0754

Batch# : 3955 4424 2600 0754

 Sampled : 07/29/23  
 Ordered : 07/29/23



Sample Size Received : 15.5 gram

Total Amount : 1905 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.2317g	Extraction date: 07/31/23 14:22:06	Extracted by: 3379,450		
Analyzed by: 3390, 3621, 585, 4044	Weight: 1.121g	Extraction date: 07/30/23 16:13:58	Extracted by: 3702			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 08/01/23 12:27:52 Batch Date : 07/30/23 10:02:44			Analytical Batch : DA062845MYC			Reviewed On : 08/02/23 11:46:16		
Analytical Batch : DA062819MIC						Instrument Used : N/A			Batch Date : 07/31/23 08:50:02		
						Analyzed Date : 07/31/23 13:40:12					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Dilution : 250					
Analyzed Date : 07/31/23 11:40:09						Reagent : 072723.R01; 040521.11; 072423.R05; 072723.R26; 072423.R06; 072523.R14; 072723.R02					
Dilution : N/A Reagent : 062123.14; 071823.R01; 020823.18 Consumables : 7563004022 Pipette : N/A						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					
						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3390, 3336, 585, 4044						Analyzed by: 1022, 585, 4044					
Weight: 1.121g						Weight: 0.2525g					
Extraction date: N/A						Extraction date: 07/31/23 09:23:06					
Extracted by: 3702,3390						Extracted by: 3619,1022					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA062820TYM			Reviewed On : 08/02/23 10:13:41			Analytical Batch : DA062810HEA			Reviewed On : 08/01/23 10:24:57		
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 07/30/23 10:04:27			Instrument Used : DA-ICPMS-003			Batch Date : 07/29/23 15:24:19		
Analyzed Date : 07/31/23 11:41:12						Analyzed Date : 07/31/23 11:30:19					
Dilution : 10						Dilution : 50					
Reagent : 062123.14; 070523.R46						Reagent : 072523.R11; 071023.01; 072523.R10; 071923.R45; 081722.12; 072823.R15; 072523.R13; 072823.R13; 072823.R14					
Consumables : N/A						Consumables : 179436; 15021042; 210508058					
Pipette : N/A						Pipette : DA-061; DA-191; DA-216					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Ghost of Jupiter Cartridge Concentrate (1:3) 0.5g

Ghost of Jupiter

Matrix : Derivative

Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30730001-006

Harvest/Lot ID: 3955 4424 2600 0754

Batch# : 3955 4424 2600  
0754

Sampled : 07/29/23

Ordered : 07/29/23

Sample Size Received : 15.5 gram

Total Amount : 1905 units

Completed : 08/02/23 Expires: 08/02/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062821FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 07/30/23 10:19:59

Reviewed On : 07/30/23 21:09:10

Batch Date : 07/30/23 10:14:50

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.1	aw	0.471	PASS	0.85

Analyzed by: 4056, 585, 4044	Weight: 0.471g	Extraction date: 07/31/23 09:22:35	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062816WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 07/31/23 08:55:12

Reviewed On : 08/01/23 12:32:35

Batch Date : 07/29/23 17:24:52

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/02/23