



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

Batch#: 4180 1956 8686 4129

Cultivation Facility: Tampa Cultivation

Processing Facility : Tampa Processing

Source Facility : Tampa Cultivation

Seed to Sale# 5604 9930 7285 5606

Batch Date: 05/26/23

Sample Size Received: 16 gram

Total Amount: 1930 units

Retail Product Size: 1 gram

Sample Density: 1.0 g/mL

Ordered: 07/31/23

Sampled: 07/31/23

Completed: 08/03/23

Sampling Method: SOP.T.20.010

Aug 03, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US


PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS


Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED

MISC.



Cannabinoid

PASSED


Total THC

90.789%

Total THC/Container : 907.89 mg



Total CBD

0.393%

Total CBD/Container : 3.93 mg



Total Cannabinoids

95.74%

Total Cannabinoids/Container : 957.4 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.65	0.159	0.393	ND	0.32	1.168	ND	1.564	0.684	ND	0.802
mg/unit	906.5	1.59	3.93	ND	3.2	11.68	ND	15.64	6.84	ND	8.02
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%		%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.103g

Extraction date:
08/01/23 13:36:19

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062871POT

Instrument Used : DA-LC-007

Analyzed Date : 08/01/23 13:38:12

Reviewed On : 08/02/23 11:30:01

Batch Date : 08/01/23 11:01:38

Dilution : 400

Reagent : 080123.R38; 060723.24; 080123.R35

Consumables : 280670723; CE0123; R1KB14270

Pipette : DA-091; DA-092; DA-108

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/03/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)
Space Coast Lander
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

Batch# : 4180 1956 8686
4129

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	25.26	2.526		FARNESENE	0.007	0.02	0.002	
TOTAL TERPENEOL	0.007	0.45	0.045		ALPHA-HUMULENE	0.007	0.9	0.09	
ALPHA-BISABOLOL	0.007	0.59	0.059		VALENCENE	0.007	1.6	0.16	
ALPHA-PINENE	0.007	0.63	0.063		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.21	0.021		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	1.07	0.107		CARYOPHYLLENE OXIDE	0.007	0.26	0.026	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	6.57	0.657		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.76	0.076						
3-CARENE	0.007	<0.2	<0.02		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA062861TER				
LIMONENE	0.007	6.17	0.617		Instrument Used : DA-GCMS-004				
EUCALYPTOL	0.007	<0.2	<0.02		Analyzed Date : 08/02/23 10:20:09				
OCIMENE	0.007	<0.2	<0.02		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	<0.2	<0.02		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	1.39	0.139						
FENCHYL ALCOHOL	0.007	0.54	0.054						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	<0.2	<0.02						
BORNEOL	0.013	<0.4	<0.04						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	4.1	0.41						
Total (%)			2.526						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/03/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

 Batch # : 4180 1956 8686
 4129

Sampled : 07/31/23

Ordered : 07/31/23


Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 3 of 6

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2655g	08/01/23 14:59:59	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062864PES	Reviewed On : 08/03/23 09:53:35				
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)	Batch Date : 08/01/23 10:45:29				
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/01/23 14:33:31					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2655g	08/01/23 14:59:59	3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062866VOL	Reviewed On : 08/02/23 10:58:52				
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	Batch Date : 08/01/23 10:50:07				
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 08/01/23 15:35:33					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.				
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

 Batch# : 4180 1956 8686
 4129

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0242g

 Extraction date:
 08/02/23 11:32:11

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA062886SOL

Instrument Used : DA-GCMS-003

Analyzed Date : N/A

Reviewed On : 08/02/23 13:22:26

Batch Date : 08/01/23 15:00:49

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

 Batch# : 4180 1956 8686
 4129

 Sampled : 07/31/23
 Ordered : 07/31/23




Sample Size Received : 16 gram



Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2655g	Extraction date: 08/01/23 14:59:59	Extracted by: 3379		
Analyzed by: 3621, 585, 1440			Weight: 1.078g			Extraction date: 08/01/23 12:53:46			Extracted by: 3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA062853MIC						Analytical Batch : DA062865MYC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-013,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Instrument Used : N/A					
						Analyzed Date : 08/01/23 14:34:25					
						Dilution : 250					
Analyzed Date : 08/01/23 13:48:55						Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
Dilution : N/A						Consumables : 326250IW					
Reagent : 062123.09; 071823.R01; 020823.18; 092122.09						Pipette : DA-093; DA-094; DA-219					
Consumables : 7563004022						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 1440						<div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Weight: 1.078g			Extraction date: N/A			Extracted by: 3621,3390					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062875TYM						Reviewed On : 08/03/23 15:30:28					
Instrument Used : Incubator (25-27C) DA-096						Batch Date : 08/01/23 11:16:54					
Analyzed Date : 08/01/23 15:31:42											
Dilution : 10											
Reagent : 062123.09; 070523.R46											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2655g	Extraction date: 08/01/23 14:59:59	Extracted by: 3379		
Analyzed by: 3621, 585, 1440			Weight: 1.078g			Extraction date: 08/01/23 12:53:46			Extracted by: 3621		
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA062853MIC						Analytical Batch : DA062865MYC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-013,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Instrument Used : N/A					
						Analyzed Date : 08/01/23 14:34:25					
						Dilution : 250					
Analyzed Date : 08/01/23 13:48:55						Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
Dilution : N/A						Consumables : 326250IW					
Reagent : 062123.09; 071823.R01; 020823.18; 092122.09						Pipette : DA-093; DA-094; DA-219					
Consumables : 7563004022						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 1440			Weight: 1.078g			Extraction date: N/A			Extracted by: 3621,3390		
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA062875TYM						Reviewed On : 08/03/23 15:30:28					
Instrument Used : Incubator (25-27C) DA-096						Batch Date : 08/01/23 11:16:54					
Analyzed Date : 08/01/23 15:31:42											
Dilution : 10											
Reagent : 062123.09; 070523.R46											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Space Coast Lander Cartridge Concentrate 1g (90%)
Space Coast Lander
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30801009-005

Harvest/Lot ID: 4180 1956 8686 4129

Batch# : 4180 1956 8686
4129

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1930 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062920FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/02/23 11:14:00

Reviewed On : 08/02/23 11:32:48

Batch Date : 08/02/23 11:11:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.706	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.34g	Extraction date: 08/02/23 07:35:13	Extracted by: 3807
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062874WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 08/02/23 11:30:02

Batch Date : 08/01/23 11:16:33

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/03/23