



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

**Sample:** DA30801009-004  
**Harvest/Lot ID:** 1512 7283 4184 4341  
**Batch#:** 1512 7283 4184 4341  
**Cultivation Facility:** Tampa Cultivation  
**Processing Facility :** Tampa Processing  
**Source Facility :** Tampa Cultivation  
**Seed to Sale#** 0071 5436 2568 8626  
**Batch Date:** 05/26/23  
**Sample Size Received:** 16 gram  
**Total Amount:** 1928 units  
**Retail Product Size:** 1 gram  
**Sample Density:** 1.0 g/mL  
**Ordered:** 07/31/23  
**Sampled:** 07/31/23  
**Completed:** 08/03/23  
**Sampling Method:** SOP.T.20.010

Aug 03, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



# PASSED

Pages 1 of 6


### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filth  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**NOT TESTED**



Terpenes  
**TESTED**

### MISC.



## Cannabinoid

# PASSED



Total THC

**90.764%**

Total THC/Container : 907.64 mg



Total CBD

**0.273%**

Total CBD/Container : 2.73 mg



Total Cannabinoids

**95.134%**

Total Cannabinoids/Container : 951.34 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	90.606	0.181	0.273	ND	0.367	1.164	ND	1.192	0.647	ND	0.704
mg/unit	906.06	1.81	2.73	ND	3.67	11.64	ND	11.92	6.47	ND	7.04
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:  
1665, 585, 1440

Weight:  
0.0959g

Extraction date:  
08/01/23 13:36:16

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031  
 Analytical Batch : DA062871POT  
 Instrument Used : DA-LC-007  
 Analyzed Date : 08/01/23 13:38:12

Reviewed On : 08/02/23 11:29:56  
 Batch Date : 08/01/23 11:01:38

Dilution : 400  
 Reagent : 080123.R38; 060723.24; 080123.R35  
 Consumables : 280670723; CE0123; R1KB14270  
 Pipette : DA-091; DA-092; DA-108

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164

Signature  
08/03/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Kingdom Dreams Cartridge Concentrate 1g (90%)  
Kingdom Dreams  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30801009-004

Harvest/Lot ID: 1512 7283 4184 4341

Batch# : 1512 7283 4184 4341

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1928 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	24.07	2.407		FARNESENE	<0.018	<0.001		
TOTAL TERPINEOL	0.007	0.58	0.058		ALPHA-HUMULENE	0.007	<0.2	<0.02	
ALPHA-BISABOLOL	0.007	2.82	0.282		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.81	0.081		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	0.26	0.026		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.22	0.022	
BETA-PINENE	0.007	1.1	0.11		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.3	0.13		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.2	<0.02						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	5.19	0.519						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	<0.2	<0.02						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	<0.2	<0.02						
FENCHONE	0.007	<0.4	<0.04						
LINALOOL	0.007	1.95	0.195						
FENCHYL ALCOHOL	0.007	0.79	0.079						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.6	<0.06						
ISOBORNEOL	0.007	<0.2	<0.02						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.2	<0.02						
NEROL	0.007	<0.2	<0.02						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.2	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	9.05	0.905						
Total (%)			2.407						

Analyzed by: 2076, 585, 1440 Weight: 1.1272g Extraction date: 08/01/23 15:43:51 Extracted by: 3702  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA062861TER Reviewed On : 08/03/23 15:30:19  
Instrument Used : DA-GCMS-004 Batch Date : 08/01/23 10:13:34  
Analyzed Date : 08/02/23 10:20:09  
Dilution : 10  
Reagent : 121622.26  
Consumables : 210414634; MKCN9995; CE0123; R1KB14270  
Pipette : N/A  
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/03/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-004

Harvest/Lot ID: 1512 7283 4184 4341

Batch# : 1512 7283 4184

4341

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1928 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND						
DIAZINON	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	3379, 585, 1440	0.2717g	08/01/23 14:59:58	3379		
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062864PES		Reviewed On : 08/03/23 09:53:34			
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/01/23 10:45:29			
ETOXAZOLE	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/01/23 14:33:31					
FENHEXAMID	0.01	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND	450, 585, 1440	0.2717g	08/01/23 14:59:58	3379		
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND	Analytical Batch : DA062866VOL		Reviewed On : 08/02/23 10:58:51			
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/01/23 10:50:07			
MALATHION	0.01	ppm	0.2	PASS	ND	Analyzed Date : 08/01/23 15:35:33					
METALAXYL	0.01	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Reagent : 072723.R01; 040521.11; 071123.R21; 071123.R22					
METHOMYL	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.01	ppm	0.25	PASS	ND						



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-004

Harvest/Lot ID: 1512 7283 4184 4341

Batch# : 1512 7283 4184 4341

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1928 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 1440

 Weight:  
 0.0242g

 Extraction date:  
 08/02/23 11:32:11

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA062886SOL

Instrument Used : DA-GCMS-003

Analyzed Date : N/A

Reviewed On : 08/02/23 13:22:25

Batch Date : 08/01/23 15:00:49

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30801009-004

Harvest/Lot ID: 1512 7283 4184 4341

Batch# : 1512 7283 4184 4341

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1928 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<b>Microbial</b>	<b>PASSED</b>
	<b>Mycotoxins</b>	<b>PASSED</b>

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analized by: 3379, 585, 1440	Weight: 0.2717g	Extraction date: 08/01/23 14:59:58		Extracted by: 3379	
Analized by: 3621, 585, 1440	Weight: 1.1738g	Extraction date: 08/01/23 12:53:45	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 08/02/23 11:28:37			Analytical Batch : DA062865MYC			Reviewed On : 08/03/23 09:50:54		
Analytical Batch : DA062853MIC						Instrument Used : N/A			Batch Date : 08/01/23 10:50:05		
						Analyzed Date : 08/01/23 14:34:25					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021			Batch Date : 08/01/23 09:08:00			Dilution : 250					
Analyzed Date : 08/01/23 13:48:55						Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					

<b>Analyzed by:</b> 3390, 3336, 585, 1440	<b>Weight:</b> 1.1738g	<b>Extraction date:</b> N/A	<b>Extracted by:</b> 3621,3390
<b>Analysis Method :</b> SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			
<b>Analytical Batch :</b> DA062875TYM		<b>Reviewed On :</b> 08/03/23 15:30:21	
<b>Instrument Used :</b> Incubator (25-27C) DA-096		<b>Batch Date :</b> 08/01/23 11:16:54	
<b>Analyzed Date :</b> 08/01/23 15:31:42			
<b>Dilution :</b> 10			
<b>Reagent :</b> 062123.09; 070523.R46			
<b>Consumables :</b> N/A			
<b>Pipette :</b> N/A			

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analized by: 3379, 585, 1440	Weight: 0.2717g	Extraction date: 08/01/23 14:59:58		Extracted by: 3379	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA062865MYC			Reviewed On : 08/03/23 09:50:54		
Instrument Used : N/A			Batch Date : 08/01/23 10:50:05		
Analyzed Date : 08/01/23 14:34:25					
Dilution : 250					
Reagent : 072723.R26; 073123.R01; 072723.R01; 080123.R18; 072523.R14; 072723.R02; 040521.11					
Consumables : 326250IW					
Pipette : DA-093; DA-094; DA-219					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

	<b>Heavy Metals</b>	<b>PASSED</b>
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5

Analized by: 1022, 585, 1440	Weight: 0.234g	Extraction date: 08/01/23 12:48:45	Extracted by: 1022,3619
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL			
Analytical Batch : DA062850HEA		Reviewed On : 08/02/23 11:14:25	
Instrument Used : DA-ICPMS-003		Batch Date : 08/01/23 08:41:16	
Analyzed Date : 08/01/23 14:42:15			
Dilution : 50			
Reagent : 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10			
Consumables : 179436; 15021042; 210508058			
Pipette : DA-061; DA-191; DA-216			

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Kingdom Dreams Cartridge Concentrate 1g (90%)  
Kingdom Dreams  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

## FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30801009-004

Harvest/Lot ID: 1512 7283 4184 4341

Batch# : 1512 7283 4184 4341

Sampled : 07/31/23

Ordered : 07/31/23

Sample Size Received : 16 gram

Total Amount : 1928 units

Completed : 08/03/23 Expires: 08/03/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062920FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/02/23 11:14:00

Reviewed On : 08/02/23 11:32:47

Batch Date : 08/02/23 11:11:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.454	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.444g	Extraction date: 08/02/23 07:35:12	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062874WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 08/02/23 11:29:58

Batch Date : 08/01/23 11:16:33

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/03/23