



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30802003-007
Harvest/Lot ID: 9169 4381 6497 0489
Batch#: 9169 4381 6497 0489
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 5990 7777 8412 5233
Batch Date: 05/18/23
Sample Size Received: 900 gram
Total Amount: 4235 units
Retail Product Size: 63.5119 gram
Ordered: 08/01/23
Sampled: 08/01/23
Completed: 08/04/23
Sampling Method: SOP.T.20.010

Aug 04, 2023 | FLUENT

 82 NE 26th street
 Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

 Pesticides
PASSED

 Heavy Metals
PASSED

 Microbials
PASSED

 Mycotoxins
PASSED

 Residuals Solvents
PASSED

 Filtration
PASSED

 Water Activity
PASSED

 Moisture
 NOT TESTED

 Terpenes
 NOT TESTED

Cannabinoid
PASSED

Total THC
0.155%

Total THC/Container : 98.443 mg


Total CBD
ND

Total CBD/Container : 0 mg


Total Cannabinoids
0.162%

Total Cannabinoids/Container : 102.889 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.155	ND	ND	ND	ND	0.005	ND	0.002	ND	ND	ND
mg/unit	98.443	ND	ND	ND	ND	3.175	ND	1.27	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:
 1665, 585, 1440

 Weight:
 2.866g

 Extraction date:
 08/02/23 10:51:50

 Extracted by:
 3335, 1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA062896POT

Instrument Used : DA-LC-007

Analyzed Date : 08/02/23 10:55:08

Reviewed On : 08/03/23 10:32:54

Batch Date : 08/02/23 08:50:52

Dilution : 40

Reagent : 070323.01; 080123.R38; 060723.50; 060723.24; 080123.R35

Consumables : 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

 State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

 Signature
 08/04/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30802003-007

Harvest/Lot ID: 9169 4381 6497 0489

 Batch# : 9169 4381 6497
 0489

Sampled : 08/01/23

Ordered : 08/01/23


Sample Size Received : 900 gram

Total Amount : 4235 units

Completed : 08/04/23 Expires: 08/04/24

Sample Method : SOP.T.20.010

Page 2 of 5

<div><div></div><div>Pesticides</div></div>						PASSED					
Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	30	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	3	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	1	PASS	ND	PHOSMET	0.01	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	3	PASS	ND	PRALLETHRIN	0.01	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.01	ppm	3	PASS	ND	PROPICONAZOLE	0.01	ppm	1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.3	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	3	PASS	ND	PYRIDABEN	0.01	ppm	3	PASS	ND
ACEQUINOCYL	0.01	ppm	2	PASS	ND	SPIROMESIFEN	0.01	ppm	3	PASS	ND
ACETAMIPRID	0.01	ppm	3	PASS	ND	SPIROTETRAMAT	0.01	ppm	3	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	3	PASS	ND	TEBUCONAZOLE	0.01	ppm	1	PASS	ND
BIFENAZATE	0.01	ppm	3	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.5	PASS	ND	THIAMETHOXAM	0.01	ppm	1	PASS	ND
BOSCALID	0.01	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	3	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.2	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	3	PASS	ND	CAPTAN *	0.07	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	3	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.05	PPM	1	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	1	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DIAZINON	0.01	ppm	3	PASS	ND	3379, 585, 1440	0.8875g	08/02/23 12:53:57	4056,3379		
DICHLORVOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062912PES			Reviewed On : 08/04/23 12:23:01		
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Batch Date : 08/02/23 10:06:17		
ETOFENPROX	0.01	ppm	0.1	PASS	ND	Analyzed Date : 08/02/23 14:02:46					
ETOXAZOLE	0.01	ppm	1.5	PASS	ND	Dilution : 250					
FENHEXAMID	0.01	ppm	3	PASS	ND	Reagent : 080223.R04; 040521.11; 072723.R26; 073123.R01; 080123.R18; 072523.R14; 080223.R05					
FENOXYCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.01	ppm	2	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.01	ppm	2	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
FLUDIOXONIL	0.01	ppm	3	PASS	ND	450, 585, 1440	0.8875g	08/02/23 12:53:57	4056,3379		
HEXYTHIAZOX	0.01	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062914VOL			Reviewed On : 08/04/23 11:59:40		
IMIDACLOPRID	0.01	ppm	1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 08/02/23 10:08:51		
KRESOXIM-METHYL	0.01	ppm	1	PASS	ND	Analyzed Date : 08/02/23 13:20:28					
MALATHION	0.01	ppm	2	PASS	ND	Dilution : 250					
METALAXYL	0.01	ppm	3	PASS	ND	Reagent : 080223.R04; 040521.11; 071123.R21; 071123.R22					
METHIOCARB	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHOMYL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.01	ppm	3	PASS	ND						
NALED	0.01	ppm	0.5	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Watermelon Gels 10 Count
Original Watermelon
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30802003-007

Harvest/Lot ID: 9169 4381 6497 0489

Batch# : 9169 4381 6497
0489

Sampled : 08/01/23

Ordered : 08/01/23

Sample Size Received : 900 gram

Total Amount : 4235 units

Completed : 08/04/23 Expires: 08/04/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0299g

Extraction date:
08/03/23 11:43:50

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA062923SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 08/03/23 13:10:56

Reviewed On : 08/03/23 14:15:28
Batch Date : 08/02/23 14:39:10

Dilution : 1
Reagent : N/A
Consumables : N/A
Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/04/23



Certificate of Analysis

PASSED
FLUENT


 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

 Sample : DA30802003-007
 Harvest/Lot ID: 9169 4381 6497 0489
 Batch# : 9169 4381 6497 0489
 Sample Size Received : 900 gram
 Total Amount : 4235 units
 Completed : 08/04/23 Expires: 08/04/24
 Sample Method : SOP.T.20.010
 Sampled : 08/01/23
 Ordered : 08/01/23

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.8875g	Extraction date: 08/02/23 12:53:57	Extracted by: 4056,3379		
Analyzed by: 3390, 585, 1440	Weight: 0.9434g	Extraction date: 08/02/23 10:32:24	Extracted by: 3621			Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 08/03/23 12:57:34			Analytical Batch : DA062915MYC			Reviewed On : 08/04/23 10:01:19		
Analytical Batch : DA062893MIC			Batch Date : 08/02/23 08:20:28			Instrument Used : N/A			Batch Date : 08/02/23 10:09:21		
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 08/02/23 14:02:58					
Analyzed Date : 08/02/23 12:33:12						Dilution : 250			Reagent : 080223.R04; 040521.11; 072723.R26; 073123.R01; 080123.R18; 072523.R14; 080223.R05		
						Consumables : 326250IW			Pipette : DA-093; DA-094; DA-219		

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	5
ARSENIC	0.02	ppm	ND	PASS	1.5
CADMIUM	0.02	ppm	ND	PASS	0.5
MERCURY	0.02	ppm	ND	PASS	3
LEAD	0.02	ppm	ND	PASS	0.5

Analyzed by: 1022, 585, 1440 Weight: 0.2987g Extraction date: 08/02/23 11:57:02 Extracted by: 1022					
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA062907HEA Instrument Used : DA-ICPMS-003 Analyzed Date : 08/02/23 15:58:41					
Dilution : 50 Reagent : 071923.R45; 072023.R11; 072823.R15; 072523.R13; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 15021042; 210508058 Pipette : DA-061; DA-191; DA-216					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Watermelon Gels 10 Count
Original Watermelon
Matrix : Edible
Type: Soft Chew



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30802003-007

Harvest/Lot ID: 9169 4381 6497 0489

Batch# : 9169 4381 6497
0489

Sampled : 08/01/23

Ordered : 08/01/23

Sample Size Received : 900 gram

Total Amount : 4235 units

Completed : 08/04/23 Expires: 08/04/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 28

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062920FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/02/23 11:14:00

Reviewed On : 08/02/23 11:36:27

Batch Date : 08/02/23 11:11:00

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.592	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 11.467g	Extraction date: 08/02/23 13:14:11	Extracted by: 3807
---------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062904WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 08/02/23 13:14:36

Reviewed On : 08/02/23 13:31:48

Batch Date : 08/02/23 09:25:36

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte	LOD	Units	Pass/Fail	Result	Action Level
TOTAL THC - HOMOGENEITY (RSD)	0.001	%	PASS	5.338	25

3963, 3605, 585, 1440	Average Weight 6.575g	Extraction date : 08/02/23 09:56:47	Extracted By : 3963
-----------------------	--------------------------	--	------------------------

Analyzed by

Average Weight

Extraction date :

Extracted By :

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA062895HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 08/02/23 10:22:51

Reviewed On : 08/03/23 10:30:50

Batch Date : 08/02/23 08:22:27

Dilution : 40

Reagent : 070323.01; 071123.R01; 060723.50; 071123.R03

Consumables : 947.109; LCJ0311R; 15021042; 266969; 250653; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/04/23