

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

COMPLIANCE FOR RETAIL

.....



Original Blueberry Cartridge Concentrate 900mg Original Blueberry Matrix: Derivative

Type: Distillate Sample:DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633 Batch#: 7486 1333 6184 7633 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 3076 2027 8824 3125 Batch Date: 04/19/23

> Sample Size Received: 16 gram Total Amount: 1918 units Retail Product Size: 1 gram Ordered: 08/01/23 Sampled: 08/01/23 Completed: 08/04/23

Sampling Method: SOP.T.20.010

Aug 04, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE

ů

Hg

Heavy Metals

PASSED

Microbials

PASSED

SAFETY RESULTS

Pesticides

PASSED

Certificate of Analysis



Residuals Solvents

PASSED





Pages 1 of 6





Terpenes

TESTED

MISC.

PASSED

DACCED

713%		E	3 0.	241%			<u>)</u> 96	261 %	6	
THCA 0.141 1.41 0.001	свр 0.241 2.41 0.001	CBDA ND ND 0.001	D8-THC 0.182 1.82 0.001	сво 2.107 21.07 0.001	CBGA ND ND 0.001	CBN ND ND 0.001	THCV ND ND 0.001	CBDV ND ND 0.001	свс ND ND 0.001	
% % % Analyzed by: 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031		%	% Extract	%	%	% % % Extracted by: 1665				
1	C/Container : 9 THCA 0.141 1.41 0.001	THCA CBD 0.141 0.241 1.41 2.41 0.001 0.001	THCA 0.141 0.001 0.001 0.001 0.001	713% 0. C/Container : 937.13 mg 0. THCA CBD 0.141 0.241 1.41 2.41 0.001 0.001	THCA CBD CBDA DB-THC CBG 0.141 0.241 ND 0.182 2.107 1.41 2.41 ND 1.82 21.07 0.001 0.001 0.001 0.001 0.001	THCA CBD CBDA D8-THC CBG CBG CBGA 0.141 0.241 ND 0.182 2.107 ND 1.41 2.41 ND 1.82 21.07 ND 0.001 0.001 0.001 0.001 0.001 0.001	713% Image: Container : 937.13 mg Image: Container : 0.11 mg Image: Container : 0.11 mg Image: Container : 0.11 mg Thrca CBD CBDA DB-THC CBG CBGA CBN 0.141 0.241 ND 0.182 2.107 ND ND 1.41 2.41 ND 1.82 21.07 ND ND 0.001 0.001 0.001 0.001 0.001 0.001 0.001	713% 0.241% 96. C/Container : 937.13 mg 0.241% 0.241% ThtcA CBD CBDA D8-THC CBG CBGA CBN THCV 0.141 0.241 ND 0.182 2.107 ND ND ND 1.41 2.41 ND 1.82 21.07 ND ND ND 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001	713% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.241% 0.182 2.107 ND 0.001	

Mycotoxins

PASSED

Consumables : 947.109: 280670723: CE0123: R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature



Original Blueberry Cartridge Concentrate 900mg **Original Blueberry** Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633 Batch#: 7486 1333 6184 7633 Sampled : 08/01/23

Ordered : 08/01/23

Sample Size Received : 16 gram Total Amount : 1918 units Completed : 08/04/23 Expires: 08/04/24 Sample Method : SOP.T.20.010

Page 2 of 6

Te	rn	en	es
16	ιμ	en	63

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	33.97	3.397		FARNESENE	0.001	0.46	0.046	
OTAL TERPINEOL	0.007	0.33	0.033		ALPHA-HUMULENE	0.007	1.08	0.108	
LPHA-BISABOLOL	0.007	0.87	0.087		VALENCENE	0.007	ND	ND	
LPHA-PINENE	0.007	2.56	0.256		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.2	< 0.02		TRANS-NEROLIDOL	0.007	ND	ND	
ABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	< 0.2	< 0.02	
ETA-PINENE	0.007	1.42	0.142		GUAIOL	0.007	ND	ND	
ETA-MYRCENE	0.007	14.32	1.432		CEDROL	0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	0.21	0.021		Analyzed by: Weight:	E	xtraction date	B:	Extracted by:
-CARENE	0.007	<0.2	< 0.02		2076, 585, 1440 0.8235g		8/02/23 14:40		2076,3963
LPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A	FL			
IMONENE	0.007	3.92	0.392		Analytical Batch : DA062908TER				B/04/23 15:25:17
UCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-008 Analyzed Date : 08/02/23 15:42:28		Batch	Date: 08/	02/23 09:48:11
CIMENE	0.007	0.22	0.022		Dilution : 10				
AMMA-TERPINENE	0.007	ND	ND		Reagent : 020923.15				
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE123; R1KI	814270			
ERPINOLENE	0.007	1.6	0.16		Pipette : N/A				
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatograph	y Mass Spectr	ometry. For all I	Flower samp	les, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	1.86	0.186						
ENCHYL ALCOHOL	0.007	0.67	0.067		1				
OPULEGOL	0.007	ND	ND						
AMPHOR	0.007	ND	ND						
SOBORNEOL	0.007	ND	ND						
ORNEOL	0.013	ND	ND						
EXAHYDROTHYMOL	0.007	ND	ND						
EROL	0.007	<0.2	< 0.02						
ULEGONE	0.007	ND	ND						
ERANIOL	0.007	ND	ND						
ERANYL ACETATE	0.007	ND	ND						
LPHA-CEDRENE	0.007	ND	ND						
ETA-CARYOPHYLLENE	0.007	4.45	0.445						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Original Blueberry Cartridge Concentrate 900mg **Original Blueberry** Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633

Batch#: 7486 1333 6184 7633 Sampled : 08/01/23 Ordered : 08/01/23

Sample Size Received : 16 gram Total Amount : 1918 units Completed : 08/04/23 Expires: 08/04/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

esticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	maa	0.1	PASS	ND
OTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
OTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	maa	0.1	PASS	ND
OTAL SPINOSAD	0.01	ppm	0.1	PASS	ND			1.1.			
BAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
CEPHATE	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
CEQUINOCYL	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
CETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
LDICARB	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
FENAZATE	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	maa	0.1	PASS	ND
FENTHRIN	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
DSCALID	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	maa	0.5	PASS	ND
ARBARYL	0.01	ppm	0.5	PASS	ND			1.1.			
ARBOFURAN	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
HLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
ILORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
ILORPYRIFOS	0.01	ppm	0.1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
OFENTEZINE	0.01	ppm	0.2	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
DUMAPHOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
AMINOZIDE	0.01	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
AZINON	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
CHLORVOS	0.01	ppm	0.1	PASS	ND				0.5		
METHOATE	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight: 3379, 585, 1440 0.2574g		tion date: 23 12:15:48		Extracted 4056	d by:
THOPROPHOS	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesvil					Cainosvil
OFENPROX	0.01	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	ile), 30F.1	.50.102.1 L (Davie), SUF.	1.40.101.1L ((Janiesvii
TOXAZOLE	0.01	ppm	0.1	PASS	ND	Analytical Batch : DA062909PES		Reviewed	On : 08/03/2	3 12:52:26	
NHEXAMID	0.01	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date	e:08/02/23 (09:53:48	
NOXYCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :08/02/23 14:02:51					
NPYROXIMATE	0.01	ppm	0.1	PASS	ND	Dilution : 250					
PRONIL	0.01	ppm	0.1	PASS	ND	Reagent: 080223.R04; 040521.11; 072723.R	26; 07312	23.R01; 080	L23.R18; 072	2523.R14; 080)223.R05
ONICAMID	0.01	ppm	0.1	PASS	ND	Consumables : 326250IW Pipette : DA-093: DA-094: DA-219					
UDIOXONIL	0.01	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utiliz	zina Liquic	Chromatogr	anhy Triple.()uadrupolo Ma	c c
EXYTHIAZOX	0.01	ppm	0.1	PASS	ND	Spectrometry in accordance with F.S. Rule 64ER		r chronacoyr	apity triple-c	audi upole Ma	
IAZALIL	0.01	ppm	0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted	d by:
IIDACLOPRID	0.01	ppm	0.4	PASS	ND	450, 585, 1440 0.2574g		3 12:15:48		4056	,
RESOXIM-METHYL	0.01	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesvil	le), SOP.T	.30.151A.FL	(Davie), SOI	P.T.40.151.FL	
ALATHION	0.01	ppm	0.2	PASS	ND	Analytical Batch : DA062910VOL		eviewed On			
ETALAXYL	0.01	ppm	0.1	PASS	ND	Instrument Used :DA-GCMS-001	Ba	atch Date :	08/02/23 10:	02:55	
ETHIOCARB	0.01	ppm	0.1	PASS	ND	Analyzed Date :08/02/23 13:20:12					
ETHOMYL	0.01	maa	0.1	PASS	ND	Dilution: 250	21.0711	ררם כו			
	0.01	ppm	0.1	PASS	ND	Reagent : 080223.R04; 040521.11; 071123.R Consumables : 326250IW; 14725401	21; 0/11.	23.KZZ			
EVINPHOS											
EVINPHOS YCLOBUTANIL	0.01	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





PASSED

PASSED



Original Blueberry Cartridge Concentrate 900mg **Original Blueberry** Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633 Batch#: 7486 1333 6184 7633 Sampled : 08/01/23

Ordered : 08/01/23

Sample Size Received : 16 gram Total Amount : 1918 units Completed : 08/04/23 Expires: 08/04/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND
Analyzed by: 850, 585, 1440	Weight: 0.0265g	Extraction date: 08/03/23 13:57			Extracted by: 350
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA062924SOL Instrument Used : DA-GCMS-002 Analyzed Date : 08/03/23 14:35:26			ved On : 08/03/23 15:45:03 Date : 08/02/23 14:54:45		
Dilution : 1 Reagent : 030420.09					

Reagent: 030420.09 Consumables : B2017 167 G201 167 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature



Original Blueberry Cartridge Concentrate 900mg **Original Blueberry** Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633 Batch#: 7486 1333 6184 7633

Sampled : 08/01/23 Ordered : 08/01/23

Sample Size Received : 16 gram Total Amount : 1918 units Completed : 08/04/23 Expires: 08/04/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Microb	oial			PAS	SED	သို့	My	ycotox	ins			PAS	SED
Analyte		LOD	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS NIGER			Not Present	PASS		AFLATOXIN	1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS FUMIGATUS			Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		AFLATOXIN	61		0.002	ppm	ND	PASS	0.02
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	62		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	ELLA T AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight:	Extraction d			Extracted	l by:
Analyzed by:	Weig		traction date:	<10	Extracted				0.2574g .30.101.FL (Gair	08/02/23 12 nesville), SOP.T			4056	
3390, 585, 144			/02/23 10:32:	24	3621), SOP.T.40.102.			(001100)		
	od : SOP.T.40.056C ch : DA062893MIC	, SOP.T.40.0	058.FL, SOP.T		wed On : 08	3/03/23	Analytical Bate Instrument Us Analyzed Date	d:N/A			wed On : 0 Date : 08/			
Dilution : N/A	: 08/02/23 12:33:1 123.09; 071823.R0		18; 092122.09); 073123.R26			accordance wit	3; DA-09 ng utilizin F.S. Rule	94; DA-219 g Liquid Chromato 64ER20-39.		e-Quadrupo			
Analyzed by: 3390, 3621, 58	35, 1440	Weight: 0.84g	Extraction d 08/02/23 10		Extracte 3621	ed by:	[Hg	Не	avy Me	etals			PAS	SED
Analytical Bate	od : SOP.T.40.208 (ch : DA062918TYM		Rev	9.FL iewed On : 08/0 ch Date : 08/02/			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25-2 : 08/02/23 12:27:5		, Bate		25 10.54:1	.0	TOTAL CONT	AMINAN	T LOAD METAL	.s 0.08	ppm	ND	PASS	1.1
Dilution : 10							ARSENIC			0.02	ppm	ND	PASS	0.2
	123.09; 070523.R4	6					CADMIUM			0.02	ppm	ND	PASS	0.2
consumables :							MERCURY			0.02	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.02	ppm	ND	PASS	0.5
	mold testing is perfor F.S. Rule 64ER20-39		MPN and tradit	ional culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2866g	Extraction d 08/02/23 11			Extracted 1022	l by:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA062 d:DA-IC	PMS-003	Review	ed On : 08 Date : 08/0			
							Dilution : 50							

Dilution: 50

Reagent: 071923.R45; 072023.R11; 080223.R08; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 15021042; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature



Original Blueberry Cartridge Concentrate 900mg **Original Blueberry** Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Eilth/Eoroign

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30802003-006 Harvest/Lot ID: 7486 1333 6184 7633 Batch# : 7486 1333 6184 7633 Sampled : 08/01/23 Ordered : 08/01/23

DACCED

Sample Size Received : 16 gram Total Amount : 1918 units Completed : 08/04/23 Expires: 08/04/24 Sample Method : SOP.T.20.010

		Materia	-	jri		PASSED				
	nalyte ilth and Fore	ign Material	LOD 0.1	Units %	Result ND	P/F PASS	Action Level			
	nalyzed by: 879, 1440	Weight: NA		Extraction	date:	Extra N/A	cted by:			
A Ir	nalytical Batch Istrument Used	I: SOP.T.40.090 : DA062920FIL I: Filth/Foreign Mater 08/02/23 11:14:00	rial Micr	roscope			2/23 11:36:26 23 11:11:00			
R C	ilution:N/A eagent:N/A onsumables:N ipette:N/A	I/A								
		naterial inspection is pe cordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope			
	\bigcirc	Water A	ctiv	/ity		ΡΑ	SSED			

Analyte Water Activity		LOD 0.01	Units aw	Result 0.533	P/F PASS	Action Level 0.85
Analyzed by: 3807, 585, 1440	Weight: 0.517g		traction d 3/02/23 13			tracted by: 307
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DAO Analyzed Date : 08/02/	62903WAT 028 Rotronic H	ygropa	lm	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/04/23

PASSED

Page 6 of 6