



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30803007-005
Harvest/Lot ID: 0072 8150 2449 2653
Batch#: 0072 8150 2449 2653
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 5044 7064 4884 5565
Batch Date: 05/26/23
Sample Size Received: 15.3 gram
Total Amount: 2199 units
Retail Product Size: 0.3 gram
Ordered: 08/02/23
Sampled: 08/02/23
Completed: 08/05/23
Sampling Method: SOP.T.20.010

Aug 05, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.159%

Total THC/Container : 249.477 mg



Total CBD

0.225%

Total CBD/Container : 0.675 mg



Total Cannabinoids

87.18%

Total Cannabinoids/Container : 261.54 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	83.024	0.154	0.225	ND	0.329	1.057	ND	1.075	0.607	ND	0.709
mg/unit	249.072	0.462	0.675	ND	0.987	3.171	ND	3.225	1.821	ND	2.127
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 585, 1440

Weight:
0.1067g

Extraction date:
08/03/23 11:08:50

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA062942POT
Instrument Used : DA-LC-007
Analyzed Date : 08/03/23 11:45:18

Reviewed On : 08/04/23 10:35:11
Batch Date : 08/03/23 09:23:48

Dilution : 400
Reagent : 080123.R38; 061623.02; 080123.R35
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/05/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Disposable Pen 0.3g

OG Kush

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30803007-005

Harvest/Lot ID: 0072 8150 2449 2653

Batch# : 0072 8150 2449
2653

Sample Size Received : 15.3 gram

Total Amount : 2199 units

Completed : 08/05/23 Expires: 08/05/24

Ordered : 08/02/23

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	11.235	3.745		FARNESENE	0.007	0.204	0.068	
TOTAL TERPENEOL	0.007	0.105	0.035		ALPHA-HUMULENE	0.007	0.273	0.091	
ALPHA-BISABOLOL	0.007	0.063	0.021		VALENCENE	0.007	<0.06	<0.02	
ALPHA-PINENE	0.007	0.279	0.093		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.06	<0.02		TRANS-NEROLIDOL	0.007	<0.06	<0.02	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.072	0.024	
BETA-PINENE	0.007	0.351	0.117		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	1.419	0.473		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.39	0.13						
3-CARENE	0.007	0.18	0.06						
ALPHA-TERPINENE	0.007	0.126	0.042						
LIMONENE	0.007	0.786	0.262						
EUCALYPTOL	0.007	<0.06	<0.02						
OCIMENE	0.007	2.127	0.709						
GAMMA-TERPINENE	0.007	0.09	0.03						
SABINENE HYDRATE	0.007	<0.06	<0.02						
TERPINOLENE	0.007	3.42	1.14						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	0.216	0.072						
FENCHYL ALCOHOL	0.007	0.156	0.052						
ISOPULEGOL	0.007	<0.06	<0.02						
CAMPHOR	0.007	<0.18	<0.06						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<0.12	<0.04						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.06	<0.02						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.06	<0.02						
BETA-CARYOPHYLLENE	0.007	0.978	0.326						
Total (%)			3.745						

Analyzed by: 2076, 585, 1440 Weight: 0.8985g Extraction date: 08/03/23 13:04:21 Extracted by: 3702
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA062953TER Reviewed On : 08/05/23 17:52:26
Instrument Used : DA-GCMS-004 Batch Date : 08/03/23 10:23:47
Analyzed Date : N/A
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature

08/05/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30803007-005

Harvest/Lot ID: 0072 8150 2449 2653

 Batch# : 0072 8150 2449
 2653

Sampled : 08/02/23

Ordered : 08/02/23


Sample Size Received : 15.3 gram

Total Amount : 2199 units

Completed : 08/05/23 Expires: 08/05/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.01	ppm	5	PASS	ND	OXAMYL	0.01	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.01	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.01	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.01	ppm	0.1	PASS	ND	PHOSMET	0.01	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.01	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	ppm	3	PASS	ND
TOTAL SPINETORAM	0.01	ppm	0.2	PASS	ND	PRALLETHRIN	0.01	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.01	ppm	0.1	PASS	ND	PROPICONAZOLE	0.01	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.01	ppm	0.1	PASS	ND	PROPOXUR	0.01	ppm	0.1	PASS	ND
ACEPHATE	0.01	ppm	0.1	PASS	ND	PYRIDABEN	0.01	ppm	0.2	PASS	ND
ACEQUINOCYL	0.01	ppm	0.1	PASS	ND	SPIROMESIFEN	0.01	ppm	0.1	PASS	ND
ACETAMIPRID	0.01	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.01	ppm	0.1	PASS	ND
ALDICARB	0.01	ppm	0.1	PASS	ND	SPIROXAMINE	0.01	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.01	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.01	ppm	0.1	PASS	ND
BIFENAZATE	0.01	ppm	0.1	PASS	ND	THIACLOPRID	0.01	ppm	0.1	PASS	ND
BIFENTHRIN	0.01	ppm	0.1	PASS	ND	THIAMETHOXAM	0.01	ppm	0.5	PASS	ND
BOSCALID	0.01	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.01	ppm	0.1	PASS	ND
CARBARYL	0.01	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.01	PPM	0.15	PASS	ND
CARBOFURAN	0.01	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.01	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.01	ppm	1	PASS	ND	CAPTAN *	0.07	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.01	ppm	1	PASS	ND	CHLORDANE *	0.01	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.01	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	PPM	0.1	PASS	ND
CLOFENTEZINE	0.01	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.05	PPM	0.5	PASS	ND
COUMAPHOS	0.01	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	PPM	0.5	PASS	ND
DAMINOZIDE	0.01	ppm	0.1	PASS	ND	<div>Analyzed by: 3379, 585, 1440Weight: 0.2244gExtraction date: 08/03/23 12:20:49Extracted by: 450</div> <div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062947PESReviewed On : 08/05/23 11:35:12</div> <div>Instrument Used : DA-LCMS-002Batch Date : 08/03/23 10:04:30</div> <div>Analyzed Date : 08/03/23 14:40:42</div> <div>Dilution : 250</div> <div>Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div> <div>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					
DIAZINON	0.01	ppm	0.1	PASS	ND						
DICHLORVOS	0.01	ppm	0.1	PASS	ND						
DIMETHOATE	0.01	ppm	0.1	PASS	ND						
ETHOPROPHOS	0.01	ppm	0.1	PASS	ND						
ETOFENPROX	0.01	ppm	0.1	PASS	ND						
ETOXAZOLE	0.01	ppm	0.1	PASS	ND						
FENHEXAMID	0.01	ppm	0.1	PASS	ND						
FENOXYCARB	0.01	ppm	0.1	PASS	ND						
FENPYROXIMATE	0.01	ppm	0.1	PASS	ND						
FIPRONIL	0.01	ppm	0.1	PASS	ND						
FLONICAMID	0.01	ppm	0.1	PASS	ND						
FLUDIOXONIL	0.01	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.01	ppm	0.1	PASS	ND						
IMAZALIL	0.01	ppm	0.1	PASS	ND						
IMIDACLOPRID	0.01	ppm	0.4	PASS	ND						
KRESOXIM-METHYL	0.01	ppm	0.1	PASS	ND						
MALATHION	0.01	ppm	0.2	PASS	ND						
METALAXYL	0.01	ppm	0.1	PASS	ND						
METHIOCARB	0.01	ppm	0.1	PASS	ND						
METHOMYL	0.01	ppm	0.1	PASS	ND						
MEVINPHOS	0.01	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.01	ppm	0.1	PASS	ND						
NALED	0.01	ppm	0.25	PASS	ND						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Disposable Pen 0.3g
OG Kush
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30803007-005

Harvest/Lot ID: 0072 8150 2449 2653

Batch# : 0072 8150 2449
2653

Sampled : 08/02/23

Ordered : 08/02/23

Sample Size Received : 15.3 gram

Total Amount : 2199 units

Completed : 08/05/23 Expires: 08/05/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.8	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.2	ppm	2	PASS	ND
2-PROPANOL	50	ppm	500	PASS	ND
ACETONE	75	ppm	750	PASS	ND
ACETONITRILE	6	ppm	60	PASS	ND
BENZENE	0.1	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500	ppm	5000	PASS	ND
CHLOROFORM	0.2	ppm	2	PASS	ND
DICHLOROMETHANE	12.5	ppm	125	PASS	ND
ETHANOL	500	ppm	5000	PASS	ND
ETHYL ACETATE	40	ppm	400	PASS	ND
ETHYL ETHER	50	ppm	500	PASS	ND
ETHYLENE OXIDE	0.5	ppm	5	PASS	ND
HEPTANE	500	ppm	5000	PASS	ND
METHANOL	25	ppm	250	PASS	ND
N-HEXANE	25	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75	ppm	750	PASS	ND
PROPANE	500	ppm	5000	PASS	ND
TOLUENE	15	ppm	150	PASS	ND
TOTAL XYLENES	15	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.5	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.021g

Extraction date:
08/04/23 13:40:57

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA062970SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 08/04/23 13:49:20

Reviewed On : 08/04/23 14:35:15
Batch Date : 08/03/23 15:10:26

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30803007-005

Harvest/Lot ID: 0072 8150 2449 2653

 Batch# : 0072 8150 2449
 2653

 Sampled : 08/02/23
 Ordered : 08/02/23


Sample Size Received : 15.3 gram


Total Amount : 2199 units


Completed : 08/05/23 Expires: 08/05/24

Sample Method : SOP.T.20.010

Page 5 of 6

	<h1>Microbial</h1>	<h2>PASSED</h2>			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3621, 585, 1440	Weight: 0.952g	Extraction date: 08/03/23 10:47:41	Extracted by: 3336	<div>Reviewed On : 08/04/23 13:06:52</div> <div>Batch Date : 08/03/23 08:25:14</div>	
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL					
Analytical Batch : DA062939MIC					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021					
Analyzed Date : N/A					
<div>Dilution : N/A</div> <div>Reagent : 073123.R26; 071823.R01; 020823.18; 092122.09</div> <div>Consumables : 7563004025</div> <div>Pipette : N/A</div>					
Analyzed by: 3390, 3621, 585, 1440	Weight: 0.952g	Extraction date: 08/03/23 10:47:41	Extracted by: 3336,3390	<div>Reviewed On : 08/05/23 17:54:53</div> <div>Batch Date : 08/03/23 10:59:03</div>	
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL					
Analytical Batch : DA062965TYM					
Instrument Used : Incubator (25-27C) DA-096					
Analyzed Date : 08/03/23 12:21:42					
<div>Dilution : 10</div> <div>Reagent : 073123.R26; 070523.R46</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					

	<h1>Mycotoxins</h1>	<h2>PASSED</h2>			
Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440	Weight: 0.2244g	Extraction date: 08/03/23 12:20:49	Extracted by: 450	<div>Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</div> <div>Analytical Batch : DA062955MYC</div> <div>Instrument Used : N/A</div> <div>Analyzed Date : 08/03/23 14:41:07</div> <div>Reviewed On : 08/05/23 11:34:16</div> <div>Batch Date : 08/03/23 10:25:54</div>	
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analytical Batch : DA062955MYC					
Instrument Used : N/A					
Analyzed Date : 08/03/23 14:41:07					
<div>Dilution : 250</div> <div>Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11</div> <div>Consumables : 326250IW</div> <div>Pipette : DA-093; DA-094; DA-219</div>					
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					

	<h1>Heavy Metals</h1>	<h2>PASSED</h2>			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.08	ppm	ND	PASS	1.1
ARSENIC	0.02	ppm	ND	PASS	0.2
CADMIUM	0.02	ppm	ND	PASS	0.2
MERCURY	0.02	ppm	ND	PASS	0.2
LEAD	0.02	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2245g	Extraction date: 08/03/23 11:03:41	Extracted by: 1022	<div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA062943HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 08/03/23 16:00:33</div> <div>Reviewed On : 08/04/23 10:09:44</div> <div>Batch Date : 08/03/23 09:40:47</div>	
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA062943HEA					
Instrument Used : DA-ICPMS-003					
Analyzed Date : 08/03/23 16:00:33					
<div>Dilution : 50</div> <div>Reagent : 071923.R45; 072023.R11; 072823.R15; 080223.R08; 072823.R13; 072823.R14; 072523.R11; 071023.01; 072523.R10</div> <div>Consumables : 179436; 15021042; 210508058</div> <div>Pipette : DA-061; DA-191; DA-216</div>					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

OG Kush Disposable Pen 0.3g
OG Kush
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30803007-005

Harvest/Lot ID: 0072 8150 2449 2653

Batch# : 0072 8150 2449
2653

Sampled : 08/02/23

Ordered : 08/02/23

Sample Size Received : 15.3 gram

Total Amount : 2199 units

Completed : 08/05/23 Expires: 08/05/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.1	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA062957FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/03/23 10:34:03

Reviewed On : 08/03/23 13:00:52

Batch Date : 08/03/23 10:27:47

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.01	aw	0.524	PASS	0.85

Analyzed by: 3807, 585, 1440	Weight: 0.534g	Extraction date: 08/03/23 13:48:23	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA062961WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 08/03/23 13:49:11

Reviewed On : 08/04/23 10:35:12

Batch Date : 08/03/23 10:33:50

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/05/23