

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Type: Distillate

..... Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix: Derivative



Sample:DA30805002-001 Harvest/Lot ID: 3612 1947 2751 4302 Batch#: 3612 1947 2751 4302 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 1064 1222 8262 5612 Batch Date: 04/19/23 Sample Size Received: 16 gram Total Amount: 1951 units Retail Product Size: 1 gram Ordered: 08/04/23 Sampled: 08/04/23 Completed: 08/08/23

Sampling Method: SOP.T.20.010

Aug 08, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PASSED Pages 1 of 6

06 217%



266%

Λ

alyzed by:	, 1440			Weight: 0.1033g		Extraction date: 08/07/23 10:31:1	LO			Extracted by: 3335	
	%	%	%	%	%	%	%	%	%	%	%
OD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
mg/unit	905.82	0.81	2.66	ND	2.39	30.97	ND	8.77	4.07	ND	12.68
%	90.582	0.081	0.266	ND	0.239	3.097	ND	0.877	0.407	ND	1.268
	D9-ТНС	тнса	CBD	CBDA	D8-THC	CBG	CBGA	СВИ	тнсу	CBDV	СВС
	Total 1	'HC/Container	: 906.53 mg	V	 Total 	CBD/Container	r : 2.66 mg	V	✓ Total Ca mg	nnabinoids/Co	ntainer : 968

Batch Date : 08/07/23 07:27:18

Instrument Used : DA-LC-007 Analyzed Date : 08/07/23 10:33:58

Dilution : 400

Reagent : 071023.01; 080123.R38; 060723.50; 080123.R35

00 653%

Consumables : 947.109; 266969; CE0123; 115C4-1151; 12620-307CD-307D; 61691-131C6-131C; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/08/23



Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30805002-001

 Harvest/Lot ID: 3612 1947 2751 4302

 Batch# : 3612 1947 2751
 Sample

 4302
 Total Ar

Sampled : 08/04/23 Ordered : 08/04/23 Sample Size Received :16 gram Total Amount : 1951 units Completed : 08/08/23 Expires: 08/08/24 Sample Method : SOP.T.20.010

Page 2 of 6

(

		_	_
Ie	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LOD (%)	mg/unit	%	Result (%)
OTAL TERPENES	0.007	31.02	3.102			FARNESENE	0.001	0.13	0.013	
OTAL TERPINEOL	0.007	0.47	0.047		1	ALPHA-HUMULENE	0.007	0.71	0.071	
LPHA-BISABOLOL	0.007	0.25	0.025			VALENCENE	0.007	ND	ND	
LPHA-PINENE	0.007	1.36	0.136			CIS-NEROLIDOL	0.007	ND	ND	
AMPHENE	0.007	0.30	0.030			TRANS-NEROLIDOL	0.007	ND	ND	
ABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE	0.007	<0.20	<0.020	
ETA-PINENE	0.007	1.59	0.159			GUAIOL	0.007	ND	ND	
ETA-MYRCENE	0.007	3.75	0.375			CEDROL	0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND			Analyzed by: Weight:		Extraction date		Extracted by:
-CARENE	0.007	ND	ND			2076, 585, 1440 0.9162g	(08/05/23 14:50	0:45	1879,3702
LPHA-TERPINENE	0.007	ND	ND			Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.F	L			
MONENE	0.007	11.65	1.165			Analytical Batch : DA063030TER Instrument Used : DA-GCMS-008				8/08/23 17:25:34 95/23 12:27:52
UCALYPTOL	0.007	ND	ND			Analyzed Date : 08/08/23 12:55:53		Daten	Date: 00/0	13/23 12.27.32
CIMENE	0.007	2.44	0.244			Pilution : 10				
AMMA-TERPINENE	0.007	ND	ND			Reagent : 121622.26				
ABINENE HYDRATE	0.007	ND	ND			Consumables : 210414634; MKCN9995; CE0123; R1K Pipette : N/A	B14270			
RPINOLENE	0.007	0.24	0.024			Terpenoid testing is performed utilizing Gas Chromatography				
ENCHONE	0.007	<0.40	< 0.040			rependid testing is performed utilizing Gas Chromatography	/ Mass Specti	rometry. For all r	riower samp	es, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	3.16	0.316							
NCHYL ALCOHOL	0.007	1.84	0.184							
OPULEGOL	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
SOBORNEOL	0.007	ND	ND							
ORNEOL	0.013	<0.40	< 0.040							
EXAHYDROTHYMOL	0.007	ND	ND							
EROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
LPHA-CEDRENE	0.007	ND	ND							
ETA-CARYOPHYLLENE	0.007	3.13	0.313							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/08/23

TESTED

PASSED



Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30805002-001 Harvest/Lot ID: 3612 1947 2751 4302 Batch#: 3612 1947 2751

4302 Sampled : 08/04/23 Ordered : 08/04/23

Sample Size Received : 16 gram Total Amount : 1951 units Completed : 08/08/23 Expires: 08/08/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010	maa	0.1	PASS	ND
TOTAL PYRETHRINS		ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND					0.1	PASS	ND
ABAMECTIN B1A		ppm	0.1	PASS	ND	PROPICONAZOLE		0.010				
ACEPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ACETAMIPRID		ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
BIFENAZATE		ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
BIFENTHRIN		ppm	0.1	PASS	ND	THIACLOPRID		0.010	maa	0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM		0.010		0.5	PASS	ND
CARBARYL		ppm	0.5	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1	PASS	ND
CARBOFURAN	0.010		0.1	PASS	ND		CND) *	0.010		0.15	PASS	ND
CHLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PO	CNB) *				PASS	ND
CHLORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010		0.1		
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070		0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	Analyzed by:	Weight:	Extrac	tion date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS PASS	ND	3379, 585, 1440	0.2499g	08/06/2	23 17:51:19		4056	
ETHOPROPHOS	0.010		0.1		ND	Analysis Method : SOP.T.30.101.FL	(Gainesville), SOP	.T.30.10	2.FL (Davie), 9	SOP.T.40.101.I	FL (Gainesville)	,
ETOFENPROX	0.010		0.1 0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE		ppm	0.1	PASS PASS	ND ND	Analytical Batch : DA063042PES Instrument Used : DA-LCMS-003 (PI	ES)			n:08/08/23 15 08/06/23 11:4		
FENHEXAMID		ppm		PASS		Analyzed Date :08/07/23 12:12:55	LJ)		batch bate	.00/00/25 11.4	10.00	
FENOXYCARB	0.010		0.1	PASS	ND ND	Dilution : 250						
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 080423.R04; 040521.11;	073123.R01; 0802	223.R07	; 080123.R18;	072523.R14;	080223.R05	
FIPRONIL			0.1	PASS	ND	Consumables : 326250IW						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL HEXYTHIAZOX		ppm	0.1	PASS	ND	Testing for agricultural agents is perfor accordance with F.S. Rule 64ER20-39.	ormed utilizing Liqu	id Chron	natography Trij	ple-Quadrupole	Mass Spectrom	netry in
IMAZALIL		maa	0.1	PASS	ND				on date:		Fortune action of	h
		ppm	0.1	PASS	ND				on date: 3 17:51:19		Extracted 4056	by:
IMIDACLOPRID KRESOXIM-METHYL		ppm	0.4	PASS	ND	Analysis Method :SOP.T.30.151.FL	5			SOP T 40 151		
MALATHION		ppm	0.2	PASS	ND	Analytical Batch :DA063043VOL	(ouncorney, oor			08/08/23 18:20		
		ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001				/06/23 11:48:5		
METALAXYL METHIOCARB	0.010		0.1	PASS	ND	Analyzed Date :08/08/23 10:05:35						
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
MEVINPHOS	0.010		0.1	PASS	ND	Reagent : 080423.R04; 040521.11; Consumables : 326250IW; 1472540		123.R22				
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218	/1					
NALED		ppm	0.25	PASS	ND	Testing for agricultural agents is perfo	ormed utilizing Gas	Chroma	tography Triple	-Ouadrupole N	lass Spectromet	rv in
MALLY	0.010	Phin .	5.25			accordance with F.S. Rule 64ER20-39.		2.11 01110	5. aprij 11 pic	- Loonabole I	opeca office	,

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/08/23

PASSED

PASSED



Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30805002-001

 Harvest/Lot ID: 3612 1947 2751 4302

 Batch#: 3612 1947 2751 4302

 Sample : 08/04/23 Complet

 Ordered : 08/04/23 Sample

751 4302 Sample Size Received : 16 gram Total Amount : 1951 units Completed : 08/08/23 Expires: 08/08/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result		
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND		
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND		
2-PROPANOL	50.000	ppm	500	PASS	ND		
ACETONE	75.000	ppm	750	PASS	ND		
ACETONITRILE	6.000	ppm	60	PASS	ND		
BENZENE	0.100	ppm	1	PASS	ND		
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND		
CHLOROFORM	0.200	ppm	2	PASS	ND		
DICHLOROMETHANE	12.500	ppm	125	PASS	ND		
THANOL	500.000	ppm	5000	PASS	ND		
ETHYL ACETATE	40.000	ppm	400	PASS	ND		
ETHYL ETHER	50.000	ppm	500	PASS	ND		
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND		
IEPTANE	500.000	ppm	5000	PASS	ND		
METHANOL	25.000	ppm	250	PASS	ND		
N-HEXANE	25.000	ppm	250	PASS	ND		
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND		
PROPANE	500.000	ppm	5000	PASS	ND		
FOLUENE	15.000	ppm	150	PASS	ND		
TOTAL XYLENES	15.000	ppm	150	PASS	ND		
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND		
nalyzed by: 50, 585, 1440	Weight: 0.021g	Extraction date: 08/08/23 12:49:26		E x 85	tracted by: 0		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063051SOL Instrument Used : DA-GCMS-003 Analyzed Date : 08/08/23 12:49:40	Reviewed On : 08/08/23 13:12:46 Batch Date : 08/06/23 14:58:47						

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/08/23



. Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30805002-001 Harvest/Lot ID: 3612 1947 2751 4302 Batch#: 3612 1947 2751

4302 Sampled : 08/04/23 Ordered : 08/04/23

Sample Size Received : 16 gram Total Amount : 1951 units Completed : 08/08/23 Expires: 08/08/24 Sample Method : SOP.T.20.010

Page 5 of 6

(CF	Microk	bial			PAS	SED	လို့	M	ycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS	TERREUS			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	NIGER			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FUMIGATUS			Not Present	PASS		OCHRATOXI	N A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	FLAVUS			Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
	SPECIFIC GENE	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELI		10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	10	Weight: 0.2499g	Extraction da 08/06/23 17:			Extracted 4056	by:
analyzed by: 390, 3621, 585,		Weight: 1.033g	Extraction d 08/05/23 13	3:23:16	Extracte 3621	ed by:		FL (Davie	T.30.101.FL (Gair e), SOP.T.40.102.	FL (Davie)		L (Gainesvi)8/08/23 1/		
	: SOP.T.40.0560 : DA063021MIC		58.FL, SOP.T.		red On : 08	3/08/23	Instrument Us Analyzed Date	ed:N/A				/06/23 11:		
DA-049, Fisher So BIOSYSTEMS THI Analyzed Date : Dilution : N/A Reagent : 07312 Consumables : 7 Pipette : N/A	ERMOCYCLER D/ 08/08/23 10:38:4 3.R27; 071823.F	A-254 41					accordance wit	93; DA-09 ting utilizir h F.S. Rule	94; DA-219 ng Liquid Chromato e 64ER20-39.		e-Quadrupo			
Analyzed by: 8621, 3963, 585,	1440	Weight: 1.033g	Extraction d 08/05/23 13		Extracte 3621	ed by:	Hg	Не	eavy Me	etals			PAS	SED
Analytical Batch	: SOP.T.40.208 : DA063031TYM : Incubator (25-	1	Rev	9.FL iewed On : 08/07 ch Date : 08/05/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
	08/05/23 16:44:		Date			0	TOTAL CONT		NT LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
vilution : 10							ARSENIC			0.020	ppm	ND	PASS	0.2
	3.R27; 080323.F	R04					CADMIUM			0.020	ppm	ND	PASS	0.2
consumables : N	/Α						MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	old testing is perfo S. Rule 64ER20-39		MPN and tradit	ional culture based	d techniques	s in	Analyzed by: 1022, 585, 144	10	Weight: 0.211g	Extraction dat 08/05/23 11:5			(tracted k 022,3807	y:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	:h : DA06 ed : DA-I0	CPMS-003	Review		/08/23 10: 5/23 10:05		
							Dilution: 50							

Dilution: 50

Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 071023.01; 072523.R10 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

08/08/23



Nutter Budder Cartridge Concentrate 1g (90%) Nutter Budder Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

 \sim

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30805002-001 Harvest/Lot ID: 3612 1947 2751 4302 Batch#: 3612 1947 2751 4302 Sampled : 08/04/23

Ordered : 08/04/23

Sample Size Received : 16 gram Total Amount : 1951 units Completed : 08/08/23 Expires: 08/08/24 Sample Method : SOP.T.20.010

	Filth/For Materia	ΡΑ	SSED			
Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	E) N/	traction o	date:	Extra N/A	cted by:
		rial Micro	scope			6/23 22:12:37 23 21:46:46

Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte	_	OD	Units	Result	P/F	Action Level
Water Activity	0	0.010	aw	0.494	PASS	0.85
Analyzed by: 4056, 585, 1440	Weight: 0.472g		traction d 3/05/23 15			tracted by: 156
Analysis Method : SOP Analytical Batch : DA00 Instrument Used : DA-0 Analyzed Date : 08/05/	53022WAT 028 Rotronic Hyg	Iropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/08/23

PASSED

Page 6 of 6