



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30804003-008  
Harvest/Lot ID: ID-GRP-072623-A121  
Batch#: 8255 9760 3567 2480  
Cultivation Facility: Tampa Cultivation  
Processing Facility: Tampa Processing  
Source Facility: Tampa Cultivation  
Seed to Sale#: 0457 3654 0260 0677  
Batch Date: 07/27/23  
Sample Size Received: 38.5 units  
Total Amount: 2600 units  
Retail Product Size: 3.5 gram  
Ordered: 08/03/23  
Sampled: 08/03/23  
Completed: 08/08/23  
Sampling Method: SOP.T.20.010

Aug 08, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**




Total THC  
**25.771%**  
Dry Weight



Total CBD  
**0.059%**  
Dry Weight



Total Cannabinoids  
**30.28%**  
Dry Weight



Analyzed by: 1665, 585, 1440 Weight: 0.2137g Extraction date: 08/04/23 12:37:48 Extracted by: 1665

Analysis Method: SOP.T.40.031, SOP.T.30.031  
Analytical Batch: DA062977POT  
Instrument Used: DA-LC-002  
Analyzed Date: 08/04/23 12:40:43

Reviewed On: 08/07/23 10:42:18  
Batch Date: 08/04/23 09:10:32

Dilution: 400  
Reagent: 080123.R39; 061623.02; 080123.R36  
Consumables: 947.109; 280670723; CE0123; R1KB45277  
Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/08/23





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Grand Daddy Purple WF 3.5g (1/8 oz)  
Grand Daddy Purple WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30804003-008

Harvest/Lot ID: ID-GRP-072623-A121

Batch# : 8255 9760 3567  
2480

Sampled : 08/03/23  
Ordered : 08/03/23

Sample Size Received : 38.5 units

Total Amount : 2600 units

Completed : 08/08/23 Expires: 08/08/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	61.92	1.769		FARNESENE	0.001	0.46	0.013	
TOTAL TERPINEOL	0.007	0.88	0.025		ALPHA-HUMULENE	0.007	6.27	0.179	
ALPHA-BISABOLOL	0.007	1.86	0.053		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.70	0.020		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.70	<0.020		TRANS-NEROLIDOL	0.007	<0.70	<0.020	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.81	0.023	
BETA-PINENE	0.007	1.30	0.037		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	14.74	0.421		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
3-CARENE	0.007	ND	ND		Analytical Batch : DA062993TER				
ALPHA-TERPINENE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
LIMONENE	0.007	6.34	0.181		Analyzed Date : 08/04/23 15:18:38				
EUCALYPTOL	0.007	ND	ND		Dilution : 10				
OCIMENE	0.007	<0.70	<0.020		Reagent : 121622.26				
GAMMA-TERPINENE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
SABINENE HYDRATE	0.007	ND	ND		Pipette : N/A				
TERPINOLENE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	1.37	0.039						
FENCHYL ALCOHOL	0.007	1.26	0.036						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	19.18	0.548						
Total (%)			1.769						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/23





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Grand Daddy Purple WF 3.5g (1/8 oz)  
Grand Daddy Purple WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30804003-008

Harvest/Lot ID: ID-GRP-072623-A121

Batch# : 8255 9760 3567  
2480

Sampled : 08/03/23  
Ordered : 08/03/23

Sample Size Received : 38.5 units

Total Amount : 2600 units

Completed : 08/08/23 Expires: 08/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8804g	Extraction date: 08/04/23 14:50:44	Extracted by: 3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA063000PES		Reviewed On : 08/07/23 13:07:27			
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/04/23 10:57:42			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/04/23 14:47:17					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.8804g	Extraction date: 08/04/23 14:50:44	Extracted by: 3379		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA063002VOL		Reviewed On : 08/08/23 18:41:48			
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-006		Batch Date : 08/04/23 11:00:14			
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/04/23 15:00:55					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 080223.R04; 040521.11; 071123.R21; 071123.R22					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIOCARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						


This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/23





Type: Flower-Cured





# PASSED

82 NE 26th street  
Miami, FL, 33137, US  
**Telephone:** (305) 900-6266  
**Email:** Taylor.Jones@getfluent.com

**Sample Method :** SOP.T.20.010

Page 4 of 5

	<h1>Microbial</h1>	<h2>PASSED</h2>																																																																																																																									
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td>140</td><td>PASS</td><td>100000</td></tr><tr><td>Analyzed by: 3621, 585, 1440</td><td>Weight: 0.8722g</td><td>Extraction date: 08/04/23 10:16:41</td><td>Extracted by: 3621</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 08/07/23 10:20:39 Batch Date : 08/04/23 09:22:20</td></tr><tr><td colspan="3">Analytical Batch : DA062981MIC</td></tr><tr><td colspan="3">Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254</td></tr><tr><td colspan="3">Analyzed Date : 08/04/23 14:12:42</td><td></td></tr><tr><td colspan="3">Dilution : N/A</td><td></td></tr><tr><td colspan="3">Reagent : 062123.09; 071823.R01; 061323.13; 092122.09</td><td></td></tr><tr><td colspan="3">Consumables : 7563004035</td><td></td></tr><tr><td colspan="3">Pipette : N/A</td><td></td></tr><tr><td>Analyzed by: 3390, 3963, 585, 1440</td><td>Weight: 0.8722g</td><td>Extraction date: 08/04/23 10:16:41</td><td>Extracted by: 3621,3390</td></tr><tr><td colspan="3">Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</td><td rowspan="3">Reviewed On : 08/07/23 10:42:22 Batch Date : 08/04/23 10:16:53</td></tr><tr><td colspan="3">Analytical Batch : DA062989TYM</td></tr><tr><td colspan="3">Instrument Used : Incubator (25-27C) DA-097</td></tr><tr><td colspan="3">Analyzed Date : 08/04/23 13:31:44</td><td></td></tr><tr><td colspan="3">Dilution : 10</td><td></td></tr><tr><td colspan="3">Reagent : 062123.09; 080323.R04</td><td></td></tr><tr><td colspan="3">Consumables : N/A</td><td></td></tr><tr><td colspan="3">Pipette : N/A</td><td></td></tr><tr><td colspan="4">Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	ASPERGILLUS TERREUS			Not Present	PASS		ASPERGILLUS NIGER			Not Present	PASS		ASPERGILLUS FUMIGATUS			Not Present	PASS		ASPERGILLUS FLAVUS			Not Present	PASS		SALMONELLA SPECIFIC GENE			Not Present	PASS		ECOLI SHIGELLA			Not Present	PASS		TOTAL YEAST AND MOLD	10	CFU/g	140	PASS	100000	Analyzed by: 3621, 585, 1440	Weight: 0.8722g	Extraction date: 08/04/23 10:16:41	Extracted by: 3621	Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 08/07/23 10:20:39 Batch Date : 08/04/23 09:22:20	Analytical Batch : DA062981MIC			Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254			Analyzed Date : 08/04/23 14:12:42				Dilution : N/A				Reagent : 062123.09; 071823.R01; 061323.13; 092122.09				Consumables : 7563004035				Pipette : N/A				Analyzed by: 3390, 3963, 585, 1440	Weight: 0.8722g	Extraction date: 08/04/23 10:16:41	Extracted by: 3621,3390	Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 08/07/23 10:42:22 Batch Date : 08/04/23 10:16:53	Analytical Batch : DA062989TYM			Instrument Used : Incubator (25-27C) DA-097			Analyzed Date : 08/04/23 13:31:44				Dilution : 10				Reagent : 062123.09; 080323.R04				Consumables : N/A				Pipette : N/A				Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.					<h1>Mycotoxins</h1>	<h2>PASSED</h2>
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																						
ASPERGILLUS TERREUS			Not Present	PASS																																																																																																																							
ASPERGILLUS NIGER			Not Present	PASS																																																																																																																							
ASPERGILLUS FUMIGATUS			Not Present	PASS																																																																																																																							
ASPERGILLUS FLAVUS			Not Present	PASS																																																																																																																							
SALMONELLA SPECIFIC GENE			Not Present	PASS																																																																																																																							
ECOLI SHIGELLA			Not Present	PASS																																																																																																																							
TOTAL YEAST AND MOLD	10	CFU/g	140	PASS	100000																																																																																																																						
Analyzed by: 3621, 585, 1440	Weight: 0.8722g	Extraction date: 08/04/23 10:16:41	Extracted by: 3621																																																																																																																								
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL			Reviewed On : 08/07/23 10:20:39 Batch Date : 08/04/23 09:22:20																																																																																																																								
Analytical Batch : DA062981MIC																																																																																																																											
Instrument Used : PathogenDx Scanner DA-111,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021,APPLIED BIOSYSTEMS THERMOCYCLER DA-254																																																																																																																											
Analyzed Date : 08/04/23 14:12:42																																																																																																																											
Dilution : N/A																																																																																																																											
Reagent : 062123.09; 071823.R01; 061323.13; 092122.09																																																																																																																											
Consumables : 7563004035																																																																																																																											
Pipette : N/A																																																																																																																											
Analyzed by: 3390, 3963, 585, 1440	Weight: 0.8722g	Extraction date: 08/04/23 10:16:41	Extracted by: 3621,3390																																																																																																																								
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL			Reviewed On : 08/07/23 10:42:22 Batch Date : 08/04/23 10:16:53																																																																																																																								
Analytical Batch : DA062989TYM																																																																																																																											
Instrument Used : Incubator (25-27C) DA-097																																																																																																																											
Analyzed Date : 08/04/23 13:31:44																																																																																																																											
Dilution : 10																																																																																																																											
Reagent : 062123.09; 080323.R04																																																																																																																											
Consumables : N/A																																																																																																																											
Pipette : N/A																																																																																																																											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.																																																																																																																											
<table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>Analyzed by: 3379, 585, 1440</td><td>Weight: 0.8804g</td><td>Extraction date: 08/04/23 14:50:44</td><td>Extracted by: 3379</td></tr><tr><td colspan="6">Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)</td></tr><tr><td colspan="3">Analytical Batch : DA063001MYC</td><td colspan="3">Reviewed On : 08/07/23 10:36:01</td></tr><tr><td colspan="3">Instrument Used : N/A</td><td colspan="3">Batch Date : 08/04/23 11:00:11</td></tr><tr><td colspan="6">Analyzed Date : 08/04/23 14:47:54</td></tr><tr><td colspan="6">Dilution : 250</td></tr><tr><td colspan="6">Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11</td></tr><tr><td colspan="6">Consumables : 326250IW</td></tr><tr><td colspan="6">Pipette : DA-093; DA-094; DA-219</td></tr><tr><td colspan="6">Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</td></tr></table>	Analyte	LOD	Units	Result	Pass / Fail	Action Level	AFLATOXIN B2	0.002	ppm	ND	PASS	0.02	AFLATOXIN B1	0.002	ppm	ND	PASS	0.02	OCHRATOXIN A	0.002	ppm	ND	PASS	0.02	AFLATOXIN G1	0.002	ppm	ND	PASS	0.02	AFLATOXIN G2	0.002	ppm	ND	PASS	0.02	Analyzed by: 3379, 585, 1440	Weight: 0.8804g	Extraction date: 08/04/23 14:50:44	Extracted by: 3379	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)						Analytical Batch : DA063001MYC			Reviewed On : 08/07/23 10:36:01			Instrument Used : N/A			Batch Date : 08/04/23 11:00:11			Analyzed Date : 08/04/23 14:47:54						Dilution : 250						Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11						Consumables : 326250IW						Pipette : DA-093; DA-094; DA-219						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.							<h1>Heavy Metals</h1>	<h2>PASSED</h2>																										
Analyte	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																						
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02																																																																																																																						
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02																																																																																																																						
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02																																																																																																																						
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02																																																																																																																						
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02																																																																																																																						
Analyzed by: 3379, 585, 1440	Weight: 0.8804g	Extraction date: 08/04/23 14:50:44	Extracted by: 3379																																																																																																																								
Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)																																																																																																																											
Analytical Batch : DA063001MYC			Reviewed On : 08/07/23 10:36:01																																																																																																																								
Instrument Used : N/A			Batch Date : 08/04/23 11:00:11																																																																																																																								
Analyzed Date : 08/04/23 14:47:54																																																																																																																											
Dilution : 250																																																																																																																											
Reagent : 073123.R01; 080223.R07; 080223.R04; 080123.R18; 072523.R14; 080223.R05; 040521.11																																																																																																																											
Consumables : 326250IW																																																																																																																											
Pipette : DA-093; DA-094; DA-219																																																																																																																											
Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.																																																																																																																											
<table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr><tr><td>Analyzed by: 1022, 585, 1440</td><td>Weight: 0.2629g</td><td>Extraction date: 08/04/23 12:16:29</td><td>Extracted by: 1022</td></tr></table>	Metal	LOD	Units	Result	Pass / Fail	Action Level	TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1	ARSENIC	0.020	ppm	ND	PASS	0.2	CADMIUM	0.020	ppm	ND	PASS	0.2	MERCURY	0.020	ppm	ND	PASS	0.2	LEAD	0.020	ppm	ND	PASS	0.5	Analyzed by: 1022, 585, 1440	Weight: 0.2629g	Extraction date: 08/04/23 12:16:29	Extracted by: 1022																																																																																			
Metal	LOD	Units	Result	Pass / Fail	Action Level																																																																																																																						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1																																																																																																																						
ARSENIC	0.020	ppm	ND	PASS	0.2																																																																																																																						
CADMIUM	0.020	ppm	ND	PASS	0.2																																																																																																																						
MERCURY	0.020	ppm	ND	PASS	0.2																																																																																																																						
LEAD	0.020	ppm	ND	PASS	0.5																																																																																																																						
Analyzed by: 1022, 585, 1440	Weight: 0.2629g	Extraction date: 08/04/23 12:16:29	Extracted by: 1022																																																																																																																								

Signature  
08/08/23





4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Grand Daddy Purple WF 3.5g (1/8 oz)  
Grand Daddy Purple WF  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30804003-008

Harvest/Lot ID: ID-GRP-072623-A121

Batch# : 8255 9760 3567  
2480

Sampled : 08/03/23

Ordered : 08/03/23

Sample Size Received : 38.5 units

Total Amount : 2600 units

Completed : 08/08/23 Expires: 08/08/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.00	PASS	15
Analized by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analized by: 3807, 585, 1440	Weight: 0.491g	Extraction date: 08/04/23 14:38:40	Extracted by: 3807		
Analysis Method : SOP.T.40.090 Analytical Batch : DA063015FIL Instrument Used : Filth/Foreign Material Microscope Analized Date : 08/04/23 22:11:27						Analysis Method : SOP.T.40.021 Analytical Batch : DA062996MOI Instrument Used : DA-003 Moisture Analyzer Analized Date : 08/04/23 14:42:20					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.513	PASS	0.65
Analized by: 3807, 585, 1440	Weight: 0.56g	Extraction date: 08/04/23 13:59:13	Extracted by: 3807		
Analysis Method : SOP.T.40.019 Analytical Batch : DA063007WAT Instrument Used : DA-028 Rotronic HygroPalm Analized Date : 08/04/23 14:04:04					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/08/23