

# **Certificate of Analysis**

COMPLIANCE FOR RETAIL

**Kaycha Labs** 

FTH - Supreme Diesel W.F. 3.5g(1/8oz) FTH - Supreme Diesel

Matrix: Flower Type: Flower-Cured

Sample:DA30805003-001

Batch#: 4443 0612 3588 5870

**Cultivation Facility: Zolfo Springs Cultivation Processing Facility: Zolfo Springs** 

**Processing** 

Source Facility: Zolfo Springs Cultivation

Harvest/Lot ID: HYB-SD-072823-C102

Seed to Sale# 9714 5035 5591 3368

Batch Date: 07/07/23

Sample Size Received: 31.5 gram

Total Amount: 699 units Retail Product Size: 3.5 gram

> Ordered: 08/04/23 Sampled: 08/04/23 Completed: 08/09/23

Sampling Method: SOP.T.20.010

PASSED

Aug 09, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS





PASSED







PASSED

CRDA

0.05

1.75

0.001





Residuals Solvents PASSED



**PASSED** 



**PASSED** 



PASSED



MISC.

TESTED

**PASSED** 



Cannabinoid



PASSED

Total CBD



**Total Cannabinoids** 







D8-TH

0.022

0.77

0.001

CBG

0.107

3.745

0.001

Extraction date:

08/07/23 11:22:43

CRGA

0.674

23.59

0.001



CRDV

ND

ND

%

0.001

СВС

0.045

1.575

0.001

Extracted by:

**Total THC** 23.674% 828.59 mg /Container

**Total CBD** 0.043% 1.505 mg /Container

**Total Cannabinoids** 27.837% 974.295 mg /Container

As Received

Analyzed by: 1665, 1440

D9-THC

0.652

22.82

0.001

%

26,251

0.001

918.785

ND

ND

0.001

Instrument Used: DA-LC-002 Analyzed Date: 08/07/23 11:27:43

Reviewed On: 08/08/23 22:48:49 Batch Date: 08/07/23 07:24:17

CBN

0.012

0.42

0.001

THCV

0.024

0.84

0.001

Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA063056POT

ma/unit

LOD

Reagent: 080123.R39; 070621.18; 121321.34; 080123.R36 Consumables: 947.109; 280670723; CE0123; R1KB14270 Pipette: DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

### Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 08/09/23



#### Kaycha Labs

FTH - Supreme Diesel W.F. 3.5g(1/8oz)

FTH - Supreme Diesel Matrix : Flower

Type: Flower-Cured



# **Certificate of Analysis**

**PASSED** 

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30805003-001 Harvest/Lot ID: HYB-SD-072823-C102

Batch#: 4443 0612 3588

Sampled: 08/04/23 Ordered: 08/04/23

Sample Size Received: 31.5 gram Total Amount : 699 units

Completed: 08/09/23 Expires: 08/09/24 Sample Method: SOP.T.20.010

Page 2 of 5



## **Terpenes**

**TESTED** 

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	85.33	2.438		FARNESENE			ND	ND	
TOTAL TERPINEOL	0.007	2.80	0.080		ALPHA-HUMULENE		0.007	1.51	0.043	
ALPHA-BISABOLOL	0.007	1.37	0.039		VALENCENE		0.007	ND	ND	
ALPHA-PINENE	0.007	5.18	0.148		CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007	1.12	0.032		TRANS-NEROLIDOL		0.007	0.70	0.020	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	< 0.70	< 0.020	
BETA-PINENE	0.007	4.62	0.132		GUAIOL		0.007	2.52	0.072	
BETA-MYRCENE	0.007	3.19	0.091		CEDROL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:	Weight:		Extraction da	ite:	Extracted by:
-CARENE	0.007	ND	ND		2076, 585, 1440	1.064g		08/06/23 12:	50:55	1879
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOF	.T.40.061A.FL				
IMONENE	0.007	25.10	0.717		Analytical Batch : DA063037TER Instrument Used : DA-GCMS-004					/08/23 15:13:44 6/23 10:58:00
UCALYPTOL	0.007	< 0.70	< 0.020		Analyzed Date: 08/07/23 17:23:22			Daten	Date: U0/U	0/23 10.36.00
CIMENE	0.007	10.47	0.299		Dilution: 10					
SAMMA-TERPINENE	0.007	ND	ND		Reagent: 121622.26					
ABINENE HYDRATE	0.007	ND	ND		Consumables: 210414634; MKCN9995; 0	E0123; R1KB1	4270			
ERPINOLENE	0.007	< 0.70	< 0.020		Pipette : N/A					
ENCHONE	0.007	<1.40	< 0.040		Terpenoid testing is performed utilizing Gas Cr	romatograpny M	ass spectr	ometry. For all	Flower sampii	es, the Total Terpenes % is dry-weight corrected.
INALOOL	0.007	6.69	0.191							
ENCHYL ALCOHOL	0.007	3.82	0.109							
SOPULEGOL	0.007	ND	ND							
AMPHOR	0.007	<2.10	< 0.060							
SOBORNEOL	0.007	ND	ND							
ORNEOL	0.013	<1.40	< 0.040							
HEXAHYDROTHYMOL	0.007	< 0.70	< 0.020							
IEROL	0.007	ND	ND							
PULEGONE	0.007	ND	ND							
GERANIOL	0.007	< 0.70	< 0.020							
GERANYL ACETATE	0.007	ND	ND							
LPHA-CEDRENE	0.007	ND	ND							
BETA-CARYOPHYLLENE	0.007	5.08	0.145							
otal (%)			2.438							

Total (%)

2.438

**Jorge Segredo** Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/09/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



#### Kaycha Labs

FTH - Supreme Diesel W.F. 3.5g(1/8oz)

FTH - Supreme Diesel Matrix : Flower

Type: Flower-Cured



# **Certificate of Analysis**

**PASSED** 

FLUENT

82 NE 26th street Miami, FL, 33137, US **Telephone:** (305) 900-6266 **Email:** Taylor.Jones@getfluent.com Sample: DA30805003-001 Harvest/Lot ID: HYB-SD-072823-C102

Batch#: 4443 0612 3588

5870 Sampled: 08/04/23 Ordered: 08/04/23 Sample Size Received: 31.5 gram
Total Amount: 699 units

Completed: 08/09/23 Expires: 08/09/24 Sample Method: SOP.T.20.010

Page 3 of 5



#### **Pesticides**

### **PASSED**

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010	11.11	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TAL PYRETHRINS	0.010	1.1	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
TAL SPINOSAD	0.010	1.1.	0.1	PASS	ND			0.010		0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE					PASS	
EPHATE	0.010		0.1	PASS	ND	PROPOXUR		0.010		0.1		ND
EQUINOCYL	0.010	1.1.	0.1	PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
ETAMIPRID	0.010	1.1	0.1	PASS	ND	SPIROMESIFEN		0.010		0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
DXYSTROBIN	0.010	1.1.	0.1	PASS	ND	SPIROXAMINE		0.010	ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND	PENTACHLORONITROBENZE	NF (PCNR) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS PASS	ND	PARATHION-METHYL *	(. 6110)	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		1 0.1	PASS	ND ND			0.010		0.7	PASS	ND
LORPYRIFOS	0.010	1.1.	0.1	PASS	ND ND	CAPTAN *		0.070		0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *						
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE			0.1	PASS	ND	CYFLUTHRIN *		0.050		0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
HLORVOS	0.010	11.11	0.1	PASS	ND	Analyzed by:	Weight:	Extract	ion date:		Extracted	by:
METHOATE MOPROPHOS	0.010		0.1	PASS	ND	3379, 585, 1440	0.8098g		3 17:53:46		4056	
DENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.1	.01.FL (Gainesville),	SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville	),
DXAZOLE	0.010	1.1	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	DEC		Davidson al	0	11.17.21	
NHEXAMID	0.010		0.1	PASS	ND	Analytical Batch : DA0630391 Instrument Used : DA-LCMS-0				On:08/08/23 e:08/06/23 11		
NOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : 08/07/23 12:			Date II Date	.00,00/25 11		
NOXYCARB NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250						
PRONIL	0.010		0.1	PASS	ND	Reagent: 080423.R04; 04052	21.11; 073123.R01;	080223.R07;	080123.R1	.8; 072523.R14	1; 080223.R05	
ONICAMID	0.010		0.1	PASS	ND	Consumables: 326250IW	210					
UDIOXONIL	0.010	1.1	0.1	PASS	ND	Pipette: DA-093; DA-094; DA		Limital Ch.			In Mana Canad	
XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents i accordance with F.S. Rule 64ER		Liquia Chrom	iatograpny i	ripie-Quadrupo	ile Mass Spectror	netry in
AZALIL	0.010	1.1.	0.1	PASS	ND	Analyzed by:	Weight:	Extraction	on date:		Extracted	l hv:
DACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.8098g		3 17:53:46		4056	y.
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.1	.51.FL (Gainesville),	SOP.T.30.15	1A.FL (Davi	e), SOP.T.40.15	51.FL	
LATHION	0.010		0.2	PASS	ND	Analytical Batch : DA063040	VOL	Re	viewed On	:08/08/23 11:	06:58	
TALAXYL	0.010		0.1	PASS	ND	Instrument Used : DA-GCMS-		Ва	tch Date :	08/06/23 11:41	:46	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 08/08/23 10:	05:18					
THOMYL	0.010	1.1.	0.1	PASS	ND	Dilution: 250 Reagent: 080423.R04: 04053	21 11, 071122 021.	071122 022				
VINPHOS	0.010		0.1	PASS	ND	Consumables: 326250IW; 14		U/1125.K22				
CLOBUTANIL	0.010	11.11	0.1	PASS	ND	Pipette : DA-080; DA-146; DA						
LED	0.010		0.25	PASS	ND	Testing for agricultural agents i		C Ch		-l- Od	M C	to in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### **Jorge Segredo**

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/09/23



#### Kaycha Labs

FTH - Supreme Diesel W.F. 3.5g(1/8oz)

FTH - Supreme Diesel Matrix : Flower

Type: Flower-Cured



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30805003-001 Harvest/Lot ID: HYB-SD-072823-C102

Batch#: 4443 0612 3588

Sampled: 08/04/23 Ordered: 08/04/23

Sample Size Received: 31.5 gram Total Amount: 699 units

Completed: 08/09/23 Expires: 08/09/24 Sample Method: SOP.T.20.010

Page 4 of 5



### **Microbial**

## **PASSED**



# **Mycotoxins**

### **PASSED**

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2		0.002	ppm
ECOLI SHIGELLA TOTAL YEAST AND MOLD	10	CFU/q	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 1440	<b>Weight:</b> 0.8098a	Extraction da 08/06/23 17:	
							- 0.0050g	00,00,25 17.	33.70

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 3621, 585, 1440 08/05/23 13:23:17 1.0077g

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA063021MIC

Reviewed On: 08/08/23 Batch Date: 08/05/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand

Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021, APPLIED BIOSYSTEMS THERMOCYCLER DA-254

Analyzed Date: 08/08/23 10:38:41

Dilution: N/A

Reagent: 073123.R27; 071823.R01; 061323.13; 092122.09

Consumables : 7563004039

Pipette: N/A

Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
Analyzed by:	Weight:	Extraction da	te:		Extracted	by:

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA063041MYC Reviewed On: 08/08/23 09:48:03 Instrument Used : N/A Batch Date: 08/06/23 11:42:11

**Analyzed Date:** 08/07/23 12:13:20

Dilution: 250

Reagent: 080423.R04; 040521.11; 073123.R01; 080223.R07; 080123.R18; 072523.R14; 080223.R05

Consumables: 326250IW Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

# **Heavy Metals**

# **PASSED**

Analyzed by: 3621, 3963, 585, 1440	<b>Weight:</b> 1.0077g	Extraction date: 08/05/23 13:23:17	Extracted by: 3621
Analysis Method: SOP.T.40. Analytical Batch: DA063033 Instrument Used: Incubator Analyzed Date: 08/05/23 16	.TYM (25-27C) DA-096	Reviewed On: 0	8/07/23 17:34:59 05/23 13:23:30
Dilution: 10 Reagent: 073123.R27; 0803 Consumables: N/A Pipette: N/A	323.R04		
Total yeast and mold testing is accordance with F.S. Rule 64ER		MPN and traditional culture b	ased techniques in

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2595g	<b>Extraction da</b> 08/07/23 10:3			Extracted 1022	by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Analytical Batch: DA063026HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 08/07/23 16:20:44

Reviewed On: 08/08/23 10:09:03 Batch Date: 08/05/23 10:12:53

Dilution: 50

Reagent: 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 071023.01; 072523.R10

Consumables: 179436; 210508058; 12620-307CD-307D

Pipette: DA-061; DA-191

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/09/23



#### **Kaycha Labs**

FTH - Supreme Diesel W.F. 3.5g(1/8oz)

FTH - Supreme Diesel Matrix : Flower

Type: Flower-Cured



# **Certificate of Analysis**

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30805003-001 Harvest/Lot ID: HYB-SD-072823-C102

Batch#: 4443 0612 3588

Sampled: 08/04/23 Ordered: 08/04/23

Sample Size Received: 31.5 gram

Total Amount: 699 units Completed: 08/09/23 Expires: 08/09/24 Sample Method: SOP.T.20.010

Page 5 of 5



#### Filth/Foreign **Material**

# **PASSED**



#### **Moisture**

**PASSED** 

Analyte Filth and Foreign	Material	<b>LOD</b> 0.100	Units ) %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	Result 13.15	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA		xtraction	date:	Extra N/A	cted by:	Analyzed by: 4056, 585, 1440	Weight: 0.54g		ctraction d 3/05/23 15			tracted by: 056
Analysis Method: SG Analytical Batch: DA Instrument Used: Fi Analyzed Date: 08/G	A063053FIL lth/Foreign Mater	ial Micr	oscope			5/23 22:12:39 23 21:46:46	Analysis Method: SOP.T Analytical Batch: DA063 Instrument Used: DA-00 Analyzed Date: 08/05/2	3019MOI 03 Moisture <i>A</i>	Analyze		Reviewed On Batch Date :	, . , .	
Dilution: N/A Reagent: N/A Consumables: N/A Pipette: N/A							Dilution: N/A Reagent: 031523.19; 03 Consumables: N/A Pipette: DA-066	20123.02					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



### **Water Activity**

Analyte		LOD	Units	Result	P/F	Action Level
Water Activity		0.010	aw	0.547	PASS	0.65
Analyzed by: 4056, 585, 1440	Weight: 0.548g		traction d /05/23 15			tracted by: 56
Analysis Method : SOF Analytical Batch : DAO				Reviewed Or	n: 08/07/2	3 13:49:15

Instrument Used : DA-028 Rotronic Hygropalm

**Analyzed Date:** 08/05/23 15:29:49

Batch Date: 08/05/23 10:00:59

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/09/23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.