



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30806001-003
Harvest/Lot ID: 8852 4934 5698 4259
Batch#: 8852 4934 5698 4259
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6679 9437 6396 7825
Batch Date: 06/28/23
Sample Size Received: 15.3 gram
Total Amount: 1030 units
Retail Product Size: 0.3 gram
Ordered: 08/05/23
Sampled: 08/05/23
Completed: 08/09/23
Sampling Method: SOP.T.20.010











Aug 09, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE	SAFETY RESULTS								MISC.
									
	Pesticides PASSED	Heavy Metals PASSED	Microbials PASSED	Mycotoxins PASSED	Residuals Solvents PASSED	Filtration PASSED	Water Activity PASSED	Moisture NOT TESTED	Terpenes TESTED

	Cannabinoid	PASSED
--	--------------------	---------------

	Total THC 92.377% Total THC/Container : 277.13 mg		Total CBD 0.220% Total CBD/Container : 0.66 mg		Total Cannabinoids 94.461% Total Cannabinoids/Container : 283.38 mg
--	---	---	--	---	---

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.190	0.214	0.220	ND	0.088	ND	ND	0.526	0.460	ND	0.763
mg/unit	276.57	0.64	0.66	ND	0.26	ND	ND	1.58	1.38	ND	2.29
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by: 3335, 1665, 585, 4044	Weight: 0.1015g	Extraction date: 08/07/23 10:31:10	Extracted by: 3335
---------------------------------------	--------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA063060POT Instrument Used : DA-LC-007 Analyzed Date : 08/07/23 10:33:58	Reviewed On : 08/08/23 17:44:04 Batch Date : 08/07/23 07:27:18
--	---

Dilution : 400 Reagent : 071023.01; 080123.R38; 060723.50; 080123.R35 Consumables : 947.109; 266969; CE0123; 115C4-1151; 12620-307CD-307D; 61691-131C6-131C; R1KB45277 Pipette : DA-079; DA-108; DA-078
--

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
08/09/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Trix x French Cookies Disposable Pen 250mg
Trix x French Cookies
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30806001-003

Harvest/Lot ID: 8852 4934 5698 4259

Batch# : 8852 4934 5698 4259

Sampled : 08/05/23

Ordered : 08/05/23

Sample Size Received : 15.3 gram

Total Amount : 1030 units

Completed : 08/09/23 Expires: 08/09/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	10.54	3.513		FARNESENE	0.001	0.20	0.065	
TOTAL TERPINEOL	0.007	0.08	0.027		ALPHA-HUMULENE	0.007	0.37	0.123	
ALPHA-BISABOLOL	0.007	<0.06	<0.020		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	ND	ND		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.06	<0.020		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.53	0.177	
BETA-PINENE	0.007	0.18	0.060		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.07	1.355		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	ND	ND		Weight: 1.0441g				
LIMONENE	0.007	2.93	0.977		Extraction date: 08/06/23 15:22:26				
EUCALYPTOL	0.007	ND	ND		Extracted by: 1879				
OCIMENE	0.007	<0.06	<0.020		Analysis Batch : DA063038TER				
GAMMA-TERPINENE	0.007	ND	ND		Instrument Used : DA-GCMS-008				
SABINENE HYDRATE	0.007	ND	ND		Reviewed On : 08/08/23 17:44:10				
TERPINOLENE	0.007	ND	ND		Batch Date : 08/06/23 11:01:18				
FENCHONE	0.007	<0.12	<0.040		Analysis Date : 08/08/23 12:56:02				
LINALOOL	0.007	0.57	0.191		Dilution : 10				
FENCHYL ALCOHOL	0.007	0.31	0.104		Reagent : 121622.26				
ISOPULEGOL	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
CAMPHOR	0.007	ND	ND		Pipette : N/A				
ISOBORNEOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
BORNEOL	0.013	<0.12	<0.040						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	1.30	0.434						

Total (%) 3.513

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature

08/09/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30806001-003

Harvest/Lot ID: 8852 4934 5698 4259

Batch# : 8852 4934 5698

4259

Sampled : 08/05/23

Ordered : 08/05/23

Sample Size Received : 15.3 gram

Total Amount : 1030 units

Completed : 08/09/23 Expires: 08/09/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4044	Weight: 0.2207g	Extraction date: 08/06/23 17:47:13	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063047PES					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/07/23 12:12:57					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 080423.R04; 040521.11; 073123.R01; 080223.R07; 080123.R18; 072523.R14; 080223.R05					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 4044					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Weight: 0.2207g					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Extraction date: 08/06/23 17:47:13					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Extracted by: 4056					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063048VOL					
MALATHION	0.010	ppm	0.2	PASS	ND	Instrument Used : DA-GCMS-001					
METALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/08/23 10:05:27					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHOMYL	0.010	ppm	0.1	PASS	ND	Reagent : 080423.R04; 040521.11; 071123.R21; 071123.R22					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					





Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30806001-003

Harvest/Lot ID: 8852 4934 5698 4259

 Batch# : 8852 4934 5698
 4259

Sampled : 08/05/23

Ordered : 08/05/23

Sample Size Received : 15.3 gram

Total Amount : 1030 units

Completed : 08/09/23 Expires: 08/09/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	<375.000
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 4044

 Weight:
 0.0224g

 Extraction date:
 08/08/23 13:29:27

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA063052SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 08/08/23 13:37:26

Reviewed On : 08/08/23 14:12:36

Batch Date : 08/06/23 15:07:51

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30806001-003

Harvest/Lot ID: 8852 4934 5698 4259

Batch# : 8852 4934 5698 4259

 Sampled : 08/05/23
 Ordered : 08/05/23

Sample Size Received : 15.3 gram

Total Amount : 1030 units

 Completed : 08/09/23 Expires: 08/09/24
 Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000						
Analyzed by: 3390, 3621, 585, 4044 Weight: 1.159g Extraction date: 08/06/23 13:06:08 Extracted by: 3963 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA063036MIC Reviewed On : 08/08/23 11:25:29 Batch Date : 08/06/23 10:27:19 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 08/08/23 10:38:23						Analyzed by: 3379, 585, 4044 Weight: 0.2207g Extraction date: 08/06/23 17:47:13 Extracted by: 4056 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA063049MYC Instrument Used : N/A Analyzed Date : 08/07/23 12:13:17 Reviewed On : 08/08/23 09:42:16 Batch Date : 08/06/23 11:54:05					
Dilution : 10 Reagent : 073123.R27; 071823.R01; 061323.13; 092122.09 Consumables : 7563004039 Pipette : N/A						Dilution : 250 Reagent : 080423.R04; 040521.11; 073123.R01; 080223.R07; 080123.R18; 072523.R14; 080223.R05 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

 Dilution : 10
 Reagent : 073123.R27; 071823.R01; 061323.13; 092122.09
 Consumables : 7563004039
 Pipette : N/A

 Analyzed by: 3390, 3621, 585, 4044
 Weight: 1.159g
 Extraction date: 08/06/23 13:06:08
 Extracted by: 3963, 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL
 Analytical Batch : DA063064TYM
 Instrument Used : Incubator (25-27C) DA-097
 Analyzed Date : 08/07/23 11:11:26
 Reviewed On : 08/08/23 14:24:30
 Batch Date : 08/07/23 11:09:25

 Dilution : 10
 Reagent : 073123.R27; 080323.R04
 Consumables : N/A
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



Heavy Metals

PASSED

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 4044
 Weight: 0.2639g
 Extraction date: 08/07/23 11:09:03
 Extracted by: 1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL
 Analytical Batch : DA063062HEA
 Instrument Used : DA-ICPMS-003
 Analyzed Date : 08/07/23 16:27:12
 Reviewed On : 08/08/23 10:47:09
 Batch Date : 08/07/23 09:41:58

 Dilution : 50
 Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 071023.01; 072523.R10
 Consumables : 179436; 210508058; 12620-307CD-307D
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
Trix x French Cookies Disposable Pen 250mg
Trix x French Cookies
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30806001-003

Harvest/Lot ID: 8852 4934 5698 4259

Batch# : 8852 4934 5698
4259

Sampled : 08/05/23

Ordered : 08/05/23

Sample Size Received : 15.3 gram

Total Amount : 1030 units

Completed : 08/09/23 Expires: 08/09/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA063053FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/06/23 22:06:03

Reviewed On : 08/06/23 22:13:08

Batch Date : 08/06/23 21:46:46

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.558	PASS	0.85

Analyzed by: 4056, 585, 4044	Weight: 0.433g	Extraction date: 08/07/23 08:58:54	Extracted by: 4056
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA063022WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 08/05/23 15:29:45

Reviewed On : 08/07/23 13:54:15

Batch Date : 08/05/23 10:01:41

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/09/23