

..... Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

Sample:DA30808010-006 Harvest/Lot ID: 0050 7670 0372 2748 Batch#: 0050 7670 0372 2748 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 7884 2886 2442 7031 Batch Date: 04/19/23 Sample Size Received: 16 gram Total Amount: 1445 units Retail Product Size: 1 gram Ordered: 08/07/23 Sampled: 08/07/23 Completed: 08/10/23 Sampling Method: SOP.T.20.010

Pages 1 of 6

Matrix: Derivative

Type: Distillate


Aug 10, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US



MISC.

PASSED



Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

rum cannabinoid analysis utilizing High Performance Liguid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39 Full Spe

This Kavcha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 08/10/23



Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30808010-006 Harvest/Lot ID: 0050 7670 0372 2748 Batch# : 0050 7670 0372 2748 Total Ar Sampled : 08/07/23 Complet

Ordered : 08/07/23

72 2748 Sample Size Received : 16 gram Total Amount : 1445 units Completed : 08/10/23 Expires: 08/10/24 Sample Method : SOP.T.20.010

Page 2 of 6

Type: Distillate

# **(**

_			
Te	rp	en	es

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TAL TERPENES	0.007	31.47	3.147		FARNESENE		0.001	0.14	0.014	
TAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE		0.007	0.38	0.038	
PHA-BISABOLOL	0.007	0.41	0.041		VALENCENE		0.007	ND	ND	
PHA-PINENE	0.007	2.64	0.264		CIS-NEROLIDOL		0.007	ND	ND	
MPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND	
BINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	<0.20	< 0.020	
TA-PINENE	0.007	1.01	0.101		GUAIOL		0.007	ND	ND	
TA-MYRCENE	0.007	14.97	1.497		CEDROL		0.007	ND	ND	
PHA-PHELLANDRENE	0.007	0.90	0.090		Analyzed by:	Weight:		Extraction da	ate:	Extracted by:
CARENE	0.007	0.29	0.029		2076, 585, 1440	1.1073g		08/08/23 17:	:44:51	2076
PHA-TERPINENE	0.007	<0.20	<0.020		Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL				
MONENE	0.007	0.94	0.094		Analytical Batch : DA063080TER Instrument Used : DA-GCMS-008					/10/23 11:40:24 8/23 10:39:24
ICALYPTOL	0.007	ND	ND		Analyzed Date : N/A			Batch	Date : 08/0	8/23 10:39:24
CIMENE	0.007	ND	ND		Dilution : 10					
AMMA-TERPINENE	0.007	<0.20	<0.020		Reagent : 121622.26					
BINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995;	CE0123; R1KB1	4270			
RPINOLENE	0.007	7.01	0.701		Pipette : N/A					
NCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	Chromatography M	ass Spectr	ometry. For all F	Hower sample	es, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	0.91	0.091		1					
NCHYL ALCOHOL	0.007	<0.20	< 0.020							
DPULEGOL	0.007	ND	ND							
MPHOR	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
RNEOL	0.013	ND	ND							
XAHYDROTHYMOL	0.007	ND	ND							
ROL	0.007	ND	ND							
LEGONE	0.007	ND	ND							
RANIOL	0.007	ND	ND							
RANYL ACETATE	0.007	ND	ND							
PHA-CEDRENE	0.007	ND	ND							
ETA-CARYOPHYLLENE	0.007	1.87	0.187							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/10/23



Type: Distillate

Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA30808010-006

 Harvest/Lot ID: 0050 7670 0372

 Batch# : 0050 7670 0372

 2748

Sampled : 08/07/23 Ordered : 08/07/23 Sample Size Received :16 gram Total Amount :1445 units Completed :08/10/23 Expires:08/10/24 Sample Method :SOP.T.20.010

Page 3 of 6

R 0

## Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	maa	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND			0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE						
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		0.010		0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM		0.010		0.1	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN						
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE	(PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracted	bu
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 1440	0.2835g		23 14:20:07		3379	by.
ETHOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.		OP.T.30.10	2.FL (Davie),	50P.T.40.101.I	L (Gainesville)	,
ETOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)						
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA063086PES				n:08/09/2315		
FENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003			Batch Date	08/08/23 10:5	8:03	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :08/08/23 14:42:0 Dilution : 250	UI					
FENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 080723.R01; 080823.F	R01 · 080423 R04·	080123 R1	8· 072523 B1	4· 080223 B05	040521 11	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	,		-,	.,	,	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-21	9					
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is pe		quid Chron	natography Tri	ole-Quadrupole	Mass Spectrom	ietry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-						
IMAZALIL	0.010		0.1	PASS	ND	Analyzed by:	Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 1440	0.2835g		3 14:20:07	COD T 40 151	3379	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151. Analytical Batch : DA063089VOL				SOP.1.40.151 )8/09/23 11:29		
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001				/08/23 11:01:3		
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :08/08/23 16:40:						
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 080423.R04; 040521.1		71123.R22				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-21		Chana	ta ana aku T. 1. 1	Our days at 1	la an Canadana - '	
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is pe accordance with F.S. Rule 64ER20-		as unroma	Lography Triple	e-Quadrupole M	iass spectromet	ry m

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

08/10/23



Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA30808010-006

 Harvest/Lot ID: 0050 7670 0372
 Sample

 2748
 Sample : 08/07/23
 Sample

 Sample : 08/07/23
 Comple:

 Ordered : 08/07/23
 Sample

72 2748 Sample Size Received :16 gram Total Amount : 1445 units Completed : 08/10/23 Expires: 08/10/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
L,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
Analyzed by: 350, 585, 1440	Weight: 0.0237g	Extraction date: 08/09/23 14:40:01		<b>E</b> x 85	tracted by: 50
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063104SOL Instrument Used : DA-GCMS-002 Analyzed Date : 08/09/23 14:49:06			l On : 08/09/23 15:16:52 te : 08/08/23 15:38:23		
Dilution : 1					

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/10/23

## PASSED



Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30808010-006 Harvest/Lot ID: 0050 7670 0372 2748 Batch#: 0050 7670 0372 Sample 2748 Total Ar

Sampled : 08/07/23 Ordered : 08/07/23 Sample Size Received :16 gram Total Amount : 1445 units Completed : 08/10/23 Expires: 08/10/24 Sample Method : SOP.T.20.010

Page 5 of 6

Type: Distillate

Ċ.	Microl	bial			PAS	SED	သို့	Μ	lycotoxi	ns			PAS	SED
Analyte		LOD	) Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELL	A SPECIFIC GEN	E		Not Present	PASS	Level	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ASPERGILLU TOTAL YEAS	S NIGER T AND MOLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2835g	Extraction da 08/08/23 14			Extracted 3379	by:
Analyzed by: 3390, 585, 144	Weig 0.98		raction date: 08/23 12:28:3		Extracted b 3336,3621	y:			P.T.30.101.FL (Gain vie), SOP.T.40.102.F		.40.101.FL	(Gainesv	ille),	
	<b>bd :</b> SOP.T.40.056 <b>ch :</b> DA063074MIC		58.FL, SOP.T.		ved On : 08	3/09/23	Analytical Bate Instrument Use Analyzed Date	ed : N//	4			8/09/23 1 08/23 11:		
sotemp Heat Analyzed Date Dilution : N/A	: 08/08/23 13:28: 123.R24; 071823.	30					040521.11 Consumables : Pipette : DA-09 Mycotoxins test accordance with	93; DA	-094; DA-219 zing Liquid Chromatog ule 64ER20-39.		e-Quadrupo			
Analyzed by: 3390, 3336, 58	35, 1440	Weight: 0.987g	Extraction d		<b>acted by:</b> 0,3336,362	21	Hg	Н	eavy Me	etals			PAS	SED
Analytical Bate	od : SOP.T.40.208 ch : DA063085TYM ed : Incubator (25-	1	Revi	9.FL ewed On : 08/1 h Date : 08/08/			Metal			LOD	Units		Pass / Fail	Action Level
Analyzed Date	: 08/08/23 13:20:	18						AMIN	ANT LOAD METALS		ppm	ND	PASS	1.1
ilution: 10							ARSENIC			0.020	ppm	ND ND	PASS PASS	0.2 0.2
	123.R24; 080323.	R04; 073123	.R31				MERCURY			0.020	ppm ppm	ND ND	PASS	0.2
Consumables : Pipette : N/A	N/A						LEAD			0.020	ppm	ND	PASS	0.2
Total yeast and	mold testing is perfo n F.S. Rule 64ER20-3		MPN and traditi	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 144	0	Weight: 0.2425g	Extraction da 08/08/23 12	ate:		Extracted 1022	by:
							Analysis Metho Analytical Bato Instrument Use Analyzed Date	h:DA	P.T.30.082.FL, SOP. 063078HEA ICPMS-003	T.40.082.FL Review	ed On : 08	/09/23 11: 8/23 09:40	24:15	
							Dilution : 50 Reagent : 0719	)23.R4	5; 072023.R11; 080	423.R07; 0802	223.R08; 0	)80423.R0	5: 08042	3.R06:

Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 080823.01; 072523.R10 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/10/23



Type: Distillate

..... Grape Diamond Lilac Diesel Cartridge Concentrate 1g (90%) Grape Diamond Lilac Diesel Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis**

#### FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30808010-006 Harvest/Lot ID: 0050 7670 0372 2748 Batch#:0050 7670 0372 2748 Sampled : 08/07/23 Ordered : 08/07/23

PASSED

Sample Size Received : 16 gram Total Amount : 1445 units Completed : 08/10/23 Expires: 08/10/24 Sample Method : SOP.T.20.010



### PASSED

Page 6 of 6



Filth/Foreign Material

Analyte Filth and Foreign M	aterial	<b>LOD</b> 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	_	xtraction ( /A	date:	<b>Extra</b> N/A	cted by:
Analysis Method : SOP Analytical Batch : DAO Instrument Used : Filth Analyzed Date : 08/09,	63133FIL n/Foreign Mater	ial Micro	oscope			0/23 13:01:09 23 11:20:32
Dilution : N/A Reagent : N/A Consumables : N/A						
Pipette : N/A Filth and foreign materia technologies in accordan				spection utilizi	ng naked ey	e and microscope
Filth and foreign materia technologies in accordan		64ER20-	39.	spection utilizi		e and microscope
technologies in accordan	ice with F.S. Rule	64ER20-	vity Units	Result 0.522		

Analysis Method : SOP.T.40.019 Reviewed On: 08/08/23 15:05:27 Analytical Batch : DA063100WAT Instrument Used : DA-028 Rotronic Hygropalm Batch Date : 08/08/23 11:43:19 Analyzed Date : 08/08/23 14:27:05 Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/10/23