

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

**COMPLIANCE FOR RETAIL** 

**Certificate of Analysis** 

C

Heavy Metals

PASSED

### **Kaycha Labs**

Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix: Derivative Type: Distillate



Sample:DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998 Batch#: 7090 2939 0967 3998 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4009 2315 2679 3147 Batch Date: 04/19/23 Sample Size Received: 31 gram Total Amount: 2451 units Retail Product Size: 0.5 gram Ordered: 08/09/23 Sampled: 08/09/23 Completed: 08/12/23

Sampling Method: SOP.T.20.010

Aug 12, 2023 | FLUENT 82 NE 26th street

SAFETY RESULTS

Pesticides

PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

Microbials

PASSED

Weight: 0.107g





Filth

Water Activity Moisture PASSED

Extracted by:

3335

Pages 1 of 6

PASSED

Terpenes TESTED

### Cannabinoid

#### PASSED Total CBD Total THC **Total Cannabinoids** .730% 92.097% 0.258% g Total THC/Container : 460.49 mg Total CBD/Container : 1.29 mg Total Cannabinoids/Container : 488.65 mg тнса CRGA тнсу D9-THC CBD CBDA D8-THC CRG CBN CRDV CBC 0.788 92.097 ND 0.258 ND 0.282 2.167 ND 0.954 ND 1.184 ND 1.41 10.84 ND 4.77 460.49 ND 1.29 3.94 ND 5.92 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % %

Extraction date: 08/10/23 15:51:44

Reviewed On : 08/12/23 15:14:56 Batch Date : 08/10/23 11:05:10

Analyzed by: 3335, 1665, 585, 1440 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA063180POT Instrument Used : DA-LC-007

Analyzed Date : 08/10/23 15:53:42

Dilution: 400

Reagent : 060723.24; 072623.R06; 080823.R03 Consumables : 947.109; 250350; CE0123; 115C4-1151; 12620-307CD-307D; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kavcha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164

Signature 08/12/23

MISC.



Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998 Batch# : 7090 2939 0967 Sample

3998 Sampled : 08/09/23 Ordered : 08/09/23 Sample Size Received : 31 gram Total Amount : 2451 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 2 of 6

# **(**

### Terpenes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)		
TOTAL TERPENES	0.007	11.26	2.251		FARNESENE		0.001	0.19	0.038			
OTAL TERPINEOL	0.007	< 0.10	< 0.020		ALPHA-HUMULENE		0.007	0.34	0.067			
ALPHA-BISABOLOL	0.007	<0.10	< 0.020		VALENCENE		0.007	ND	ND			
ALPHA-PINENE	0.007	0.43	0.085		CIS-NEROLIDOL		0.007	ND	ND			
AMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	ND	ND			
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	0.18	0.036			
BETA-PINENE	0.007	0.18	0.036		GUAIOL		0.007	ND	ND			
ETA-MYRCENE	0.007	5.57	1.114		CEDROL		0.007	ND	ND			
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:	Weight:		Extraction da	ate:		Extracted by:	
-CARENE	0.007	ND	ND		2076, 585, 1440	0.8751g		08/10/23 14			2076	
ALPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SO	P.T.40.061A.FL						
IMONENE	0.007	0.75	0.149		Analytical Batch : DA063174TER Instrument Used : DA-GCMS-008					8/12/23 15:15:57 10/23 10:57:49		
UCALYPTOL	0.007	ND	ND		Analyzed Date : N/A			Batch	Date : 08/	10/23 10:57:49		
CIMENE	0.007	1.10	0.220		Dilution: 10							
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26							
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995;	CE0123; R1KB1	1270					
ERPINOLENE	0.007	ND	ND		Pipette : N/A							
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas C	Chromatography M	ass Spectro	ometry. For all I	Flower samp	les, the Total Terpenes %	is dry-weight corrected.	
LINALOOL	0.007	0.90	0.179									
ENCHYL ALCOHOL	0.007	ND	ND									
SOPULEGOL	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
SOBORNEOL	0.007	ND	ND									
BORNEOL	0.013	ND	ND									
IEXAHYDROTHYMOL	0.007	ND	ND									
IEROL	0.007	ND	ND									
ULEGONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
LPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	1.64	0.327									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/12/23



Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998

Batch#: 7090 2939 0967 3998 Sampled : 08/09/23 Ordered : 08/09/23

Sample Size Received : 31 gram Total Amount : 2451 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0 P

## Pesticides

LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
	1.1.			ND	OXAMYL	0.010	ppm	0.5	PASS	ND
0.010	ppm	0.2			PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS		PHOSMET	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.5	PASS							ND
0.010	ppm	0.2	PASS	ND				-		ND
0.010	ppm	0.1	PASS	ND						
0.010	ppm	0.1	PASS	ND	PROPICONAZOLE					ND
0.010	ppm	0.1	PASS	ND	PROPOXUR					ND
0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND					PASS	ND
0.010	ppm	0.1	PASS	ND						ND
0.010	ppm	0.1	PASS	ND						ND
0.010	ppm	0.5	PASS	ND						
0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN					ND
0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15		ND
0.010	ppm	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
0.010	ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
		0.1	PASS	ND	CHI ORFENARYR *	0.010	PPM	0.1	PASS	ND
		0.1	PASS	ND						ND
0.010	ppm	0.1	PASS	ND						ND
		0.1	PASS	ND				0.5		
		0.1	PASS	ND						by:
		0.1	PASS	ND				COD T 40 101		1
0.010	maa	0.1	PASS	ND		SUP.1.30.10	Z.FL (Davie), 3	50P.1.40.101.	FL (Gamesville)	),
		0.1	PASS	ND			Reviewed O	n:08/11/231	1.07.37	
0.010	maa	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
			PASS	ND	Analyzed Date :08/10/23 15:30:48					
		0.1	PASS	ND	Dilution : 250					
		0.1	PASS	ND		5; 080923.R0	4; 072523.R14	4; 080923.R0	1; 040521.11	
		0.1	PASS	ND						
	1.1.	0.1	PASS	ND		Liquid Chron	antography Tric		Mass Enestron	motovio
		0.1	PASS	ND		Liquid Chron	natography m	pie-Quadrupoi	e mass spectron	neuyin
			PASS			Extractio	n date:		Extracted I	hv:
			PASS		<b>450, 585, 1440</b> 0.2413g				450,585	
		0.1	PASS	ND		SOP.T.30.15	1A.FL (Davie),	SOP.T.40.15	L.FL	
			PASS	ND	Analytical Batch : DA063176VOL	Re	eviewed On :	08/11/23 11:0	7:00	
		0.1	PASS	ND	Instrument Used : DA-GCMS-001	Ba	atch Date : 08,	/10/23 10:58:	26	
			PASS	ND						
						071100 000				
		0.1	PASS	ND	Reagent: 080723.R25; 040521.11; 071123.R21; Consumables: 326250IW: 14725401	U/1123.R22				
0.010 0.010		0.1	PASS	ND	Pipette : DA-080: DA-146: DA-218					
	0.010 0.010	LOD Units 0.010 ppm 0.010	Level           0.010 ppm         5           0.010 ppm         0.2           0.010 ppm         0.1           0.010 ppm         0.5           0.010 ppm         0.5           0.010 ppm         0.1           0.010 ppm         0.1	Level         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.2         PASS           0.010 ppm         0.1         PASS           0.010 ppm         1         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.1         PASS           0.010 ppm         0.1         PASS           0.0	Level         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.2         PASS         ND           0.010 ppm         0.1         PASS         ND <td>Level         PASS         ND         OXAMYL           0.010 ppm         5         PASS         ND         PACLOBUTRAZOL           0.010 ppm         0.1         PASS         ND         PACLOBUTRAZOL           0.010 ppm         0.2         PASS         ND         PHEONYL BUTOXIDE           0.010 ppm         0.2         PASS         ND         PRALETHRIN           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE           0.010 ppm         0.1         PASS         ND         PROPOXUR           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROXAMINE           0.010 ppm         0.1         PASS         ND         THEUCONAZOLE           0.010 ppm         0.1         PASS         ND         THIACLOPRID           0.010 ppm         0.1         PASS         ND         CAPTAN *           0.010 ppm         0.1         PASS         ND         CAPTAN *</td> <td>Level         PASS         ND         OXAMYL         0.010           0.010         ppm         5         PASS         ND         OXAMYL         0.010           0.010         ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010           0.010         ppm         0.1         PASS         ND         PRALETHRIN         0.010           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010           0.010         ppm         0.1         PASS         ND         SPIROMESIFEN         0.010           0.010         ppm         0.1         PASS         ND         SPIROMESIFEN         0.010           0.010         ppm         0.1         PASS         ND         THEAUCONZOLE         0.010           0.010         ppm         0.1         PASS         ND         THIACLOPRID         0.010           0.010         ppm         0.1         PASS         ND         THIACLOP</td> <td>Level         Level         Control         Control         Control         Control           0.010         ppm         0.1         PASS         ND         OXAMYL         0.010         ppm           0.010         ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010         ppm           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010         ppm           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010         ppm           0.010         ppm         0.1         PASS         ND         PRALLETHIN         0.010         ppm           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS<!--</td--><td>Level         Control         Level         Control         Level           0.010 ppm         5         PASS         ND         OXAMYL         0.010 ppm         0.5           0.010 ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMEZIFENAT         0.010 ppm         0.1           0.010 ppm         0</td><td>Level         Note         Cost of the second second</td></td>	Level         PASS         ND         OXAMYL           0.010 ppm         5         PASS         ND         PACLOBUTRAZOL           0.010 ppm         0.1         PASS         ND         PACLOBUTRAZOL           0.010 ppm         0.2         PASS         ND         PHEONYL BUTOXIDE           0.010 ppm         0.2         PASS         ND         PRALETHRIN           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE           0.010 ppm         0.1         PASS         ND         PROPOXUR           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN           0.010 ppm         0.1         PASS         ND         SPIROXAMINE           0.010 ppm         0.1         PASS         ND         THEUCONAZOLE           0.010 ppm         0.1         PASS         ND         THIACLOPRID           0.010 ppm         0.1         PASS         ND         CAPTAN *           0.010 ppm         0.1         PASS         ND         CAPTAN *	Level         PASS         ND         OXAMYL         0.010           0.010         ppm         5         PASS         ND         OXAMYL         0.010           0.010         ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010           0.010         ppm         0.1         PASS         ND         PRALETHRIN         0.010           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010           0.010         ppm         0.1         PASS         ND         SPIROMESIFEN         0.010           0.010         ppm         0.1         PASS         ND         SPIROMESIFEN         0.010           0.010         ppm         0.1         PASS         ND         THEAUCONZOLE         0.010           0.010         ppm         0.1         PASS         ND         THIACLOPRID         0.010           0.010         ppm         0.1         PASS         ND         THIACLOP	Level         Level         Control         Control         Control         Control           0.010         ppm         0.1         PASS         ND         OXAMYL         0.010         ppm           0.010         ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010         ppm           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010         ppm           0.010         ppm         0.1         PASS         ND         PHOSMET         0.010         ppm           0.010         ppm         0.1         PASS         ND         PRALLETHIN         0.010         ppm           0.010         ppm         0.1         PASS         ND         PROPICONAZOLE         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS         ND         SPIROTETRAMAT         0.010         ppm           0.010         ppm         0.1         PASS </td <td>Level         Control         Level         Control         Level           0.010 ppm         5         PASS         ND         OXAMYL         0.010 ppm         0.5           0.010 ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMEZIFENAT         0.010 ppm         0.1           0.010 ppm         0</td> <td>Level         Note         Cost of the second second</td>	Level         Control         Level         Control         Level           0.010 ppm         5         PASS         ND         OXAMYL         0.010 ppm         0.5           0.010 ppm         0.1         PASS         ND         PACLOBUTRAZOL         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.2         PASS         ND         PHOSMET         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         PROPICONAZOLE         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMESIFEN         0.010 ppm         0.1           0.010 ppm         0.1         PASS         ND         SPIROMEZIFENAT         0.010 ppm         0.1           0.010 ppm         0	Level         Note         Cost of the second

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/12/23

## PASSED

PASSED



Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

## **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998 Batch# : 7090 2939 0967 Sample

3998 Sampled : 08/09/23 Ordered : 08/09/23 Sample Size Received : 31 gram Total Amount : 2451 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 4 of 6



### **Residual Solvents**

LC	LOD Units Act	ion Level Pass/Fai	il Res	ult
8.0	0.800 ppm 8	PASS	ND	
0.2	0.200 ppm 2	PASS	ND	
50	50.000 ppm 500	PASS	ND	
75	75.000 ppm 750	PASS	ND	
6.0	6.000 ppm 60	PASS	ND	
0.1	0.100 ppm 1	PASS	ND	
50	500.000 ppm 500	0 PASS	ND	
0.2	0.200 ppm 2	PASS	ND	
12	12.500 ppm 125	PASS	ND	
50	500.000 ppm 500	0 PASS	ND	
40	40.000 ppm 400	PASS	ND	
50	50.000 ppm 500	PASS	ND	
0.5	0.500 ppm 5	PASS	ND	
50	500.000 ppm 500	0 PASS	ND	
25	25.000 ppm 250	PASS	ND	
25	25.000 ppm 250	PASS	ND	
75	75.000 ppm 750	PASS	ND	
50	500.000 ppm 500	0 PASS	ND	
15	15.000 ppm 150	PASS	ND	
15	15.000 ppm 150	PASS	ND	
2.5	2.500 ppm 25	PASS	ND	
	Veight:         Extraction date:           0.0206g         08/11/23 12:49:13		Extracted by: 850	
	Reviewed On: 08/11/2 Batch Date: 08/10/23			

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/12/23



Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998

Batch# : 7090 2939 0967 3998 Sampled : 08/09/23 Ordered : 08/09/23 Sample Size Received : 31 gram Total Amount : 2451 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ę	Microb	ial			PAS	SED	သို့	Му	cotoxi	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELL	A SPECIFIC GENE			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA			Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS			Not Present	PASS		OCHRATOXI	N A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S TERREUS			Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S NIGER T AND MOLD	10	CFU/a	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	10	Weight: 0.2413g	Extraction da 08/10/23 16			xtracted	by:
Analyzed by:	Weight		ction date:		Extracted b				5					
3390, 585, 144			)/23 11:15:35		3336.585	Jy:			30.101.FL (Gair SOP.T.40.102.I		.40.101.FL	. (Gamesv	ille),	
Analycic Moth	od : SOP.T.40.056C,						Analytical Bate				wed On : 0	8/11/23 1	2:04:51	
	<b>:h</b> : DA063153MIC	50F.1.40.05	0.1 L, 30F.1.4		wed On : 08	8/11/23	Instrument Us			Batch	Date : 08/	10/23 10:	58:24	
-				12:13:			Analyzed Date	:08/10/23	15:31:04					
	ed : PathogenDx Sca ermocycler DA-171,				Date : 08/1	.0/23	Dilution: 250		00000 001.000	0722 D25, 000		72522 01	4. 00000	0.001
	prand Isotemp Heat				:09		Reagent: 080 040521.11	/23.R01; 08	80823.R01; 080	0723.R25; 080	923.R04; 0	172523.RI	4; 08092	3.R01;
sotemp Heat I		Diocit Ditt of it					Consumables	326250IW						
Analyzed Date	:08/10/23 17:55:40	)					Pipette : DA-0	93; DA-094	; DA-219					
Consumables :	123.R30; 071823.R0 7563004028	)1; 061323.1	3; 092122.09	)			Mycotoxins tes accordance wit	ting utilizing h F.S. Rule 64	Liquid Chromatog 4ER20-39.	graphy with Tripl	e-Quadrupo	le Mass Spe	ectrometry	in
Pipette : N/A														
Analyzed by: 3390, 3336, 58	35, 1440	Weight: 0.979g	Extraction N/A		Extracted b 3336,3390		Hg	неа	avy Me	etais			PAS	SED
Analytical Bate	od : SOP.T.40.208 (G ch : DA063181TYM		Revie	wed On : 08/1			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25-2 : 08/10/23 17:44:01		Batch	Date: 08/10/	23 11:03:2	9	TOTAL CONT		LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
	. 00, 20, 20 27 1103	-					ARSENIC			0.020	ppm	ND	PASS	0.2
Dilution: 10 Reagent: 073	123.R30; 080323.R0	)4					CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables :							MERCURY			0.020	ppm	ND	PASS	0.2
Pipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perforn n F.S. Rule 64ER20-39.	ned utilizing M	PN and traditio	nal culture base	d techniques	s in							xtracted k 022,3807	y:
							Analytical Bate Instrument Us Analyzed Date	ch : DA0631 ed : DA-ICP	MS-003	Review	<b>ed On :</b> 08, Date : 08/1			
							Dilution: 50							

Dilution: 50

Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 080823.01; 072523.R10 Consumables : 179436; 210508058; 12620-307CD-307D Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

08/12/23



Apples and Bananas Cartridge Concentrate 0.5g Apples and Bananas Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Filth/Foreign

# **Certificate of Analysis**

#### FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-003 Harvest/Lot ID: 7090 2939 0967 3998 Batch#: 7090 2939 0967

PASSED

3998 Sampled : 08/09/23 Ordered : 08/09/23

Sample Size Received : 31 gram Total Amount : 2451 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

	Materia				FAJJLL				
Analyte Filth and Forei	ign Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level			
Analyzed by: 1879, 1440	Weight: NA	E) N/	<b>traction</b>	date:	<b>Extra</b> N/A	cted by:			
		rial Micro	oscope			1/23 19:45:15 23 18:09:33			
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A								
	naterial inspection is pe cordance with F.S. Rule			spection utilizi	ing naked ey	e and microscope			
$\bigcirc$	Watar A	ctiv	i+.,		PA	SSED			

Water Activity

Analyte Water Activity		<b>LOD</b> 0.010		<b>Result</b> 0.720	P/F PASS	Action Leve 0.85		
Analyzed by: 3619, 585, 1440	Weight: 0.225g		traction d /10/23 15		Extracted by: 3619			
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 08/10,	63163WAT 028 Rotronic H	ygropal	m	Reviewed Or Batch Date :				
Dilution: N/A Reagent: 050923.04 Consumables: PS-14 Pipette: N/A								

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/12/23

Page 6 of 6