

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Kaycha Labs

Type: Distillate

..... Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix: Derivative




Certificate of Analysis COMPLIANCE FOR RETAIL

Sample:DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257 3073 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 4902 9368 7344 3064 Batch Date: 06/15/23 Sample Size Received: 16 gram Total Amount: 1923 units Retail Product Size: 1 gram Ordered: 08/09/23 Sampled: 08/09/23 Completed: 08/12/23 Sampling Method: SOP.T.20.010

Aug 12, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PASSED



Main D9-THC THCA CBD CBDA D8-THC CBGA CBA D8-THC CBGA CBN THCV CBDV CBDV CBC % 91.852 0.085 0.338 ND 0.243 2.3100 ND 0.720 ND ND 1.037 mg/unit 918.52 0.85 3.38 ND 2.43 23.100 ND 7.20 ND ND 10.37 LOD 0.001<
% 91.852 0.085 0.338 ND 0.243 2.310 ND 0.720 ND ND 1.037 mg/unit 918.52 0.85 3.38 ND 2.43 23.10 ND 7.20 ND ND 10.37 LoD 0.001
% 91.852 0.085 0.338 ND 0.243 2.310 ND 0.720 ND ND 1.037

Analyzed Date : 08/10/23 15:53:42

Dilution : 400

Reagent : 060723.24; 072623.R06; 080823.R03 Consumables : 947.109; 250350; CE0123; 115C4-1151; 12620-307CD-307D; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/12/23



..... Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix : Derivative



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257 3073 Sampled : 08/09/23

Ordered : 08/09/23

Sample Size Received : 16 gram Total Amount : 1923 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 2 of 6

_			
Те	rp	en	es

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpen	es		LOD (%)	mg/unit	%	Result (%)		
TOTAL TERPENES	0.007	30.24	3.024		FARNESE	NE		0.001	< 0.09	< 0.009			
OTAL TERPINEOL	0.007	ND	ND		ALPHA-H	UMULENE		0.007	0.85	0.085			
ALPHA-BISABOLOL	0.007	0.83	0.083		VALENCE	NE		0.007	1.65	0.165			
ALPHA-PINENE	0.007	2.16	0.216		CIS-NER(DLIDOL		0.007	ND	ND			
CAMPHENE	0.007	ND	ND		TRANS-N	EROLIDOL		0.007	ND	ND			
SABINENE	0.007	ND	ND		CARYOPI	HYLLENE OXIDE		0.007	0.42	0.042			
BETA-PINENE	0.007	0.43	0.043		GUAIOL			0.007	ND	ND			
BETA-MYRCENE	0.007	6.64	0.664		CEDROL			0.007	ND	ND			
ALPHA-PHELLANDRENE	0.007	0.83	0.083		Analyzed b	w:	Weight:		Extraction da	ate:		Extracted by:	
3-CARENE	0.007	ND	ND		2076, 585,		1.0754g		08/10/23 14:			2076	
ALPHA-TERPINENE	0.007	ND	ND			ethod : SOP.T.30.061A.FL, S	OP.T.40.061A.FL						
LIMONENE	0.007	11.04	1.104			Batch : DA063174TER					8/12/23 15:19:06		
EUCALYPTOL	0.007	ND	ND		Analyzed D	t Used : DA-GCMS-008 Nate : N/A			Batch	Date : 08/.	.0/23 10:57:49		
OCIMENE	0.007	0.89	0.089		Dilution : 1								
GAMMA-TERPINENE	0.007	ND	ND		Reagent :								
SABINENE HYDRATE	0.007	ND	ND			les: 210414634; MKCN9995	; CE0123; R1KB1	4270					
TERPINOLENE	0.007	ND	ND		Pipette : N								
FENCHONE	0.007	ND	ND		Terpenoid te	esting is performed utilizing Gas	Chromatography M	ass Spectr	ometry. For all F	lower samp	es, the Total Terpenes % is	s dry-weight corrected.	
LINALOOL	0.007	1.04	0.104		1								
FENCHYL ALCOHOL	0.007	ND	ND										
ISOPULEGOL	0.007	ND	ND										
CAMPHOR	0.007	ND	ND										
ISOBORNEOL	0.007	ND	ND										
BORNEOL	0.013	ND	ND										
HEXAHYDROTHYMOL	0.007	ND	ND										
NEROL	0.007	<0.20	< 0.020										
PULEGONE	0.007	ND	ND										
GERANIOL	0.007	ND	ND										
GERANYL ACETATE	0.007	ND	ND										
ALPHA-CEDRENE	0.007	ND	ND										
BETA-CARYOPHYLLENE	0.007	3.46	0.346										

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/12/23



Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257 3073

Sampled : 08/09/23 Ordered : 08/09/23 Sample Size Received : 16 gram Total Amount : 1923 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND				3	PASS	
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PIPERONYL BUTOXIDE		ppm			ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		ppm	0.1	PASS	ND
BIFENAZATE	0.010	maa	0.1	PASS	ND			ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE				PASS	
BOSCALID	0.010	ppm	0.1	PASS	ND	THIACLOPRID		ppm	0.1		ND
CARBARYL	0.010	maa	0.5	PASS	ND	THIAMETHOXAM		ppm	0.5	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	maa	1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
DAMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.050		0.5	PASS	ND
DIAZINON	0.010		0.1	PASS	ND				0.5	PASS	ND
DICHLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050		0.5		
DIMETHOATE	0.010		0.1	PASS	ND	Analyzed by: Weight:		ion date:		Extracted I	by:
ETHOPROPHOS	0.010	maa	0.1	PASS	ND	3379, 585, 1440 0.2825g		3 16:59:53	COD T 40 101	450,585	
ETOFENPROX	0.010	maa	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gaines) SOP.T.40.102.FL (Davie)	/ilie), SOP.1.30.10	JZ.FL (Davie),	SUP.1.40.101.	FL (Gamesville)	,
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063173PES		Reviewed O	n:08/11/231	1:07:36	
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			08/10/23 10:		
FENOXYCARB	0.010	maa	0.1	PASS	ND	Analyzed Date :08/10/23 15:30:48					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reagent: 080723.R01; 080823.R01; 08072	3.R25; 080923.R0)4; 072523.R1	4; 080923.R01	L; 040521.11	
FLONICAMID	0.010	ppm	0.1	PASS	ND	Consumables : 3262501W Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed uti	ilizina Liquid Chror	natography Tri	nle-Ouadrunole	Mass Sportron	otry in
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	inzing Eiquid cirioi	nacography in	pic-Quuurupoit	- Muss speed on	icci y ili
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by: Weight:	Extracti	on date:		Extracted b	v:
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440 0.2825g	08/10/23	16:59:53		450,585	,
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gaines)	/ille), SOP.T.30.15	51A.FL (Davie)	, SOP.T.40.151	L.FL	
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA063176VOL		eviewed On :			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001	B	atch Date : 08	/10/23 10:58:	26	
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date :08/10/23 17:06:51					
METHOMYL	0.010	maa	0.1	PASS	ND	Dilution: 250 Reagent: 080723.R25; 040521.11; 071123	021.071122.022				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725401	.nzi, 0/1123.KZ2	-			
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
NALED	0.010		0.25	PASS	ND	Testing for agricultural agents is performed ut	ilizing Gas Chroma	tography Triple	e-Quadrupole N	lass Spectrome	try in
						accordance with F.S. Rule 64ER20-39.	-				

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/12/23

PASSED

PASSED



Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix : Derivative



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257 Sampled : 08/09/23 Ordered : 08/09/23

Sample Size Received : 16 gram Total Amount : 1923 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 4 of 6

Ϊ

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
IETHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
ROPANE	500.000	ppm	5000	PASS	ND
OLUENE	15.000	ppm	150	PASS	ND
OTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
nalyzed by: 50, 585, 1440	Weight: 0.0239g	Extraction date: 08/11/23 12:49:12	2	E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063191SOL nstrument Used : DA-GCMS-002 Analyzed Date : 08/11/23 13:07:05			d On : 08/11/23 14:04:06 te : 08/10/23 15:03:56		
Dilution 1					

Dilution: 1 Reagent : 030420.09 Consumables : R2017.167: G201 167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/12/23



..... Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix : Derivative



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257

Sampled : 08/09/23 Ordered : 08/09/23

Sample Size Received : 16 gram Total Amount : 1923 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ct Mie	crobia	al			PAS	SED	ڳ	M	ycotox	ins			PAS	SED
Analyte		LOD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIF	IC GENE			Not Present	PASS		AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA				Not Present	PASS		AFLATOXIN	31		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVU	s			Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIG	ATUS			Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERRE	US			Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER TOTAL YEAST AND M	OLD	10	CFU/g	Not Present <10	PASS PASS	100000	Analyzed by: 3379, 585, 144	0	Weight: 0.2825g	Extraction da 08/10/23 16:			xtracted	by:
Analyzed by: 390, 585, 1440	Weight: 0.966g		tion date: /23 11:15:3		Extracted b 3336,585	y:			T.30.101.FL (Gair e), SOP.T.40.102.		.40.101.Fl	Gainesvi (Gainesvi	ille),	
Analysis Method : SOP.T Analytical Batch : DA063		P.T.40.058	3.FL, SOP.T.4		red On : 08	/11/23	Analytical Bate Instrument Use Analyzed Date	d:N/A)8/11/23 1 /10/23 10:		
DA-020,fisherbrand Isot sotemp Heat Block DA- Analyzed Date : 08/10/2 Dilution : 250 Reagent : 073123.R30; Consumables : 7563004 Pipette : N/A	021 3 17:55:40 071823.R01;						accordance with	13; DA-09 ing utilizir i F.S. Rule	94; DA-219 ng Liquid Chromato e 64ER20-39.		e-Quadrupo			
Analyzed by: 3390, 3336, 585, 1440		/eight: .966g	Extraction N/A		Extracted b 3336,3390	y:	Hg	не	eavy Me	etals			PAS	SED
Analysis Method : SOP.T Analytical Batch : DA063 nstrument Used : Incub	3181TYM		Revi	9.FL ewed On : 08/12 h Date : 08/10/2			Metal			LOD	Units	Result	Pass / Fail	Action Level
Analyzed Date : 08/10/2) DA-097	Batc	n Date : 06/10/.	25 11:05:23	9	TOTAL CONT		NT LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
ilution : 10							ARSENIC			0.020	ppm	ND	PASS	0.2
eagent: 073123.R30;	080323.R04						CADMIUM			0.020	ppm	ND	PASS	0.2
Consumables : N/A							MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A							LEAD			0.020	ppm	ND	PASS	0.5
otal yeast and mold testin accordance with F.S. Rule 6		l utilizing MF	PN and tradition	onal culture base	d techniques	in	Analyzed by: 1022, 585, 144	0	Weight: 0.2308g	Extraction dat 08/10/23 12:3			xtracted k 022,3807	y:
							Analysis Metho Analytical Bato Instrument Us Analyzed Date	h:DA06 ed:DA-I0	CPMS-003	Reviewe		/11/23 10: 0/23 09:46		
							Dilution : 50							

Reagent : 071923.R45; 072023.R11; 080423.R07; 080223.R08; 080423.R05; 080423.R06; 072523.R11; 080823.01; 072523.R10 Consumables : 179436; 210508058; 12620-307CD-307D

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/12/23



Midnight Cruiser Cartridge Concentrate 1g (90%) Midnight Cruiser Matrix : Derivative



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

 \frown

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30810003-002 Harvest/Lot ID: 0865 5682 1257 3073 Batch#: 0865 5682 1257 Sampled : 08/09/23 Ordered : 08/09/23

Batch Date : 08/11/23 18:09:33

Sample Size Received : 16 gram Total Amount : 1923 units Completed : 08/12/23 Expires: 08/12/24 Sample Method : SOP.T.20.010


	Filth/Fo Materia		In		PA	SSED
nalyte ilth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
nalyzed by: 379, 1440	Weight: NA	E) N/	traction o	date:	Extra N/A	cted by:
	: SOP.T.40.090 : DA063235FIL			Reviewed	On : 08/11	/23 19:46:10

Analytical Batch : DA063235FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/11/23 18:44:55

Dilution : N/A Reagent : N/A

Consumables : N/A Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte	L	.OD	Units	Result	P/F	Action Level
Water Activity	C	0.010 aw		0.771	PASS	0.85
Analyzed by: 3619, 585, 1440		raction d /10/23 15		Extracted by: 3619		
Analysis Method : SOP Analytical Batch : DA0	63163WAT			Reviewed O		
Instrument Used : DA- Analyzed Date : 08/10/		gropalr	n	Batch Date :	08/10/23	10:36:45
Dilution : N/A Reagent : 050923.04 Consumables : PS-14						

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/12/23

PASSED

Page 6 of 6