

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

Kaycha Labs

Type: Distillate

Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix: Derivative



Sample:DA30813001-004 Harvest/Lot ID: 6785 5719 1155 5395 Batch#: 6785 5719 1155 5395 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 5400 1222 1784 9482 Batch Date: 06/07/23 Sample Size Received: 15.5 gram Total Amount: 1781 units Retail Product Size: 0.5 gram Ordered: 08/12/23 Sampled: 08/12/23

Sampling Method: SOP.T.20.010

Pages 1 of 6

PASSED

Aug 17, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

421.28

0.001

%

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA063303POT

Reagent: 080823.R07; 061623.02; 081123.R03 Consumables: 947.109; 280670723; CE0123; R1KB14270

ma/unit

Analyzed by: 1665, 585, 4044

Dilution: 400

Full Spe

Instrument Used : DA-LC-007 Analyzed Date : 08/14/23 10:32:43

Pipette : DA-079; DA-108; DA-078

0.51

0.001

%

PRODUCT IMAGE SAFETY RESULTS MISC. ٦a Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED PASSED Cannabinoid Total CBD Total THC **Total Cannabinoids** 84.344% 0.285% 89.251% Total THC/Container : 421.72 mg Total Cannabinoids/Container : 446.26 Total CBD/Container : 1.43 mg mg THCA тнсу CBC D9-THC CBD CBDA D8-THC CRG CRGA CBN CRDV 84.256 0.101 0.285 ND 0.299 1.984 ND 0.859 0.603 ND 0.864 %

9.92

0.001

%

Extraction date: 08/14/23 10:32:37

1.50

0.001

%

ND

%

Reviewed On : 08/15/23 15:21:43 Batch Date : 08/13/23 21:32:22

0.001

4.30

0.001

%

3.02

0.001

%

ND

%

Extracted by:

1665

0.001

4.32

0.001

%

trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

1.43

0.001

%

ND

%

Weight: 0.1061g 0.001

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/17/23



Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30813001-004

 Harvest/Lot ID: 6785 5719 1155 5395

 Batch#: 6785 5719 1155
 Sample

 5395
 Total Ar

Sampled : 08/12/23 Ordered : 08/12/23 So 555595 Sample Size Received : 15.5 gram Total Amount : 1781 units Completed : 08/17/23 Expires: 08/17/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes	LO (%		: %	Result (%)		
OTAL TERPENES	0.007	15.15	3.029			FARNESENE	0.0	0.19	0.038			
OTAL TERPINEOL	0.007	0.22	0.043		- 1	ALPHA-HUMULENE	0.0	07 0.46	0.092			
LPHA-BISABOLOL	0.007	0.13	0.025		i i	VALENCENE	0.0	7 ND	ND			
LPHA-PINENE	0.007	0.96	0.191			CIS-NEROLIDOL	0.0	07 <0.10	< 0.020			
AMPHENE	0.007	0.13	0.025			TRANS-NEROLIDOL	0.0	7 ND	ND			
ABINENE	0.007	ND	ND		l i	CARYOPHYLLENE OXIDE	0.0	07 0.17	0.033			
ETA-PINENE	0.007	0.79	0.158			GUAIOL	0.0	7 ND	ND			
ETA-MYRCENE	0.007	1.12	0.224			CEDROL	0.0	17 ND	ND			
LPHA-PHELLANDRENE	0.007	ND	ND			Analyzed by: Weight:		Extraction dat	'e:		Extracted by:	
CARENE	0.007	ND	ND		i	2076, 585, 4044 1.0132	g	08/13/23 15:3			1879,2076	
LPHA-TERPINENE	0.007	ND	ND		i	Analysis Method : SOP.T.30.061A.FL, SOP.T.40.00	51A.FL					
MONENE	0.007	4.65	0.929			Analytical Batch : DA063268TER				8/15/23 15:21:44		
ICALYPTOL	0.007	< 0.10	< 0.020			Instrument Used : DA-GCMS-008 Analyzed Date : 08/14/23 15:12:09		Batc	h Date : 08/	13/23 08:57:09		
CIMENE	0.007	1.85	0.369			Dilution : 10						
AMMA-TERPINENE	0.007	ND	ND			Reagent : 121622.26						
ABINENE HYDRATE	0.007	ND	ND			Consumables : 210414634; MKCN9995; CE0123;	R1KB14270					
ERPINOLENE	0.007	0.16	0.031			Pipette : N/A						
ENCHONE	0.007	<0.20	< 0.040			Terpenoid testing is performed utilizing Gas Chromatog	raphy Mass S	pectrometry. For all	Flower samp	les, the Total Terpenes	% is dry-weight corrected.	
NALOOL	0.007	1.43	0.286									
ENCHYL ALCOHOL	0.007	0.83	0.166									
OPULEGOL	0.007	ND	ND		- 1							
AMPHOR	0.007	ND	ND									
OBORNEOL	0.007	ND	ND									
DRNEOL	0.013	<0.20	< 0.040									
EXAHYDROTHYMOL	0.007	ND	ND									
EROL	0.007	ND	ND									
JLEGONE	0.007	ND	ND									
ERANIOL	0.007	ND	ND									
ERANYL ACETATE	0.007	ND	ND									
LPHA-CEDRENE	0.007	ND	ND									
ETA-CARYOPHYLLENE	0.007	2.10	0.419									

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/17/23



Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30813001-004 Harvest/Lot ID: 6785 5719 1155 5395 Batch#: 6785 5719 1155 Sample 5395 Total Ar

Sampled : 08/12/23 Ordered : 08/12/23 Sample Size Received : 15.5 gram Total Amount : 1781 units Completed : 08/17/23 Expires: 08/17/24 Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL		0.010	maa	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET		0.010		0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010		3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND			0.010		0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRALLETHRIN						
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PROPOXUR		0.010	ppm	0.1	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYRIDABEN		0.010	ppm	0.2	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIROXAMINE		0.010	maa	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIACLOPRID		0.010		0.1	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND			0.010		0.5	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM					PASS	
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN		0.010		0.1		ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PARATHION-METHYL *		0.010		0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *		0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
DIAZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:		tion date:		Extracted	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	3379, 585, 4044	0.2433g		23 18:42:08		4056	by:
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.F				50P.T.40.101.F		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)	= (,/,				_ (,	
ETOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA063282PES				n:08/15/2314		
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (Batch Date :	08/13/23 12:1	.0:49	
FENOXYCARB	0.010		0.1	PASS	ND	Analyzed Date :08/14/23 13:27:3	4					
FENPYROXIMATE	0.010		0.1	PASS	ND	Dilution : 250 Reagent : 080723.R25; 040521.1	1 · 080723 801 · 08	0823 B01	· 080923 804-	072523 B14-	080923 B01	
FIPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW	2, 000725.1101, 00	0025.1101	, 000525.1104,	072525.1114,	000525.1101	
FLONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219						
FLUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is per		quid Chror	natography Trip	ole-Quadrupole	Mass Spectrom	netry in
HEXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-3	9.					
IMAZALIL	0.010		0.1	PASS	ND		Weight:		on date:		Extracted	by:
IMIDACLOPRID	0.010		0.4	PASS	ND		0.2433g		3 18:42:08		4056	
KRESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.F Analytical Batch : DA063283VOL	L (Gainesville), S		IA.FL (Davie), eviewed On :(
MALATHION	0.010		0.2	PASS	ND	Instrument Used : DA-GCMS-001			atch Date : 08			
METALAXYL	0.010		0.1	PASS	ND	Analyzed Date :08/14/23 13:35:4	6				-	
METHIOCARB	0.010		0.1	PASS	ND	Dilution: 250						
METHOMYL	0.010		0.1	PASS	ND	Reagent: 080723.R25; 040521.1		1123.R22				
MEVINPHOS	0.010		0.1	PASS	ND	Consumables : 326250IW; 14725						
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218						
NALED	0.010	ppm	0.25	PASS	ND	Testing for agricultural agents is per accordance with F.S. Rule 64ER20-3		as Chroma	tography Triple	-Quadrupole M	ass Spectromet	ry in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 08/17/23

PASSED

PASSED



Page 4 of 6

Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30813001-004

 Harvest/Lot ID: 6785 5719 1155
 5395

 Batch #: 6785 5719 1155
 Sample

 5395
 Total Ar

 Sampled: 08/12/23
 Complet

 Ordered: 08/12/23
 Sample

1155 5395 Sample Size Received : 15.5 gram Total Amount : 1781 units Completed : 08/17/23 Expires: 08/17/24 Sample Method : SOP.T.20.010

Ä

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result				
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND				
,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND				
2-PROPANOL	50.000	ppm	500	PASS	ND				
CETONE	75.000	ppm	750	PASS	ND				
CETONITRILE	6.000	ppm	60	PASS	ND				
ENZENE	0.100	ppm	1	PASS	ND				
UTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND				
HLOROFORM	0.200	ppm	2	PASS	ND				
ICHLOROMETHANE	12.500	ppm	125	PASS	ND				
THANOL	500.000	ppm	5000	PASS	<2500.000				
THYL ACETATE	40.000	ppm	400	PASS	ND				
HYL ETHER	50.000	ppm	500	PASS	ND				
THYLENE OXIDE	0.500	ppm	5	PASS	ND				
EPTANE	500.000	ppm	5000	PASS	ND				
ETHANOL	25.000	ppm	250	PASS	ND				
HEXANE	25.000	ppm	250	PASS	ND				
ENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND				
ROPANE	500.000	ppm	5000	PASS	ND				
OLUENE	15.000	ppm	150	PASS	ND				
OTAL XYLENES	15.000	ppm	150	PASS	ND				
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND				
nalyzed by: 50, 585, 4044	Weight: 0.0299g				xtracted by: 50				
nalysis Method : SOP.T.40.041.FL nalytical Batch : DA063295SOL istrument Used : DA-GCMS-003 nalyzed Date : 08/15/23 11:57:55		Reviewed On : 08/15/23 12:39:58 Batch Date : 08/13/23 13:59:06							
Dilution : 1									

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/17/23

PASSED

PASSED



Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30813001-004 Harvest/Lot ID: 6785 5719 1155 5395 Batch#: 6785 5719 1155 Sample 5395 Total Ar

Sampled : 08/12/23 Ordered : 08/12/23 Sample Size Received : 15.5 gram Total Amount : 1781 units Completed : 08/17/23 Expires: 08/17/24 Sample Method : SOP.T.20.010

Page 5 of 6

Ċ,	Micro	bial				PAS	SED	လို့	Μ	ycotoxi	ns			PAS	SED
Analyte		L	OD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA	A SPECIFIC GEN	E			Not Present	PASS		AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA				Not Present	PASS		AFLATOXIN	B1		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FLAVUS				Not Present	PASS		OCHRATOXI	A		0.002	ppm	ND	PASS	0.02
ASPERGILLU	S FUMIGATUS				Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S TERREUS				Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
ASPERGILLUS	S NIGER				Not Present	PASS		Analyzed by:		Weight:	Extraction da	ter		Extracted	Lbv
TOTAL YEAS	T AND MOLD		10	CFU/g	<10	PASS	100000	3379, 585, 40 ⁴	4	0.2433g	08/13/23 18:			4056	i by.
Analyzed by: Weight: Extraction date: Extracted by: \$963, 3336, 585, 4044 1.131g 08/13/23 11:01:50 3963,3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 08/15/23 15:20:40 15:20:40							0		FL (Davi :h : DA0 ed : N/A		L (Davie) Review	ved On : 0	. (Gainesv 18/15/23 1 /13/23 12:	2:07:38	
0A-049,Fisher analyzed Date Dilution : N/A	123.R21; 071823	p Heat Blo	ck DA-	021		2		080923.R01 Consumables Pipette : DA-0	326250 93; DA-0	094; DA-219 ing Liquid Chromatog					
Analyzed by: 390, 3336, 58	5, 4044	Weight: 1.131g		traction da 8/13/23 11:		Extracted 3963,339		Hg	He	eavy Me	etals			PAS	SED
Analytical Batc	od : SOP.T.40.208 :h : DA063292TYM ed : Incubator (25 : 08/14/23 16:56	M 6-27C) DA-0		Revi	9.FL ewed On : 08/1 h Date : 08/13/2			Metal			LOD	Units	Result	Fail	Action Level
ilution: 10										NT LOAD METALS		ppm	ND	PASS PASS	1.1
eagent : 0811	123.R21; 080323	.R04						ARSENIC CADMIUM			0.020	ppm	ND ND	PASS	0.2 0.2
onsumables :	N/A							MERCURY			0.020	ppm ppm	ND	PASS	0.2
ipette : N/A								LEAD			0.020	ppm	ND	PASS	0.2
	mold testing is perf F.S. Rule 64ER20-3		ing MPN	N and traditi	onal culture base	d technique:	s in	Analyzed by: 1022, 585, 404	4	Weight: 0.2986g	Extraction da 08/14/23 14:	te:		Extracted	
								Analysis Metho Analytical Bato Instrument Us Analyzed Date	:h : DA0 ed : DA-	ICPMS-003	Reviewe		/17/23 09: 3/23 09:00		
								072523.R11; (80823.0 179436	; 072023.R11; 081 01; 072523.R10 5; 210508058; 126: L91; DA-216			081123.R1	5; 08112	3.R13;

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/17/23



Supreme Diesel Cartridge Concentrate 0.5g Supreme Diesel Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Eilth/Eoroign

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30813001-004

 Harvest/Lot ID: 6785 5719 1155 5395

 Batch#: 6785 5719 1155
 Sample

 5395
 Total Ar

 Batch#:
 6785
 5719
 1155
 Sample
 S

 5395
 Total Am
 Total Am
 Complete

 Sampled:
 08/12/23
 Complete
 Sample I

DACCED

Sample Size Received :15.5 gram Total Amount : 1781 units Completed : 08/17/23 Expires: 08/17/24 Sample Method : SOP.T.20.010

	Material				PA	33ED
Analyte Filth and Fore	ign Material	LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 4044	Weight: NA	Ex N/	traction c A	late:	Extra N/A	cted by:
		ial Micro	scope			5/23 12:05:46 23 11:19:43
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Analyte Water Activity		LOD 0.010	Units aw	Result 0.534	P/F PASS	Action Level 0.85	
Analyzed by: 3619, 585, 4044	Weight: 0.444g		traction 6 /14/23 13		Ex 36	tracted by: 19	
Analysis Method : SOP.T.4 Analytical Batch : DA0632 Instrument Used : DA-028 Analyzed Date : 08/14/23	259WAT 8 Rotronic Hy	Reviewed On : 08/14/23 14:34:15 Batch Date : 08/12/23 15:53:54					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/17/23

PASSED

Page 6 of 6