



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30817008-001

Harvest/Lot ID: HYB-SW-081123-C0103

Batch#: 0009 6833 2784 5285

Cultivation Facility: Zolfo Springs Cultivation

Processing Facility: Zolfo Springs

Processing

Source Facility: Zolfo Springs Cultivation

Seed to Sale# 3219 5209 0352 6779

Batch Date: 07/14/23

Sample Size Received: 31.5 gram

Total Amount: 1325 units

Retail Product Size: 3.5 gram

Ordered: 08/16/23

Sampled: 08/16/23

Completed: 08/19/23

Sampling Method: SOP.T.20.010

Aug 19, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 5


PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
NOT TESTED



Filtration
PASSED



Water Activity
PASSED



Moisture
PASSED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

21.175%

Dry Weight



Total CBD

0.049%

Dry Weight



Total Cannabinoids

24.542%

Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.428	20.423	ND	0.05	0.015	0.074	0.171	0.018	ND	ND	0.075
mg/unit	14.98	714.805	ND	1.75	0.525	2.59	5.985	0.63	ND	ND	2.625
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%											

Total THC
18.338%
641.83 mg /Container

Total CBD
0.043%
1.505 mg /Container

Total Cannabinoids
21.254%
743.89 mg /Container

As Received

Analyzed by:
1665, 585, 1440

Weight:
0.1953g

Extraction date:
08/17/23 13:27:52

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA063401POT

Instrument Used : DA-LC-002

Analyzed Date : 08/17/23 13:55:03

Reviewed On : 08/18/23 15:38:34

Batch Date : 08/17/23 09:43:02

Dilution : 400

Reagent : 060723.24

Consumables : 947.109; 2209282; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1K814270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/19/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
FTH-Swiss Watch WF 3.5g (1/8oz)
FTH-Swiss Watch
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30817008-001

Harvest/Lot ID: HYB-SW-081123-C0103

Batch# : 0009 6833 2784
5285

Sampled : 08/16/23

Ordered : 08/16/23

Sample Size Received : 31.5 gram

Total Amount : 1325 units

Completed : 08/19/23 Expires: 08/19/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	60.97	1.742		FARNESENE	0.001	2.17	0.062				
TOTAL TERPINEOL	0.007	1.33	0.038		ALPHA-HUMULENE	0.007	3.01	0.086				
ALPHA-BISABOLOL	0.007	1.26	0.036		VALENCENE	0.007	ND	ND				
ALPHA-PINENE	0.007	1.51	0.043		CIS-NEROLIDOL	0.007	<0.70	<0.020				
CAMPHENE	0.007	<0.70	<0.020		TRANS-NEROLIDOL	0.007	<0.70	<0.020				
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.88	0.025				
BETA-PINENE	0.007	2.31	0.066		GUAIOL	0.007	ND	ND				
BETA-MYRCENE	0.007	5.78	0.165		CEDROL	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND		Analized by:	2076, 585, 1440	Weight:	1.0182g	Extraction date:	08/17/23 16:16:11	Extracted by:	2076
3-CARENE	0.007	ND	ND		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL				Reviewed On :	08/19/23 17:57:57	
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch :	DA063402TER				Batch Date :	08/17/23 09:56:28	
LIMONENE	0.007	10.96	0.313		Instrument Used :	DA-GCMS-008						
EUCALYPTOL	0.007	ND	ND		Analyzed Date :	08/17/23 17:24:35						
OCIMENE	0.007	ND	ND		Dilution :	10						
GAMMA-TERPINENE	0.007	ND	ND		Reagent :	121622.26						
SABINENE HYDRATE	0.007	ND	ND		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
TERPINOLENE	0.007	ND	ND		Pipette :	N/A						
FENCHONE	0.007	<1.40	<0.040		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
LINALOOL	0.007	9.59	0.274									
FENCHYL ALCOHOL	0.007	2.00	0.057									
ISOPULEGOL	0.007	<0.70	<0.020									
CAMPHOR	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
BORNEOL	0.013	ND	ND									
HEXAHYDROTHYMOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
ALPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	12.04	0.344									
Total (%)				1.742								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
08/19/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Swiss Watch WF 3.5g (1/8oz)
FTH-Swiss Watch
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30817008-001

Harvest/Lot ID: HYB-SW-081123-C0103

Batch# : 0009 6833 2784

5285

Sampled : 08/16/23

Ordered : 08/16/23

Sample Size Received : 31.5 gram

Total Amount : 1325 units

Completed : 08/19/23 Expires: 08/19/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.8895g	Extraction date: 08/17/23 15:19:08	Extracted by: 4056		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA063420PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)			Reviewed On : 08/19/23 17:43:13		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/17/23 17:04:50			Batch Date : 08/17/23 12:39:44		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Reagent : 081423.R20; 081423.R21; 081523.R04; 081723.R03; 072523.R14; 081723.R01; 040521.11					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)	Weight: 0.8895g	Extraction date: 08/17/23 15:19:08	Extracted by: 4056		
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analysis Batch : DA063422VOL			Reviewed On : 08/18/23 12:54:25		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001			Batch Date : 08/17/23 12:41:05		
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Date : 08/17/23 17:38:03					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Reagent : 081523.R04; 040521.11; 080723.R26; 080723.R27					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
MALATHION	0.010	ppm	0.2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
08/19/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30817008-001

Harvest/Lot ID: HYB-SW-081123-C0103

 Batch# : 0009 6833 2784
 5285

 Sampled : 08/16/23
 Ordered : 08/16/23



Sample Size Received : 31.5 gram

Total Amount : 1325 units

Completed : 08/19/23 Expires: 08/19/24

Sample Method : SOP.T.20.010

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.8895g	Extraction date: 08/17/23 15:19:08	Extracted by: 4056		
Analyzed by: 3621, 3336, 585, 1440 Weight: 1.1432g Extraction date: 08/17/23 12:09:54 Extracted by: 3621						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Analytical Batch : DA063421MYC Reviewed On : 08/19/23 17:41:55					
Analytical Batch : DA063398MIC						Instrument Used : N/A Batch Date : 08/17/23 12:41:03					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : 08/17/23 17:04:39					
Analyzed Date : 08/17/23 16:23:31						Dilution : 250					
Dilution : N/A						Reagent : 081423.R20; 081423.R21; 081523.R04; 081723.R03; 072523.R14; 081723.R01; 040521.11					
Reagent : 081123.R23; 071823.R01; 071023.03; 092122.09						Consumables : 326250IW					
Consumables : 7565002028						Pipette : DA-093; DA-094; DA-219					
Pipette : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 1440 Weight: 1.1432g Extraction date: 08/17/23 12:09:54 Extracted by: 3621,3336						<div><div><div>Hg</div></div></div> Heavy Metals PASSED					
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL						Metal					
Analytical Batch : DA063416TYM Reviewed On : 08/19/23 18:12:59						TOTAL CONTAMINANT LOAD METALS					
Instrument Used : Incubator (25-27C) DA-097 Batch Date : 08/17/23 12:10:02						ARSENIC					
Analyzed Date : 08/17/23 16:01:31						CADMIUM					
Dilution : 10						MERCURY					
Reagent : 081123.R23; 080323.R04						LEAD					
Consumables : N/A						Analyzed by: 1022, 585, 1440 Weight: 0.2193g Extraction date: 08/17/23 12:06:14 Extracted by: 3807,1022					
Pipette : N/A						Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						Analytical Batch : DA063411HEA Reviewed On : 08/19/23 14:49:23					
						Instrument Used : DA-ICPMS-003 Batch Date : 08/17/23 11:15:49					
						Analyzed Date : 08/18/23 15:27:03					
						Dilution : 50					
						Reagent : 071923.R45; 072023.R11; 081123.R14; 081023.R02; 081123.R15; 081123.R13; 072523.R11; 080823.01; 072523.R10					
						Consumables : 179436; 2209282; 210508058					
						Pipette : DA-061; DA-191; DA-216					
						Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
FTH-Swiss Watch WF 3.5g (1/8oz)
FTH-Swiss Watch
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30817008-001

Harvest/Lot ID: HYB-SW-081123-C0103

Batch# : 0009 6833 2784
5285

Sampled : 08/16/23
Ordered : 08/16/23

Sample Size Received : 31.5 gram

Total Amount : 1325 units

Completed : 08/19/23 Expires: 08/19/24

Sample Method : SOP.T.20.010

Page 5 of 5



**Filth/Foreign
Material**

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	13.40	PASS	15
Analized by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analized by: 1879, 1440	Weight: 0.5g	Extraction date: 08/18/23 07:37:58	Extracted by: 1879		
Analysis Method : SOP.T.40.090 Analytical Batch : DA063438FIL Instrument Used : Filth/Foreign Material Microscope Analized Date : 08/17/23 22:45:43						Analysis Method : SOP.T.40.021 Analytical Batch : DA063437MOI Instrument Used : DA-003 Moisture Analyzer Analized Date : 08/17/23 23:21:02					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.568	PASS	0.65
Analized by: 1879, 1440	Weight: 1.1876g	Extraction date: 08/17/23 16:46:34	Extracted by: 1879		
Analysis Method : SOP.T.40.019 Analytical Batch : DA063436WAT Instrument Used : DA-028 Rotronic HygroPalm Analized Date : 08/17/23 15:36:10					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
08/19/23