

Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%) Miami Vibes

Matrix: Derivative Type: Distillate



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample:DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758 9825

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 9440 6717 8354 0544

Batch Date: 08/09/23

Sample Size Received: 16 gram Total Amount: 1940 units Retail Product Size: 1 gram

Ordered: 08/21/23 Sampled: 08/21/23

Completed: 08/24/23

Sampling Method: SOP.T.20.010

Aug 24, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

MISC.

PASSED



PRODUCT IMAGE



SAFETY RESULTS



















Pesticides

Heavy Metals

Microbials

Mycotoxins PASSED

Residuals Solvents PASSED

Filth

Water Activity

Moisture

Terpenes TESTED

PASSED



Cannabinoid

Total THC

93.211% Total THC/Container: 932.11 mg



Total CBD 0.236%

Total CBD/Container: 2.36 mg

Reviewed On: 08/23/23 10:11:03 Batch Date: 08/22/23 08:41:47



Total Cannabinoids 98.406%

Total Cannabinoids/Container: 984.06 mg

	1										
%	рэ-тнс 93.076	THCA 0.155	CBD 0.236	CBDA ND	D8-ТНС 0.146	св с 2.369	CBGA ND	сви 0.784	тнсv 0.563	CBDV ND	свс 1.077
mg/unit	930.76	1.55	2.36	ND	1.46	23.69	ND	7.84	5.63	ND	10.77
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%
Analyzed by: 3335, 1665, 585				Extracted by: 3335							

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA063555POT Instrument Used : DA-LC-007 Analyzed Date: 08/22/23 13:08:00

Reagent: 081823.R05; 060723.24; 081823.R02

Consumables: 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/24/23



Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758

Sampled: 08/21/23 Ordered: 08/21/23

Sample Size Received: 16 gram Total Amount: 1940 units

Completed: 08/24/23 Expires: 08/24/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED



1.415

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/24/23



Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758

9825 Sampled: 08/21/23 Ordered: 08/21/23 Sample Size Received: 16 gram
Total Amount: 1940 units
Completed: 08/24/23 Expires: 08/24/24
Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide		LOD	Units	Action Level	Pass/Fail	Resu
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL		0.010	ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET		0.010	ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0.010	ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		0.010		0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND ND	PROPOXUR		0.010		0.1	PASS	ND
EPHATE	0.010		0.1	PASS PASS	ND	PYRIDABEN		0.010		0.2	PASS	ND
EQUINOCYL	0.010			PASS	ND					0.1	PASS	ND
ETAMIPRID	0.010 0.010		0.1	PASS	ND	SPIROMESIFEN		0.010	1.1.			
DICARB			0.1	PASS	ND ND	SPIROTETRAMAT		0.010		0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND ND	SPIROXAMINE		0.010		0.1	PASS	ND
ENAZATE	0.010 0.010		0.1	PASS	ND ND	TEBUCONAZOLE		0.010		0.1	PASS	ND
ENTHRIN SCALID	0.010		0.1	PASS	ND ND	THIACLOPRID		0.010	ppm	0.1	PASS	ND
RBARYL	0.010		0.1	PASS	ND	THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
RBOFURAN	0.010		0.3	PASS	ND	TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PC	NB) *	0.010	PPM	0.15	PASS	ND
LORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		0.070	PPM	0.7	PASS	ND
DEENTEZINE	0.010		0.2	PASS	ND	CHLORDANE *		0.010		0.1	PASS	ND
UMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *		0.010		0.1	PASS	ND
MINOZIDE	0.010		0.1	PASS	ND			0.050		0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYFLUTHRIN *						
HLORVOS	0.010		0.1	PASS	ND	CYPERMETHRIN *		0.050		0.5	PASS	ND
METHOATE	0.010		0.1	PASS	ND				on date:		Extracted b	y:
HOPROPHOS	0.010		0.1	PASS	ND				16:59:02		450,3379	
DENPROX	0.010		0.1	PASS	ND	Analysis Method: SOP.T.30.101.FL (SOP.T.40.102.FL (Davie)	Gainesville), SOP. I	.30.102	2.FL (Davie),	SOP.1.40.101	.FL (Gainesville),
DXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA063574PES			Reviewed (On:08/23/23	18-08-29	
HEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PE	S)			:08/22/23 10		
IOXYCARB	0.010		0.1	PASS	ND	Analyzed Date : N/A						
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250						
RONIL	0.010		0.1	PASS	ND	Reagent: 081823.R07; 082023.R01;	081523.R04; 0817	723.R03	3; 072523.R	14; 081723.R0	1; 040521.11	
DNICAMID	0.010		0.1	PASS	ND	Consumables : 326250IW Pipette : DA-093: DA-094: DA-219						
JDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfor	med utilizina Liauid	Chrom	atography Ti	inle-Ouadruno	le Mass Spectron	netry in
XYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.	ca dellizing Elquid	CHIVIII	acograpity II	.p.c-Quaurupo	ic mass spectron	incury III
AZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extr	action date		Extracted	by:
DACLOPRID	0.010	ppm	0.4	PASS	ND	450, 1665, 1440, 585	0.2834g	08/2	2/23 16:59:0)2	450,3379	
ESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T					
LATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA063576VOL				08/23/23 15:0		
TALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001 Analyzed Date : 08/22/23 17:09:36		Вa	tcn Date:0	8/22/23 10:44	:40	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250						
THOMYL	0.010	ppm	0.1	PASS	ND	Reagent: 081523.R04; 040521.11; ()80723.R26: 08072	3.R27				
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401		/				
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218						
ALED	0.010	nnm	0.25	PASS	ND	Testing for agricultural agents is perfor	mad utilizing Cas C	hromat	ography Trip	la Auadrupala	Mass Constromo	tn/ in



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 08/24/23



Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758

Sampled: 08/21/23 Ordered: 08/21/23

Sample Size Received: 16 gram Total Amount: 1940 units

Completed: 08/24/23 Expires: 08/24/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

л		_	п
н	Э	Е.	ш
-	_	_	_

Analyzed by:	Weight:	Extraction date:		Ex	tracted by:
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
Solvents	LOD	Units	Action Level	Pass/Fail	Result

850, 585, 1440 0.02g 08/23/23 11:31:52

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063599SOL Instrument Used: DA-GCMS-002 Analyzed Date: 08/23/23 11:46:44

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Reviewed On: 08/23/23 17:45:23 Batch Date: 08/22/23 15:10:13

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-

Lab Director



Signature Testing 97164 08/24/23



Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%)

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758

Sampled: 08/21/23 Ordered: 08/21/23

Sample Size Received: 16 gram Total Amount: 1940 units Completed: 08/24/23 Expires: 08/24/24 Sample Method: SOP.T.20.010

Page 5 of 6

Reviewed On: 08/23/23 18:02:19

Batch Date: 08/22/23 10:44:37



Microbial

PASSED

Fxtracted by:



Instrument Used: N/A

Analyzed Date : N/A

Dilution: 250

040521.11

Mycotoxins

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA063575MYC

PASSED

Action

Level

0.02

0.02

0.02

0.02

0.02

Pass /

Fail

PASS

PASS

PASS

PASS

PASS

450,3379

Extracted by:

Analyte	LOD) Units	Result	Pass / Fail	Action Level	Analyte		LOD	Units	Result	Pas Fai
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2		0.002	ppm	ND	PAS
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1		0.002	ppm	ND	PAS
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A		0.002	ppm	ND	PAS
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1		0.002	ppm	ND	PAS
SALMONELLA SPECIFIC GENI	E		Not Present	PASS		AFLATOXIN G2		0.002	ppm	ND	PAS
ECOLI SHIGELLA			Not Present	PASS		Analyzed by:	Weight:	Extraction dat	e:	F	xtrac
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379, 585, 1440	0.2834g	08/22/23 16:5			50,33
Analyzed by:	Weight:	Extraction	date:	Extracte	d by:	Analysis Method : SOF	P.T.30.101.FL (Ga	inesville), SOP.T.	40.101.FL	. (Gainesvi	lle),

3390, 3621, 585, 1440 0.997g 08/22/23 11:40:11 3336

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch: DA063561MIC

Reviewed On: 08/23/23 18:16:47

Instrument Used: PathogenDx Scanner DA-111.Applied Batch Date: 08/22/23

Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block 09:05:30 DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific

Isotemp Heat Block DA-021

Analyzed Date: 08/22/23 14:06:37

Dilution: N/A

Reagent: 081123.R27; 080923.R15; 071023.03; 092122.09

Consumables: 7565002020 Pipette: N/A

Pipette : DA-093; DA-094; DA-219									
	ting utilizing Liquid Chromatography with Triple-Quadro th F.S. Rule 64ER20-39.	upole Mass Spectrometry in							
Hg	Heavy Metals	PASSED							

Reagent: 081823.R07; 082023.R01; 081523.R04; 081723.R03; 072523.R14; 081723.R01;

Analyzed by: 3390, 3336, 585, 1440	Weight: 0.997g	Extraction date: 08/22/23 11:40:11	Extracted by: 3336,3390
Analysis Method: SOP.T.40.208	(Gainesville)	, SOP.T.40.209.FL	
Analytical Batch: DA063592TYM	VI	Reviewed On: 08	/24/23 13:39:04
Instrument Used : Incubator (25	5-27C) DA-090	Batch Date: 08/2	2/23 12:04:58
Analyzed Date: 08/22/23 14:04	.53		

Dilution: 10 Reagent: 081123.R27; 081523.R08

Consumables : N/A

Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT	LOAD METAL	.s 0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2249g	Extraction da 08/22/23 14:4		Extracted by: 1022,3807		

Batch Date: 08/22/23 10:21:44

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL Reviewed On: 08/24/23 11:38:00

Analytical Batch: DA063570HEA Instrument Used : DA-ICPMS-003

Analyzed Date: 08/22/23 18:42:35

Dilution: 50

Reagent: 071923.R45; 081823.R22; 081823.R19; 081823.R20; 081823.R21; 072523.R11; 080823.01; 072523.R10

Consumables: 179436; 2209282; 210508058

Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 08/24/23



Kaycha Labs

Miami Vibes Cartridge Concentrate1g (90%)

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30822002-007 Harvest/Lot ID: 8834 4144 0758 9825

Batch#: 8834 4144 0758

Sampled: 08/21/23 Ordered: 08/21/23

Sample Size Received: 16 gram Total Amount: 1940 units Completed: 08/24/23 Expires: 08/24/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS 1

Analyzed by: 1879, 1440 NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA063626FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 08/23/23 18:13:48 Batch Date: 08/23/23 10:23:58 Analyzed Date: 08/23/23 10:28:14

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Analyte	1	LOD Units	Result	P/F	Action Level
Water Activity	(0.010 aw	0.433	PASS	0.85
Analyzed by: 3619 585 1440	Weight:	Extraction of			tracted by:

Analysis Method : SOP.T.40.019 Analytical Batch: DA063590WAT

Reviewed On: 08/22/23 16:13:33 Instrument Used : DA-028 Rotronic Hygropalm Batch Date: 08/22/23 11:48:35

Analyzed Date: 08/22/23 15:27:10

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-



08/24/23

are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Testing 97164