



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Sample: DA30822002-005  
Harvest/Lot ID: 1131 1533 5772 9916  
Batch#: 1131 1533 5772 9916  
Cultivation Facility: Tampa Cultivation  
Processing Facility : Tampa Processing  
Source Facility : Tampa Cultivation  
Seed to Sale# 3432 7358 6235 3651  
Batch Date: 08/21/23  
Sample Size Received: 31.5 gram  
Total Amount: 1517 units  
Retail Product Size: 3.5 gram  
Ordered: 08/21/23  
Sampled: 08/21/23  
Completed: 08/25/23  
Sampling Method: SOP.T.20.010

Aug 25, 2023 | FLUENT

82 NE 26th street  
Miami, FL, 33137, US



**PASSED**

Pages 1 of 5

### PRODUCT IMAGE



### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**NOT TESTED**



Filtration  
**PASSED**



Water Activity  
**PASSED**



Moisture  
**PASSED**



Terpenes  
**TESTED**

### MISC.



### Cannabinoid

**PASSED**



Total THC  
**29.764%**  
Dry Weight



Total CBD  
**0.072%**  
Dry Weight



Total Cannabinoids  
**35.322%**  
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.426	28.583	ND	0.071	0.018	0.104	0.988	0.014	ND	ND	0.05
mg/unit	14.91	1000.405	ND	2.485	0.63	3.64	34.58	0.49	ND	ND	1.75
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC  
**25.493%**  
892.255 mg /Container

Total CBD  
**0.062%**  
2.17 mg /Container

Total Cannabinoids  
**30.254%**  
1058.89 mg /Container

As Received

Analyzed by:  
1665, 585, 1440

Weight:  
0.1851g

Extraction date:  
08/22/23 12:47:43

Extracted by:  
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA063563POT

Instrument Used : DA-LC-002

Analyzed Date : 08/22/23 12:50:18

Reviewed On : 08/23/23 10:09:41

Batch Date : 08/22/23 09:24:51

Dilution : 400

Reagent : 081823.R06; 061623.02; 081823.R03

Consumables : 947.109; 280670723; CE0123; R1KB45277

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
08/25/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cheetah Piss WF 3.5g (1/8 oz)  
Cheetah Piss WF 3.5g (1/8 oz)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30822002-005

Harvest/Lot ID: 1131 1533 5772 9916

Batch# : 1131 1533 5772  
9916

Sample Size Received : 31.5 gram  
Total Amount : 1517 units  
Completed : 08/25/23 Expires: 08/25/24  
Sample Method : SOP.T.20.010

Sample Size Received : 31.5 gram

Total Amount : 1517 units

Completed : 08/25/23 Expires: 08/25/24

Sample Method : SOP.T.20.010

Page 2 of 5



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	99.44	2.841		FARNESENE	0.001	1.75	0.050	
TOTAL TERPINEOL	0.007	0.74	0.021		ALPHA-HUMULENE	0.007	7.67	0.219	
ALPHA-BISABOLOL	0.007	0.95	0.027		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	<0.70	<0.020		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020	
BETA-PINENE	0.007	1.23	0.035		GUAIOL	0.007	<0.70	<0.020	
BETA-MYRCENE	0.007	35.18	1.005		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	9.63	0.275						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	ND	ND						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	3.78	0.108						
FENCHYL ALCOHOL	0.007	0.70	0.020						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	23.59	0.674						
Total (%)			2.841						

Analyzed by: 2076, 585, 1440 Weight: 0.8188g Extraction date: 08/22/23 17:39:32 Extracted by: 2076  
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL  
Analytical Batch : DA063566TER Reviewed On : 08/25/23 09:53:39  
Instrument Used : DA-GCMS-009 Batch Date : 08/22/23 10:00:09  
Analyzed Date : 08/24/23 10:25:40  
Dilution : 10  
Reagent : 012522.07  
Consumables : 210414634; MKCN9995; CE0123; R1KB14270  
Pipette : N/A  
Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature

08/25/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cheetah Piss WF 3.5g (1/8 oz)

Cheetah Piss WF 3.5g (1/8 oz)

Matrix : Flower

Type: Flower-Cured



# Certificate of Analysis

**PASSED**

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30822002-005

Harvest/Lot ID: 1131 1533 5772 9916

Batch# : 1131 1533 5772  
9916

Sampled : 08/21/23  
Ordered : 08/21/23

Sample Size Received : 31.5 gram

Total Amount : 1517 units

Completed : 08/25/23 Expires: 08/25/24

Sample Method : SOP.T.20.010

Page 3 of 5



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.9331g	Extraction date: 08/22/23 17:05:04	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063580PES		Reviewed On : 08/24/23 11:35:18			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/22/23 10:47:58			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 081823.R07; 082023.R01; 081523.R04; 081723.R03; 072523.R14; 081723.R01; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.9331g	Extraction date: 08/22/23 17:05:04	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063582VOL		Reviewed On : 08/24/23 11:34:38			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/22/23 10:50:20			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 08/22/23 17:13:26					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 081523.R04; 040521.11; 080723.R26; 080723.R27					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PjLA-  
Testing 97164

Signature  
08/25/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30822002-005

Harvest/Lot ID: 1131 1533 5772 9916

 Batch# : 1131 1533 5772  
 9916

 Sampled : 08/21/23  
 Ordered : 08/21/23

Sample Size Received : 31.5 gram

Total Amount : 1517 units

Completed : 08/25/23 Expires: 08/25/24

Sample Method : SOP.T.20.010

Page 4 of 5

	<b>Microbial</b>	<b>PASSED</b>		<b>Mycotoxins</b>	<b>PASSED</b>
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by:	3379, 585, 1440	Weight:	0.9331g	Extraction date:	08/22/23 17:05:04
Analyzed by:	3390, 3621, 585, 1440	Weight:	1.1138g	Extraction date:	08/22/23 11:40:11	Extracted by:	3336	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)	Reviewed On :	08/23/23 17:46:26
Analysis Method :	SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL	Analytical Batch :	DA063561MIC	Reviewed On :	08/23/23 18:16:44	Batch Date :	08/22/23	Instrument Used :	N/A	Analyzed Date :	N/A
Instrument Used :	PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021	Analyzed Date :	08/22/23 14:06:37					Dilution :	250	Reagent :	081823.R07; 082023.R01; 081523.R04; 081723.R03; 072523.R14; 081723.R01; 040521.11
Dilution :	N/A	Reagent :	081123.R27; 080923.R15; 071023.03; 092122.09	Consumables :	7565002020	Pipette :	N/A	Consumables :	326250IW	Pipette :	DA-093; DA-094; DA-219

 Dilution : N/A  
 Reagent : 081123.R27; 080923.R15; 071023.03; 092122.09  
 Consumables : 7565002020  
 Pipette : N/A

 Analyzed by: 3390, 3336, 585, 1440  
 Weight: 1.1138g  
 Extraction date: 08/22/23 11:40:11  
 Extracted by: 3336, 3390

 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL  
 Analytical Batch : DA063592TYM  
 Instrument Used : Incubator (25-27C) DA-096  
 Analyzed Date : 08/22/23 14:04:53  
 Reviewed On : 08/24/23 13:38:58  
 Batch Date : 08/22/23 12:04:58

 Dilution : 10  
 Reagent : 081123.R27; 081523.R08  
 Consumables : N/A  
 Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.



## Heavy Metals

**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5

 Analyzed by: 1022, 585, 1440  
 Weight: 0.2282g  
 Extraction date: 08/22/23 13:30:19  
 Extracted by: 1022

 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL  
 Analytical Batch : DA063568HEA  
 Instrument Used : DA-ICPMS-003  
 Analyzed Date : 08/22/23 18:42:57  
 Reviewed On : 08/24/23 11:36:38  
 Batch Date : 08/22/23 10:11:20

 Dilution : 50  
 Reagent : 081823.R22; 081823.R19; 081823.R20; 081823.R21; 072523.R11; 080823.01; 072523.R10  
 Consumables : 179436; 2209282; 210508058  
 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Cheetah Piss WF 3.5g (1/8 oz)  
Cheetah Piss WF 3.5g (1/8 oz)  
Matrix : Flower  
Type: Flower-Cured



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30822002-005

Harvest/Lot ID: 1131 1533 5772 9916

Batch# : 1131 1533 5772  
9916

Sampled : 08/21/23  
Ordered : 08/21/23

Sample Size Received : 31.5 gram

Total Amount : 1517 units

Completed : 08/25/23 Expires: 08/25/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign  
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	14.35	PASS	15
Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3619, 585, 1440	Weight: 0.477g	Extraction date: 08/22/23 15:03:35	Extracted by: 3619		
Analysis Method : SOP.T.40.090 Analytical Batch : DA063626FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 08/23/23 10:28:14						Analysis Method : SOP.T.40.021 Analytical Batch : DA063588MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 08/22/23 15:05:27					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.536	PASS	0.65
Analyzed by: 3619, 585, 1440	Weight: 0.525g	Extraction date: 08/22/23 15:39:10	Extracted by: 3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA063589WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 08/22/23 15:41:24					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
08/25/23