

COMPLIANCE FOR RETAIL

Kaycha Labs

Sour Diesel Cartridge 1g 90%

Sour Diesel

Matrix: Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)

Sample: DA30827001-003

Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469 3642

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

Source Facility: Tampa Cultivation Seed to Sale# 8856 7318 0800 9858

Batch Date: 06/23/23

Sample Size Received: 50 gram Total Amount: 1924 units

> Retail Product Size: 1 gram Ordered: 08/26/23 Sampled: 08/26/23

Completed: 08/30/23

Sampling Method: SOP.T.20.010

PASSED

Aug 30, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS



Pesticides



Certificate of Analysis

Heavy Metals



Microbials



Mycotoxins PASSED



Residuals Solvents PASSED



Filth PASSED



Water Activity



Moisture



MISC.

Terpenes TESTED

PASSED



Cannabinoid

Total THC

87.450% Total THC/Container: 874.50 mg



Total CBD 0.201%

Total CBD/Container: 2.01 mg

Reviewed On: 08/29/23 13:07:47 Batch Date: 08/28/23 07:00:43



Total Cannabinoids

Total Cannabinoids/Container: 916.56 mg



Analysis Method: SOP.T.40.031, SOP.T.30.031
Analytical Batch: DA063786POT

Instrument Used: DA-LC-007 Analyzed Date: 08/28/23 11:47:20

Reagent: 081523.R02; 060723.24; 081723.R05

Consumables: 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha

Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164





Kaycha Labs

Sour Diesel Cartridge 1g 90%

Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

ELLIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30827001-003 Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469 3642

Sampled: 08/26/23 Ordered: 08/26/23 Sample Size Received : 50 gram
Total Amount : 1924 units

Completed: 08/30/23 Expires: 08/30/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	23.80	2.380			FARNESENE		0.001	0.18	0.018	
OTAL TERPINEOL	0.007	< 0.20	< 0.020			ALPHA-HUMULENE		0.007	0.76	0.076	
LPHA-BISABOLOL	0.007	< 0.20	< 0.020			VALENCENE		0.007	ND	ND	
ALPHA-PINENE	0.007	0.83	0.083			CIS-NEROLIDOL		0.007	ND	ND	
AMPHENE	0.007	< 0.20	< 0.020			TRANS-NEROLIDOL		0.007	ND	ND	
SABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE		0.007	ND	ND	
BETA-PINENE	0.007	1.04	0.104			GUAIOL		0.007	ND	ND	
ETA-MYRCENE	0.007	7.97	0.797			CEDROL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND			Analyzed by:	Weight:		xtraction date		Extracted by:
-CARENE	0.007	ND	ND			2076, 585, 4044	1.0699g	0	8/27/23 16:08	8:48	1879,2076
LPHA-TERPINENE	0.007	ND	ND		ĺ	Analysis Method : SOP.T.30.061A.FL, SOP	P.T.40.061A.FL				
IMONENE	0.007	8.47	0.847			Analytical Batch : DA063742TER Instrument Used : DA-GCMS-009					/29/23 18:26:09 6/23 11:56:32
UCALYPTOL	0.007	ND	ND			Analyzed Date : N/A			Daten	Date: 00/2	0/23 11.30.32
CIMENE	0.007	< 0.20	< 0.020		ĺ	Dilution: 10					
AMMA-TERPINENE	0.007	ND	ND		ĺ	Reagent: 121622.26					
ABINENE HYDRATE	0.007	ND	ND			Consumables: 210414634; MKCN9995; 0	CE0123; R1KB14	270			
ERPINOLENE	0.007	< 0.20	< 0.020			Pipette : N/A					es, the Total Terpenes % is dry-weight corrected.
ENCHONE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas Ci	nromatograpny Ma	ss spectro	ometry. For all I	riower sampi	es, the Total Terpenes % is dry-weight corrected.
INALOOL	0.007	1.34	0.134								
ENCHYL ALCOHOL	0.007	0.47	0.047		- 1						
SOPULEGOL	0.007	ND	ND								
AMPHOR	0.007	ND	ND		ĺ						
SOBORNEOL	0.007	ND	ND		ĺ						
ORNEOL	0.013	ND	ND		ĺ						
HEXAHYDROTHYMOL	0.007	ND	ND		ĺ						
IEROL	0.007	ND	ND		ĺ						
PULEGONE	0.007	ND	ND		ĺ						
ERANIOL	0.007	ND	ND		ĺ						
GERANYL ACETATE	0.007	ND	ND		ĺ						
LPHA-CEDRENE	0.007	ND	ND								
BETA-CARYOPHYLLENE	0.007	2.74	0.274								
otal (%)			2.380								

Total (%)

2.380

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Cartridge 1g 90%

Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30827001-003 Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469

3642 Sampled: 08/26/23 Ordered: 08/26/23 Sample Size Received: 50 gram Total Amount: 1924 units

Completed: 08/30/23 Expires: 08/30/24 Sample Method: SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.01	0 ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.01	0 ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.01	0 ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.01	0 ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		0 ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND			0 ppm	0.1	PASS	ND
AMECTIN B1A	0.010		0.1	PASS	ND	PROPICONAZOLE				PASS	
PHATE	0.010		0.1	PASS	ND	PROPOXUR		0 ppm	0.1		ND
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN	0.01	0 ppm	0.2	PASS	ND
TAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN	0.01	0 ppm	0.1	PASS	ND
ICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.01	0 ppm	0.1	PASS	ND
DXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.01	0 ppm	0.1	PASS	ND
ENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.01	0 ppm	0.1	PASS	ND
ENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.01	0 ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM		0 ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		0 ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS	ND			D PPM	0.1	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PC					
ORMEQUAT CHLORIDE	0.010		1	PASS	ND	PARATHION-METHYL *		0 PPM	0.1	PASS	ND
ORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAPTAN *	0.07	0 PPM	0.7	PASS	ND
FENTEZINE	0.010	ppm	0.2	PASS	ND	CHLORDANE *	0.01	0 PPM	0.1	PASS	ND
IMAPHOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.01	0 PPM	0.1	PASS	ND
MINOZIDE	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.05	0 PPM	0.5	PASS	ND
ZINON	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.05	0 PPM	0.5	PASS	ND
HLORVOS	0.010	ppm	0.1	PASS	ND		eight: Extrac	tion date:		Extracted b	224
ETHOATE	0.010	ppm	0.1	PASS	ND			23 14:01:20		450.3379	Jy.
IOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (0			SOP.T.40.101).
FENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)				(
XAZOLE	0.010	ppm	0.1	PASS	ND	Analytical Batch: DA063770PES			On: 08/29/23 1		
HEXAMID	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES	5)	Batch Date	:08/27/23 14	50:31	
IOXYCARB	0.010		0.1	PASS	ND	Analyzed Date: 08/28/23 15:51:40					
NPYROXIMATE	0.010		0.1	PASS	ND	Dilution: 250 Reagent: 081523.R04: 040521.11: 0	82U23 DU1. U82322 D2	3· U83433 DU	1 - 072522 014	. 082323 001	
RONIL	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW	UZUZJ.NUI, UOZJZJ.KJ	J, UOZ4ZJ.KU	ı, 0/2525.R14	, UUZJZJ.NUI	
NICAMID	0.010	P. P.	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
DIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is perfori	ned utilizing Liquid Chro	matography T	riple-Quadrupo	e Mass Spectron	netry in
CYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.		- ' '			
AZALIL	0.010		0.1	PASS	ND			on date:		Extracted b	y:
DACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 0.23		3 14:01:20		450,3379	
SOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (0					
ATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA063771VOL Instrument Used : DA-GCMS-001			:08/29/23 10:4 8/27/23 15:58		
TALAXYL	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A		oattii Date : U	0/2//23 13:30	. T	
THIOCARB	0.010	ppm	0.1	PASS	ND	Dilution: 250					
ГНОМҮL	0.010	ppm	0.1	PASS	ND	Reagent: 081523.R04; 040521.11; 0	80723.R26; 080723.R2	7			
VINPHOS	0.010	ppm	0.1	PASS	ND	Consumables: 326250IW; 14725401					
CLOBUTANIL	0.010	ppm	0.1	PASS	ND	Pipette: DA-080; DA-146; DA-218					
LED	0.010	nnm	0.25	PASS	ND	Testing for agricultural agents is perfore	and utilizing Cas Chrom	atography Trip	la Ouadrupala	Mass Enastrama	try in

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Cartridge 1g 90% Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30827001-003 Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469

3642 Sampled: 08/26/23 Ordered: 08/26/23

Sample Size Received: 50 gram Total Amount: 1924 units

Completed: 08/30/23 Expires: 08/30/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Analyzed by:	Weight:	Extraction date:		Ex	tracted by:
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHANOL	500.000	ppm		TESTED	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
Solvents	LOD	Units	Action Level	Pass/Fail	Result

Reviewed On: 08/30/23 14:02:40

Batch Date: 08/29/23 12:41:52

850, 585, 4044 0.028g 08/30/23 12:29:47

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063830SOL Instrument Used: DA-GCMS-002 **Analyzed Date:** $08/30/23 \ 13:06:38$

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



08/30/23

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,



Kaycha Labs

Sour Diesel Cartridge 1g 90%

Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30827001-003 Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469

3642 Sampled: 08/26/23 Ordered: 08/26/23 Sample Size Received: 50 gram Total Amount: 1924 units Completed: 08/30/23 Expires: 08/30/24 Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



Mycotoxins

PASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Ana
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFL
ECOLI SHIGELLA			Not Present	PASS		AFL
ASPERGILLUS FLAVUS			Not Present	PASS		OCH
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFL
ASPERGILLUS TERREUS			Not Present	PASS		AFL
ASPERGILLUS NIGER			Not Present	PASS		Anal
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	3379

10	Cr0/g	<10	PASS	1000
Weight: 0.9g	Extraction date: 08/27/23 17:15:3	34	Extracted 3963	l by:
		Weight: Extraction date:	Weight: Extraction date:	Weight: Extraction date: Extracted

Analysis Method: SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL

Analytical Batch : DA063765MIC

Reviewed On: 08/29/23

Batch Date: 08/27/23

Instrument Used: PathogenDx Scanner DA-111.Applied Biosystems Thermocycler DA-171, fisherbrand Isotemp Heat Block 11:50:36

DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021

Analyzed Date: 08/28/23 10:56:29

Dilution: N/A

Reagent: 062123.16; 080923.R15; 071023.06; 092122.09

Consumables : 7565002008

Pipette: N/A

0 8 0						
Analyte		LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2		0.00	2 ppm	ND	PASS	0.02
AFLATOXIN B1		0.00	2 ppm	ND	PASS	0.02
OCHRATOXIN A	A	0.00	2 ppm	ND	PASS	0.02
A EL A EQVIDI GA		0.00	_	ND	DACC	0.00

					I GIII	LCVCI	
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02	
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02	
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02	
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02	
Analyzed by:	Weight:	Extraction dat			xtracted	by:	
3379, 585, 4044	0.2306g	08/28/23 14:0	1:20	4	50,3379		

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA063772MYC Reviewed On: 08/29/23 10:46:22 Instrument Used : N/A Batch Date: 08/27/23 15:59:03

Analyzed Date: 08/28/23 15:54:14

Dilution: 250 Reagent: 081523.R04; 040521.11; 082023.R01; 082323.R33; 082423.R01; 072523.R14;

082323.R01

Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Hg

Heavy Metals

Analyzed by: 3963, 3390, 585,	4044	Weight: 0.9g	Extraction date: 08/28/23 10:53:59	Extracted by: 3963
Analysis Method	: SOP.T.40.208	(Gainesville),	SOP.T.40.209.FL	
Analytical Batch :	: DA063784TYM		Reviewed On : (08/29/23 18:26:11
Instrument Used	 Incubator (25- 	27C) DA_097	Ratch Date : 08	/27/23 18:08:27

Analyzed Date: 08/28/23 10:55:12 Dilution: 10

Reagent: 062123.16; 081523.R08 Consumables : N/A Pipette : N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINA	NT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by:	Weight:	Extraction da	te:		Extracted	l by:

08/28/23 11:47:49

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

0.2309g

Analytical Batch: DA063750HEA Instrument Used : DA-ICPMS-003 Analyzed Date: 08/28/23 17:51:38

Reviewed On: 08/30/23 10:22:00 Batch Date: 08/26/23 15:15:02

Dilution: 50

1022, 585, 4044

Reagent: 082323.R34; 082523.R05; 082623.R03; 082523.R03; 082523.R04; 080823.01

Consumables: 179436: 2209282: 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.



Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164





Kaycha Labs

Sour Diesel Cartridge 1g 90%

Sour Diesel

Matrix : Derivative

Type: Products for oral administration (pills, capsules, tinctures, and similar usable products)



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30827001-003 Harvest/Lot ID: 5587 0726 6469 3642

Batch#: 5587 0726 6469

3642 Sampled: 08/26/23 **Ordered**: 08/26/23

Sample Size Received: 50 gram Total Amount: 1924 units Completed: 08/30/23 Expires: 08/30/24 Sample Method: SOP.T.20.010

Page 6 of 6



Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 1879, 4044 Weight: Extraction date: NA N/A N/A

Analysis Method: SOP.T.40.090

Analytical Batch : DA063740FIL
Instrument Used : Filth/Foreign Material Microscope Reviewed On: 08/27/23 21:55:28 Batch Date: 08/26/23 10:16:59

Analyzed Date: 08/26/23 19:11:32

Dilution: N/AReagent: N/A Consumables : N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 08/28/23 17:19:04

Batch Date: 08/26/23 14:50:42

LOD Units Result P/F Analyte **Action Level** 0.501 **TESTED** Water Activity 0.010 aw

Weight: 0.445g Extraction date: 08/28/23 10:11:29 Extracted by: 4056,3619 Analyzed by: 3619, 585, 4044

Analysis Method: SOP.T.40.019 Analytical Batch: DA063748WAT Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 08/27/23 12:28:03

Dilution: N/A Reagent: 050923.04 Consumables : PS-14

Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million,

ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ)

Jorge Segredo

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-



are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors. Signature Testing 97164 08/30/23