

Certificate of Analysis

COMPLIANCE FOR RETAIL

Kaycha Labs

Miami Vibes Disposable Pen 0.3g Miami Vibes

Matrix: Derivative Type: Distillate

Sample:DA30911002-004

Harvest/Lot ID: 8643 7873 7078 1287 Batch#: 8643 7873 7078 1287

Cultivation Facility: Tampa Cultivation Processing Facility: Tampa Processing

> **Source Facility: Tampa Cultivation** Seed to Sale# 7250 0114 5121 7771

> > Batch Date: 06/09/23

Sample Size Received: 15.3 gram

Total Amount: 1436 units Retail Product Size: 0.3 gram

Ordered: 09/09/23 Sampled: 09/09/23

Completed: 09/13/23

Sampling Method: SOP.T.20.010

PASSED

Sep 13, 2023 | FLUENT

82 NE 26th street Miami, FL, 33137, US



Pages 1 of 6

MISC.



PRODUCT IMAGE



SAFETY RESULTS

















Pesticides Heavy Metals

Microbials

Mycotoxins PASSED

Residuals Solvents PASSED

Filth

Water Activity

Moisture

Terpenes TESTED

PASSED



Cannabinoid

Total THC

88.153% Total THC/Container : 264.46 mg



Total CBD 0.203%

Total CBD/Container: 0.61 mg

Reviewed On: 09/12/23 20:49:16 Batch Date: 09/11/23 11:04:43



Total Cannabinoids

Total Cannabinoids/Container: 277.72 mg



Weight: 0.0864g Extracted by: Analyzed by: 1665, 3335, 4044 Extraction date: 09/11/23 17:25:21

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA064255POT Instrument Used : DA-LC-003

Analyzed Date: 09/11/23 17:27:42

Reagent: 083023.R04; 060723.24; 081523.R01 Consumables: 947.109; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA30911002-004 Harvest/Lot ID: 8643 7873 7078 1287

Batch#: 8643 7873 7078

Sampled: 09/09/23 Ordered: 09/09/23 Sample Size Received: 15.3 gram Total Amount: 1436 units

Completed: 09/13/23 Expires: 09/13/24 Sample Method: SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/uni	t %	Result (%)		Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	6.35	2.117			FARNESENE		0.001	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND			ALPHA-HUMULENE		0.007	0.12	0.041	
ALPHA-BISABOLOL	0.007	0.08	0.027			VALENCENE		0.007	< 0.06	< 0.020	
ALPHA-PINENE	0.007	0.14	0.046			CIS-NEROLIDOL		0.007	ND	ND	
CAMPHENE	0.007	ND	ND			TRANS-NEROLIDOL		0.007	ND	ND	
SABINENE	0.007	ND	ND			CARYOPHYLLENE OXIDE		0.007	< 0.06	< 0.020	
BETA-PINENE	0.007	0.17	0.057			GUAIOL		0.007	ND	ND	
BETA-MYRCENE	0.007	0.80	0.266			CEDROL		0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.20	0.068			Analyzed by:	Weight:		Extraction d	ate:	Extracted by:
3-CARENE	0.007	0.08	0.028		Ī	2076, 585, 4044	0.8433g		09/11/23 11		2076
ALPHA-TERPINENE	0.007	0.08	0.027		İ	Analysis Method : SOP.T.30.061A.FL, SO	DP.T.40.061A.FL				
LIMONENE	0.007	0.46	0.153			Analytical Batch : DA064240TER					/13/23 10:24:11
EUCALYPTOL	0.007	ND	ND			Instrument Used : DA-GCMS-009 Analyzed Date : N/A			Batch	Date: 09/1	1/23 10:45:28
OCIMENE	0.007	0.61	0.204			Dilution: 10					
GAMMA-TERPINENE	0.007	< 0.06	< 0.020			Reagent: 121622.26					
SABINENE HYDRATE	0.007	ND	ND			Consumables: 210414634; MKCN9995;	CE0123; R1KB1	4270			
TERPINOLENE	0.007	3.17	1.058			Pipette : N/A					
FENCHONE	0.007	ND	ND			Terpenoid testing is performed utilizing Gas (Chromatography M	ass Spectn	ometry. For all	Flower sample	es, the Total Terpenes % is dry-weight corrected.
LINALOOL	0.007	0.07	0.023								
FENCHYL ALCOHOL	0.007	< 0.06	< 0.020								
ISOPULEGOL	0.007	ND	ND								
CAMPHOR	0.007	< 0.18	< 0.060								
ISOBORNEOL	0.007	ND	ND								
BORNEOL	0.013	ND	ND								
HEXAHYDROTHYMOL	0.007	< 0.06	< 0.020								
NEROL	0.007	ND	ND								
PULEGONE	0.007	ND	ND								
GERANIOL	0.007	ND	ND								
GERANYL ACETATE	0.007	ND	ND								
ALPHA-CEDRENE	0.007	ND	ND								
BETA-CARYOPHYLLENE	0.007	0.36	0.119								
Total (%)			2.117								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate



Certificate of Analysis

PASSED

ELLIENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30911002-004 Harvest/Lot ID: 8643 7873 7078 1287

Batch#: 8643 7873 7078

1287 Sampled: 09/09/23 Ordered: 09/09/23 Sample Size Received: 15.3 gram
Total Amount: 1436 units

Completed: 09/13/23 Expires: 09/13/24 Sample Method: SOP.T.20.010 Page 3 of 6



Pesticides

PASSED

esticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Resu
TAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		ppm	0.1	PASS	ND
TAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		ppm	0.1	PASS	ND
SAMECTIN B1A	0.010		0.1	PASS	ND	PROPOSUR		ppm	0.1	PASS	ND
EPHATE	0.010		0.1	PASS	ND				0.1	PASS	
EQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		ppm			ND
ETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		ppm	0.1	PASS	ND
DICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT		ppm	0.1	PASS	ND
OXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
FENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
FENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
SCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
RBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
RBOFURAN	0.010		0.1	PASS PASS	ND ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.15	PASS	ND
LORANTRANILIPROLE	0.010		1	PASS		PARATHION-METHYL *	0.010		0.1	PASS	ND
LORMEQUAT CHLORIDE	0.010		0.1	PASS	ND ND	CAPTAN *	0.010		0.7	PASS	ND
LORPYRIFOS	0.010		0.1	PASS	ND ND				0.7	PASS	ND
DFENTEZINE	0.010		0.2	PASS		CHLORDANE *	0.010				
UMAPHOS	0.010		0.1	PASS	ND ND	CHLORFENAPYR *	0.010		0.1	PASS	ND
MINOZIDE	0.010			PASS		CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
ZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
HLORVOS	0.010		0.1	PASS	ND ND	Analyzed by: Weight:	Extract	ion date:		Extracted I	by:
METHOATE	0.010		0.1	PASS	ND	3379, 585, 4044 0.2566g	09/11/2	3 17:35:56		3379,450	
HOPROPHOS	0.010		0.1	PASS		Analysis Method: SOP.T.30.101.FL (Gainesv	ille), SOP.T.30.10	2.FL (Davie)	, SOP.T.40.101	L.FL (Gainesville),
DFENPROX	0.010		0.1	PASS	ND ND	SOP.T.40.102.FL (Davie)					
DXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA064254PES Instrument Used : DA-LCMS-003 (PES)			On:09/12/23: e:09/11/23:11		
HEXAMID			0.1	PASS	ND	Analyzed Date : 09/11/23 16:07:29		Dateii Date	.03/11/23 11	03.12	
NOXYCARB	0.010		0.1	PASS	ND ND	Dilution: 250					
NPYROXIMATE PRONIL	0.010		0.1	PASS	ND	Reagent: 090123.R03; 090723.R14; 090623	.R29; 090123.R0	4; 090623.R	01; 090623.R0	02; 040521.11	
ONICAMID	0.010		0.1	PASS	ND ND	Consumables: 326250IW					
	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
UDIOXONIL XYTHIAZOX	0.010		0.1	PASS	ND	Testing for agricultural agents is performed util accordance with F.S. Rule 64ER20-39.	izing Liquid Chror	natography T	rıple-Quadrupo	ie Mass Spectroi	netry in
AZALIL	0.010		0.1	PASS	ND	Analyzed by: Weight:	Extractio	n dato:		Extracted b	
DACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 0.2566q	09/11/23			3379,450	y.
ESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesv			e). SOP.T.40 15		
LATHION	0.010		0.1	PASS	ND	Analytical Batch : DA064258VOL			:09/12/23 18:		
TALAXYL	0.010	F F	0.2	PASS	ND	Instrument Used : DA-GCMS-010	Ba	atch Date :	09/11/23 11:08	3:00	
THIOCARB	0.010		0.1	PASS	ND	Analyzed Date : 09/11/23 18:00:21					
THOCARB	0.010		0.1	PASS	ND	Dilution: 250					
VINPHOS	0.010		0.1	PASS	ND	Reagent: 090623.R29; 040521.11; 090723. Consumables: 326250IW; 14725401	K17; 090723.R16)			
VINFRUS			0.1	PASS	ND						
CLOBUTANIL	0.010					Pipette: DA-080: DA-146: DA-218					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164 1/2



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample: DA30911002-004 Harvest/Lot ID: 8643 7873 7078 1287

Batch#: 8643 7873 7078

Sampled: 09/09/23 Ordered: 09/09/23 Sample Size Received: 15.3 gram Total Amount: 1436 units

Completed: 09/13/23 Expires: 09/13/24 Sample Method: SOP.T.20.010

Page 4 of 6



Residual Solvents

□.	л			_	п
_/	н	Э	_	_	ш
_	_	_	_	_	_

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	<250.000	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by:	Weight:	Extraction date:		Е	xtracted by:	

Reviewed On: 09/12/23 17:25:28

Batch Date: 09/11/23 14:42:32

850, 585, 4044 0.0252g 09/12/23 15:04:33

Analysis Method : SOP.T.40.041.FL Analytical Batch : DA064261SOL Instrument Used: DA-GCMS-002 Analyzed Date: 09/12/23 15:06:50

Dilution: 1 Reagent: 030420.09

Consumables: R2017.167; G201.167 Pipette: DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Matrix : Derivative

Miami Vibes Type: Distillate



Certificate of Analysis

PASSED

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30911002-004 Harvest/Lot ID: 8643 7873 7078 1287

Batch#: 8643 7873 7078

Sampled: 09/09/23 Ordered: 09/09/23

Sample Size Received: 15.3 gram Total Amount: 1436 units Completed: 09/13/23 Expires: 09/13/24

Sample Method: SOP.T.20.010

Page 5 of 6



Microbial



DASSED

Analyte	LOD	Units	Result	Pass / Fail	Action Level	
SALMONELLA SPECIFIC GENE			Not Present	PASS		
ECOLI SHIGELLA			Not Present	PASS		
ASPERGILLUS FLAVUS			Not Present	PASS		
ASPERGILLUS FUMIGATUS			Not Present	PASS		
ASPERGILLUS TERREUS			Not Present	PASS		
ASPERGILLUS NIGER			Not Present	PASS		1
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	-

Analyzed by: Weight: **Extraction date:** Extracted by: 3390, 585, 4044 09/11/23 12:56:13 1.1g

Reviewed On: 09/12/23

Batch Date: 09/11/23

Instrument Used: PathogenDx Scanner DA-111.fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block

DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date: 09/11/23 16:25:01

Reagent: 083123.178; 081623.R13; 071023.05; 092122.09 Consumables: 7566001063

Pipette: N/A

Analyzed by:	Weight:	Extraction date:	Extracted by:
3390, 3336, 585, 4044	1.1a	N/A	3390

Analysis Method: SOP.T.40.208 (Gainesville), SOP.T.40.209.FL

Analytical Batch : DA064238TYM Reviewed On: 09/13/23 16:55:42 Instrument Used : Incubator (25-27C) DA-097 Analyzed Date : 09/11/23 18:41:28 Batch Date: 09/11/23 10:26:44

Dilution: 10

Reagent: 083123.178; 081523.R08

Consumables : N/A Pipette: N/A

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Mycotoxiiis			'	PAS	SED	
Analyte		LOD	Units	Result	Pass / Fail	Action Level	
AFLATOXIN E	32	0.002	ppm	ND	PASS	0.02	
AFLATOXIN E	31	0.002	ppm	ND	PASS	0.02	
OCHRATOXIN	ΙΔ	0.002	nnm	ND	PASS	0.02	

Analyzed by: 3379, 585, 4044	Weight: 0.2566g	Extraction dat 09/11/23 17:3			xtracted 379,450	by:
AFLATOXIN G2		0.002	ppm	ND	PASS	0.02
AFLATOXIN G1		0.002	ppm	ND	PASS	0.02
OCHRATOXIN A		0.002	ppm	ND	PASS	0.02
AFLATOXIN B1		0.002	ppm	ND	PASS	0.02
AFLATOXIN B2		0.002	ppm	ND	PASS	0.02

Analysis Method: SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville),

SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)

Analytical Batch : DA064257MYC Reviewed On: 09/12/23 17:15:55 Instrument Used : N/A Batch Date: 09/11/23 11:07:57

Analyzed Date: 09/11/23 16:07:44

Dilution: 250 Reagent: 090123.R03; 090723.R14; 090623.R29; 090123.R04; 090623.R01; 090623.R02;

040521.11 Consumables: 326250IW

Pipette: DA-093; DA-094; DA-219

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Heavy Metals

Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINAN	T LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2471g	Extraction da 09/11/23 13:			Extracted 1022	l by:

Analysis Method: SOP.T.30.082.FL, SOP.T.40.082.FL

Reviewed On: 09/12/23 10:12:37 Analytical Batch : DA064198HEA Instrument Used : DA-ICPMS-004 Batch Date: 09/09/23 15:12:51 Analyzed Date: 09/11/23 17:45:35

Dilution: 50

Reagent: 082323.R34; 083023.R58; 090823.R11; 090123.R21; 090823.R09; 090823.R10; 083123.R04; 083123.R03

Consumables: 179436; 1852142; 210508058 Pipette: DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Kaycha Labs

Miami Vibes Disposable Pen 0.3g

Miami Vibes Matrix : Derivative Type: Distillate

Page 6 of 6



PASSED

Certificate of Analysis

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.lones@getfluent.com Sample : DA30911002-004 Harvest/Lot ID: 8643 7873 7078 1287

Batch#: 8643 7873 7078

Sampled: 09/09/23 Ordered: 09/09/23

Sample Size Received: 15.3 gram Total Amount: 1436 units Completed: 09/13/23 Expires: 09/13/24

Sample Method: SOP.T.20.010

Filth/Foreign **Material**

PASSED

Analyte LOD Units Result P/F **Action Level** Filth and Foreign Material 0.100 % ND PASS

Analyzed by: 585, 4044 Extracted by: NA N/A N/A

Analysis Method : SOP.T.40.090

Analytical Batch: DA064274FIL
Instrument Used: Filth/Foreign Material Microscope Reviewed On: 09/12/23 10:58:26 Batch Date: 09/12/23 10:48:16

 $\textbf{Analyzed Date}: \ \mathbb{N}/\mathbb{A}$

Dilution: N/AReagent: N/A Pipette: N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

Reviewed On: 09/11/23 15:18:07

Batch Date: 09/11/23 10:11:43

Analyte Water Activity		LOD 0.010	Units aw	Result 0.520	P/F PASS	Action Level 0.85
Analyzed by: 3619, 585, 4044	Weight: 0.586a		raction d		Ex t 36	tracted by:

Analysis Method: SOP.T.40.019 Analytical Batch: DA064232WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date: 09/11/23 13:40:58

Dilution: N/A Reagent: 050923.04 Consumables : PS-14 Pipette: N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Vivian Celestino

Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164