



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30819009-004
Harvest/Lot ID: 1677 6983 0997 8437
Batch#: 1677 6983 0997 8437
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8774 6605 0249 4307
Batch Date: 07/20/23
Sample Size Received: 15.5 gram
Total Amount: 367 units
Retail Product Size: 0.5 gram
Ordered: 08/19/23
Sampled: 08/19/23
Completed: 08/23/23
Sampling Method: SOP.T.20.010

Aug 23, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

83.018%

Total THC/Container : 415.09 mg



Total CBD

0.292%

Total CBD/Container : 1.46 mg



Total Cannabinoids

87.670%

Total Cannabinoids/Container : 438.35 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	82.826	0.220	0.178	ND	0.089	2.601	0.135	0.119	0.593	ND	0.779
mg/unit	414.13	1.10	0.89	ND	0.45	13.01	0.68	0.60	2.97	ND	3.90
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
1665, 3605, 3335, 4044

Weight:
0.119g

Extraction date:
08/21/23 11:33:19

Extracted by:
1665

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA063550POT
Instrument Used : DA-LC-007
Analyzed Date : 08/21/23 11:33:33

Reviewed On : 08/22/23 21:46:32
Batch Date : 08/20/23 18:57:48

Dilution : 400
Reagent : 081823.R06; 032123.11; 081823.R02
Consumables : 947.109; 280670723; CE0123; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
08/23/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Live Rosin 0.5g
Emerald Fire OG
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30819009-004

Harvest/Lot ID: 1677 6983 0997 8437

Batch# : 1677 6983 0997
8437

Sampled : 08/19/23
Ordered : 08/19/23

Sample Size Received : 15.5 gram

Total Amount : 367 units

Completed : 08/23/23 Expires: 08/23/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	38.42	7.683		FARNESENE	0.001	0.22	0.044	
TOTAL TERPINEOL	0.007	0.65	0.129		ALPHA-HUMULENE	0.007	2.29	0.458	
ALPHA-BISABOLOL	0.007	1.00	0.200		VALENCENE	0.007	0.24	0.047	
ALPHA-PINENE	0.007	1.70	0.339		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	0.38	0.075		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	0.93	0.186		CARYOPHYLLENE OXIDE	0.007	0.18	0.036	
BETA-PINENE	0.007	0.86	0.171		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	10.13	2.025		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	<0.10	<0.020		<div>Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL Analytical Batch : DA063505TER Instrument Used : DA-GCMS-004 Analyzed Date : 08/22/23 09:14:39 Dilution : 10 Reagent : 121622.26 Consumables : 210414634; MKCN9995; CE0123; R1KB14270 Pipette : N/A Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.</div>				
3-CARENE	0.007	<0.10	<0.020						
ALPHA-TERPINENE	0.007	ND	ND		<div>Reviewed On : 08/23/23 14:48:03 Batch Date : 08/19/23 13:24:17</div>				
LIMONENE	0.007	9.92	1.983						
EUCALYPTOL	0.007	<0.10	<0.020						
OCIMENE	0.007	<0.10	<0.020						
GAMMA-TERPINENE	0.007	<0.10	<0.020						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	0.14	0.027						
FENCHONE	0.007	<0.20	<0.040						
LINALOOL	0.007	1.75	0.349						
FENCHYL ALCOHOL	0.007	0.88	0.175						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.30	<0.060						
ISOBORNEOL	0.007	<0.10	<0.020						
BORNEOL	0.013	0.26	0.052						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	<0.10	<0.020						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	<0.10	<0.020						
BETA-CARYOPHYLLENE	0.007	6.94	1.387						
Total (%)			7.683						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/23/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Live Rosin 0.5g

Emerald Fire OG

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30819009-004

Harvest/Lot ID: 1677 6983 0997 8437

Batch# : 1677 6983 0997
8437

Sampled : 08/19/23

Ordered : 08/19/23

Sample Size Received : 15.5 gram

Total Amount : 367 units

Completed : 08/23/23 Expires: 08/23/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4044, 1665	Weight: 0.2073g	Extraction date: 08/21/23 14:51:06	Extracted by: 4056,450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063536PES		Reviewed On : 08/22/23 23:20:16			
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)		Batch Date : 08/20/23 14:16:00			
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/21/23 13:55:03					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 081523.R04; 040521.11; 081423.R20; 081823.R07; 081723.R03; 072523.R14; 081723.R01					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 795, 4044	Weight: 0.2073g	Extraction date: 08/21/23 14:51:06	Extracted by: 4056,450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063537VOL		Reviewed On : 08/22/23 23:15:31			
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 08/20/23 14:16:44			
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analyzed Date : 08/21/23 14:57:53					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 081523.R04; 040521.11; 080723.R26; 080723.R27					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
08/23/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Live Rosin 0.5g
Emerald Fire OG
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30819009-004

Harvest/Lot ID: 1677 6983 0997 8437

Batch# : 1677 6983 0997
8437

Sampled : 08/19/23

Ordered : 08/19/23

Sample Size Received : 15.5 gram

Total Amount : 367 units

Completed : 08/23/23 Expires: 08/23/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	<250.000
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 4044, 1665

Weight:
0.0247g

Extraction date:
08/22/23 13:32:45

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA063529SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 08/22/23 13:37:16

Reviewed On : 08/22/23 14:50:13
Batch Date : 08/20/23 12:54:59

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/23/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30819009-004

Harvest/Lot ID: 1677 6983 0997 8437

 Batch# : 1677 6983 0997
 8437

Sampled : 08/19/23

Ordered : 08/19/23

Sample Size Received : 15.5 gram

Total Amount : 367 units

Completed : 08/23/23 Expires: 08/23/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044, 1665	Weight: 0.2073g	Extraction date: 08/21/23 14:51:06	Extracted by: 4056,450,3379		
Analyzed by: 3390, 585, 4044	Weight: 0.891g	Extraction date: N/A	Extracted by: 3390	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)							
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Analytical Batch : DA063538MYC							
Analytical Batch : DA063520MIC				Reviewed On : 08/22/23 14:50:33							
				Instrument Used : N/A							
				Analyzed Date : 08/21/23 13:55:27							
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021				Batch Date : 08/20/23 10:44:43							
Analyzed Date : 08/21/23 16:22:06				Dilution : 250							
				Reagent : 081523.R04; 040521.11; 081423.R20; 081823.R07; 081723.R03; 072523.R14; 081723.R01							
				Consumables : 326250IW							
				Pipette : DA-093; DA-094; DA-219							

<div>Analized by: 3390, 3963, 585, 4044</div> <div>Weight: 0.891g</div> <div>Extraction date: N/A</div>	<div>3963</div>	<div><div><div>Hg</div></div></div>	<div>Heavy Metals</div>	<div>PASSED</div>			
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA063522TYM</div> <div>Instrument Used : Incubator (25-27C) DA-097</div> <div>Analyzed Date : 08/21/23 18:19:05</div>	<div>Reviewed On : 08/22/23 14:39:32</div> <div>Batch Date : 08/20/23 10:49:49</div>	<div>Metal</div>	<div>LOD</div>	<div>Units</div>	<div>Result</div>	<div>Pass / Fail</div>	<div>Action Level</div>
		<div>TOTAL CONTAMINANT LOAD METALS</div>	<div>0.080</div>	<div>ppm</div>	<div>ND</div>	<div>PASS</div>	<div>1.1</div>
		<div>ARSENIC</div>	<div>0.020</div>	<div>ppm</div>	<div>ND</div>	<div>PASS</div>	<div>0.2</div>
		<div>CADMIUM</div>	<div>0.020</div>	<div>ppm</div>	<div>ND</div>	<div>PASS</div>	<div>0.2</div>
		<div>MERCURY</div>	<div>0.020</div>	<div>ppm</div>	<div>ND</div>	<div>PASS</div>	<div>0.2</div>
		<div>LEAD</div>	<div>0.020</div>	<div>ppm</div>	<div>ND</div>	<div>PASS</div>	<div>0.5</div>
		<div>Analyzed by: 1022, 585, 4044, 1665</div>	<div>Weight: 0.2573g</div>	<div>Extraction date: 08/21/23 13:00:57</div>		<div>Extracted by: 1022</div>	
		<div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div> <div>Analytical Batch : DA063545HEA</div> <div>Instrument Used : DA-ICPMS-003</div> <div>Analyzed Date : 08/21/23 17:08:53</div>		<div>Reviewed On : 08/22/23 14:38:38</div> <div>Batch Date : 08/20/23 14:56:49</div>			
		<div>Dilution : 10</div> <div>Reagent : 081123.R27; 081523.R08</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>					
<div>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</div>							
		<div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div>					



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Emerald Fire OG Cartridge Live Rosin 0.5g
Emerald Fire OG
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30819009-004

Harvest/Lot ID: 1677 6983 0997 8437

Batch# : 1677 6983 0997

8437

Sampled : 08/19/23

Ordered : 08/19/23

Sample Size Received : 15.5 gram

Total Amount : 367 units

Completed : 08/23/23 Expires: 08/23/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA063552FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/20/23 19:47:24

Reviewed On : 08/20/23 19:50:58

Batch Date : 08/20/23 19:44:16

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.584	PASS	0.85

Analyzed by: 3619, 585, 4044	Weight: 0.581g	Extraction date: 08/21/23 09:21:50	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA063504WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 08/19/23 16:48:34

Reviewed On : 08/21/23 16:24:54

Batch Date : 08/19/23 13:22:48

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
08/23/23