

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Pages 1 of 6

Space Coast Lander Cartridge Concentrate 0.5g

ge Concentrate 0.5g

PASSED

MISC.

Matrix: Derivative Type: Distillate

Sample:DA30830002-006 Harvest/Lot ID: 9665 6602 3133 2254 Batch#: 9665 6602 3133 2254 Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation Seed to Sale# 4029 6300 4445 5025 Batch Date: 06/01/23 Sample Size Received: 15.5 gram Total Amount: 1827 units Retail Product Size: 0.5 gram Ordered: 08/29/23 Sampled: 08/29/23 Completed: 09/01/23

Sep 01, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE SAFETY RESULTS

٦a Pesticides Heavy Metals Microbials **Mycotoxins Residuals Solvents** Filth Water Activity Moisture Terpenes PASSED PASSED PASSED TESTED PASSED PASSED PASSED PASSED PASSED Cannabinoid Total THC Total CBD **Total Cannabinoids** 0.207% 90.352% 94.087% Total THC/Container : 451.76 mg Total CBD/Container : 1.04 mg Total Cannabinoids/Container : 470.44 mg тнса тнсу СВС D9-THC CBD D8-THC CRG CRGA CBN CRDV 90.263 0.102 0.207 ND 0.219 1.991 ND 0.620 0.685 ND ND % 1.10 ND 3.43 ND ND 451.32 0.51 1.04 ND 9.96 3.10 ma/unit 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 0.001 % % % % % % % % % % % Analyzed by: 1665, 585, 4044 Weight: 0.0968q Extraction date Extracted by: 08/30/23 12:29:02 3335 Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA063842POT Reviewed On : 09/01/23 11:15:28 Instrument Used : DA-LC-007 Batch Date : 08/30/23 09:46:50 Analyzed Date : 08/30/23 12:58:34 Dilution: 400 Reagent : 081823.R05; 032123.11; 082923.R02 Consumables : 947.100; 280670723; CE0123; R1KB14270 Pipette : DA-079; DA-108; DA-078 trum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39 Full Spec

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164







Space Coast Lander Cartridge Concentrate 0.5g Space Coast Lander Matrix : Derivative Type: Distillate



PASSED

TESTED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30830002-006 Harvest/Lot ID: 9665 6602 3133 2254 Batch# : 9665 6602 3133 2254 Sample Sampled : 08/29/23 Complet

Ordered : 08/29/23

33 2254 Sample Size Received : 15.5 gram Total Amount : 1827 units Completed : 09/01/23 Expires: 09/01/24 Sample Method : SOP.T.20.010

Page 2 of 6

Ô

1.00				
	er	pe	en	es

erpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)	
TAL TERPENES	0.007	25.71	5.141		FARNESENE		0.001	< 0.05	< 0.009		
DTAL TERPINEOL	0.007	0.48	0.095		ALPHA-HUMULENE		0.007	0.99	0.198		
PHA-BISABOLOL	0.007	1.10	0.220		VALENCENE		0.007	2.22	0.443		
PHA-PINENE	0.007	0.55	0.109		CIS-NEROLIDOL		0.007	ND	ND		
MPHENE	0.007	0.13	0.025		TRANS-NEROLIDOL		0.007	ND	ND		
BINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	0.29	0.058		
TA-PINENE	0.007	0.88	0.175		GUAIOL		0.007	ND	ND		
TA-MYRCENE	0.007	5.69	1.138		CEDROL		0.007	ND	ND		
PHA-PHELLANDRENE	0.007	0.34	0.068		Analyzed by:	Weight:		Extraction da	te:		Extracted by:
CARENE	0.007	ND	ND		2076, 585, 4044	0.86625g		08/30/23 16:5	50:21		2076,3702
PHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, S	OP.T.40.061A.FL					
IONENE	0.007	5.94	1.187		Analytical Batch : DA063879TER Instrument Used : DA-GCMS-008					9/01/23 11:15:36 80/23 15:30:00	
CALYPTOL	0.007	ND	ND		Analyzed Date : N/A			Batch	Date: 08/3	0/25 15.50:00	
IMENE	0.007	ND	ND		Dilution : 10						
MMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26						
BINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995	5; CE0123; R1KB1	4270				
RPINOLENE	0.007	0.12	0.023		Pipette : N/A	<i>c</i> t					
NCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas	s Chromatography M	ass spect	rometry. For all I	Flower sampl	es, the Total Terpenes 9	% is ary-weight corrected.
IALOOL	0.007	1.56	0.311								
NCHYL ALCOHOL	0.007	0.52	0.104								
PULEGOL	0.007	ND	ND								
MPHOR	0.007	ND	ND								
DBORNEOL	0.007	ND	ND								
RNEOL	0.013	<0.20	< 0.040								
XAHYDROTHYMOL	0.007	ND	ND								
ROL	0.007	ND	ND								
LEGONE	0.007	ND	ND								
RANIOL	0.007	0.10	0.020								
RANYL ACETATE	0.007	ND	ND								
PHA-CEDRENE	0.007	ND	ND								
TA-CARYOPHYLLENE	0.007	4.84	0.967								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/01/23



Space Coast Lander Cartridge Concentrate 0.5g Space Coast Lander Matrix : Derivative Type: Distillate



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30830002-006 Harvest/Lot ID: 9665 6602 3133 2254 Batch#: 9665 6602 3133

2254 Sampled : 08/29/23 Ordered : 08/29/23

Sample Size Received : 15.5 gram Total Amount : 1827 units Completed : 09/01/23 Expires: 09/01/24 Sample Method : SOP.T.20.010

Page 3 of 6

R 0

Pesticides

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pes
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXA
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PAC
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHO
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPE
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PRA
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PRO
ACEPHATE	0.010	ppm	0.1	PASS	ND	PRO
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	PYR
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIF
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIF
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	SPIF
BIFENAZATE	0.010	ppm	0.1	PASS	ND	TEB
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIA
BOSCALID	0.010	ppm	0.1	PASS	ND	
CARBARYL	0.010	ppm	0.5	PASS	ND	THIA
CARBOFURAN	0.010	ppm	0.1	PASS	ND	TRIF
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	PEN
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	PAR
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CAP
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CHL
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CHL
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYF
DIAZINON	0.010	ppm	0.1	PASS	ND	СҮР
DICHLORVOS	0.010	ppm	0.1	PASS	ND	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Anal 3379
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Anal
ETOFENPROX	0.010	ppm	0.1	PASS	ND	SOP.
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Anal
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Inst
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Anal
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Dilu
FIPRONIL	0.010	ppm	0.1	PASS	ND	Reag
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipe
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testi
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	acco
IMAZALIL	0.010	ppm	0.1	PASS	ND	Anal
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450,
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Anal
MALATHION	0.010	ppm	0.2	PASS	ND	Anal
METALAXYL	0.010		0.1	PASS	ND	Instr Anal
METHIOCARB	0.010		0.1	PASS	ND	
METHOMYL	0.010		0.1	PASS	ND	Dilu Read
MEVINPHOS	0.010		0.1	PASS	ND	Cons
MYCLOBUTANIL	0.010		0.1	PASS	ND	Pipe
NALED	0.010		0.25	PASS	ND	Testi
	= =	- P				acco

Pesticide		LOD	Units	Action Level	Pass/Fail	Result
OXAMYL		0.010	ppm	0.5	PASS	ND
PACLOBUTRAZOL		0.010	ppm	0.1	PASS	ND
PHOSMET		0.010	ppm	0.1	PASS	ND
PIPERONYL BUTOXIDE		0.010	ppm	3	PASS	ND
PRALLETHRIN		0.010	ppm	0.1	PASS	ND
PROPICONAZOLE		0.010	ppm	0.1	PASS	ND
PROPOXUR		0.010	ppm	0.1	PASS	ND
PYRIDABEN		0.010	ppm	0.2	PASS	ND
SPIROMESIFEN		0.010	ppm	0.1	PASS	ND
SPIROTETRAMAT		0.010	ppm	0.1	PASS	ND
SPIROXAMINE		0.010	ppm	0.1	PASS	ND
TEBUCONAZOLE		0.010	ppm	0.1	PASS	ND
THIACLOPRID		0.010	ppm	0.1	PASS	ND
THIAMETHOXAM		0.010	ppm	0.5	PASS	ND
TRIFLOXYSTROBIN		0.010	ppm	0.1	PASS	ND
PENTACHLORONITROBENZENI	E (PCNB) *	0.010	PPM	0.15	PASS	ND
PARATHION-METHYL *		0.010	PPM	0.1	PASS	ND
CAPTAN *		0.070	PPM	0.7	PASS	ND
CHLORDANE *		0.010	PPM	0.1	PASS	ND
CHLORFENAPYR *		0.010	PPM	0.1	PASS	ND
CYFLUTHRIN *		0.050	PPM	0.5	PASS	ND
CYPERMETHRIN *		0.050	PPM	0.5	PASS	ND
Analyzed by: 1379, 585, 4044	Weight: 0.2791g		on date: 3 15:40:24		Extracted 3379,450	by:
Analysis Method : SOP.T.30.10		, SOP.T.30.10	2.FL (Davie)), SOP.T.40.101	L.FL (Gainesville	e),
60P.T.40.102.FL (Davie) Analytical Batch :DA063853PE	c		Poviowod (On : 09/01/23 1	1.24.19	
nstrument Used : DA-LCMS-00				:08/30/23 10:		
Analyzed Date :08/30/23 15:21	L:10					
Dilution : 250						
Reagent : N/A Consumables : N/A						
Pipette : N/A						
esting for agricultural agents is		g Liquid Chrom	natography T	Friple-Quadrupo	le Mass Spectro	metry in
accordance with F.S. Rule 64ER2						
Analyzed by: 150, 585, 4044			n date: 15:40:24		Extracted 3379,450	by:
Analysis Method : SOP.T.30.15	5			e), SOP.T.40.15		
Analytical Batch : DA063854VC				:08/31/23 12:		
nstrument Used :DA-GCMS-00 Analyzed Date :08/31/23 11:05		Ba	atch Date :	08/30/23 10:45	:53	
Dilution : 250						
Reagent: 082923.R19; 040521		; 080723.R27				
Consumables : 14725401; 326 Pipette : DA-080; DA-146; DA-2						
-iperre : DM-000, DM-140; DA-2	10					

ette : DA-080; DA-146; DA-218

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

09/01/23



Space Coast Lander Cartridge Concentrate 0.5g Space Coast Lander Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30830002-006

 Harvest/Lot ID: 9665 6602 3133 2254

 Batch#: 9665 6602 3133 2254

 Sample : 08/29/23 Complet

 Ordered: 08/29/23 Sample

3133 2254 Sample Size Received :15.5 gram Total Amount :1827 units Completed :09/01/23 Expires:09/01/24 Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
CETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
THANOL	500.000	ppm	5000	PASS	ND
THYL ACETATE	40.000	ppm	400	PASS	ND
THYL ETHER	50.000	ppm	500	PASS	ND
THYLENE OXIDE	0.500	ppm	5	PASS	ND
IEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
I-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
RICHLOROETHYLENE	2.500	ppm	25	PASS	ND
analyzed by: 50, 585, 4044	Weight: 0.0273g	Extraction date: 09/01/23 11:52:51		E x 85	tracted by:
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA063878SOL nstrument Used : DA-GCMS-002 Analyzed Date : 09/01/23 11:57:06			l On : 09/01/23 14:20:48 te : 08/30/23 14:24:43		
Dilution : 1					

Dilution : 1 Reagent : 030420.09 Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 09/01/23

PASSED



Space Coast Lander Cartridge Concentrate 0.5g Space Coast Lander Matrix : Derivative Type: Distillate



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30830002-006 Harvest/Lot ID: 9665 6602 3133 2254 Batch#: 9665 6602 3133 2254

Sampled : 08/29/23 Ordered : 08/29/23 Sample Size Received : 15.5 gram Total Amount : 1827 units Completed : 09/01/23 Expires: 09/01/24 Sample Method : SOP.T.20.010

Page 5 of 6

G	Microl	bial				PAS	SED	ۍ پې	M	ycotox	ins			PAS	SED
Analyte		LC	DD	Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
SALMONELL	A SPECIFIC GEN	E			Not Present	PASS	2010.	AFLATOXIN	32		0.002	ppm	ND	PASS	0.02
ECOLI SHIGE	LLA				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SPERGILLU	S FLAVUS				Not Present	PASS		OCHRATOXII	A		0.002	ppm	ND	PASS	0.02
SPERGILLU	S FUMIGATUS				Not Present	PASS		AFLATOXIN	51		0.002	ppm	ND	PASS	0.02
SPERGILLU	S TERREUS				Not Present	PASS		AFLATOXIN	52		0.002	ppm	ND	PASS	0.02
SPERGILLU	S NIGER				Not Present	PASS		Analyzed by:		Weight:	Extraction dat	te:	E	xtracted	ov:
OTAL YEAS	F AND MOLD	1	.0	CFU/g	<10	PASS	100000	3379, 585, 404	4	0.2791g	08/30/23 15:4	10:24		379,450	
Analyzed by: Weight: Extraction date: Extracted by: 3621, 3390, 585, 4044 0.84g 08/30/23 12:13:56 3390,3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Reviewed On: 08/31/23 Analytical Batch : DA063844MIC Reviewed On: 08/31/23						L (Dav h:DAC d:N/A		FL (Davie) Reviev	wed On : 0	. (Gainesvi 9/01/23 1 30/23 11:	1:15:40				
A-020,fisherb otemp Heat E nalyzed Date ilution : N/A eagent : 0621	ermocycler DA-01 rand Isotemp He: 3lock DA-021 : 08/30/23 16:32: .23.15; 080923.R 7562003051; 756	at Block DA :53 .15; 071023	∿-049,F	isher Scie	entific			040521.11 Consumables : Pipette : DA-09	32625 3; DA-	094; DA-219					
nalyzed by: 390, 3336, 58	5, 4044	Weight: 0.84g		raction da 30/23 12:		Extracted 3390,362		Hg	He	eavy Mo	etals			PAS	SEI
nalytical Batc	d:SOP.T.40.208 h:DA063869TYM	1		Revi	ewed On : 09/0			Metal			LOD	Units	Result	Pass / Fail	Action Level
	ed : Incubator (25 : 08/30/23 13:09:		97	Batc	h Date : 08/30/	23 12:25:1	5	TOTAL CONT		NT LOAD METAI	.s 0.080	ppm	ND	PASS	1.1
ilution : 10								ARSENIC			0.020	ppm	ND	PASS	0.2
	23.15; 052622.1	6: 052622.	18: 08	1523.R08				CADMIUM			0.020	ppm	ND	PASS	0.2
onsumables :		-, 002022.	_ , 00					MERCURY			0.020	ppm	ND	PASS	0.2
ipette : N/A								LEAD			0.020	ppm	ND	PASS	0.5
	mold testing is perfo F.S. Rule 64ER20-3		ng MPN	and traditi	onal culture base	d techniques	; in	Analyzed by: 1022, 585, 404	4	Weight: 0.204g	Extraction dat 08/30/23 14:0			Atracted b 022,4056	y:
								Analysis Metho Analytical Bato Instrument Uso Analyzed Date	h:DA0 ed:DA-	ICPMS-003	Reviewe		/31/23 10: 0/23 09:55		
										l; 082523.R05; 08 5: 2209282: 2105		523.R03; 0	82523.R0	4; 08082	3.01

Consumables: 179436: 2209282: 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature

09/01/23



Space Coast Lander Cartridge Concentrate 0.5g Space Coast Lander Matrix : Derivative Type: Distillate



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Filth/Foreign

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30830002-006 Harvest/Lot ID: 9665 6602 3133 2254 Batch# : 9665 6602 3133 2254 Sample Sampled : 08/29/23 Complet

DACCED

Ordered : 08/29/23

33 2254 Sample Size Received : 15.5 gram Total Amount : 1827 units Completed : 09/01/23 Expires: 09/01/24 Sample Method : SOP.T.20.010

	Materia			FA	55ED
Analyte Filth and Fore	ign Material	LOD Units 0.100 %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 4044	Weight: NA	Extraction on N/A	late:	Extra N/A	cted by:
		rial Microscope			0/23 13:41:05 13 12:44:18
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A				
	naterial inspection is pe cordance with F.S. Rule		spection utilizi	ing naked ey	e and microscope
\bigcirc	Water A	ctivity		PA	SSED

Analyte Water Activity		LOD 0.010	Units aw	Result 0.528	P/F PASS	Action Level 0.85	
Analyzed by: 3807, 585, 4044	Weight: 0.418g		traction d /30/23 15		Extracted by: 3807		
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : N/A	63867WAT	/gropali	m	Reviewed Or Batch Date :			
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A							

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 09/01/23

PASSED

Page 6 of 6