



# Certificate of Analysis

**COMPLIANCE FOR RETAIL**
**Sample: DA30830002-005**
**Harvest/Lot ID: 5520 7193 3252 2832**
**Batch#: 5520 7193 3252 2832**
**Cultivation Facility: Tampa Cultivation**
**Processing Facility : Tampa Processing**
**Source Facility : Tampa Cultivation**
**Seed to Sale# 5223 3499 0177 9733**
**Batch Date: 05/01/23**
**Sample Size Received: 15.5 gram**
**Total Amount: 1899 units**
**Retail Product Size: 0.5 gram**
**Ordered: 08/29/23**
**Sampled: 08/29/23**
**Completed: 09/02/23**
**Sampling Method: SOP.T.20.010**

Sep 02, 2023 | FLUENT

 82 NE 26th street  
 Miami, FL, 33137, US

**PASSED**

Pages 1 of 6

**PRODUCT IMAGE**

**SAFETY RESULTS**

 Pesticides  
**PASSED**

 Heavy Metals  
**PASSED**

 Microbials  
**PASSED**

 Mycotoxins  
**PASSED**

 Residuals Solvents  
**PASSED**

 Filtration  
**PASSED**

 Water Activity  
**PASSED**

 Moisture  
**NOT TESTED**

 Terpenes  
**TESTED**
**MISC.**

**Cannabinoid**
**PASSED**

**Total THC**
**92.819%**

Total THC/Container : 464.10 mg


**Total CBD**
**0.254%**

Total CBD/Container : 1.27 mg


**Total Cannabinoids**
**95.587%**

Total Cannabinoids/Container : 477.94 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	92.723	0.110	0.254	ND	0.286	1.564	ND	0.650	ND	ND	ND
mg/unit	463.62	0.55	1.27	ND	1.43	7.82	ND	3.25	ND	ND	ND
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

 Analyzed by:  
 1665, 585, 4044

 Weight:  
 0.0995g

 Extraction date:  
 08/30/23 12:29:02

 Extracted by:  
 3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA063842POT

Instrument Used : DA-LC-007

Analyzed Date : 08/30/23 12:58:34

Reviewed On : 09/01/23 11:13:52

Batch Date : 08/30/23 09:46:50

Dilution : 400

Reagent : 081823.R05; 032123.11; 082923.R02

Consumables : 947.100; 280670723; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Jorge Segredo**

Lab Director

 State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



 Signature  
 09/02/23



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Communion Cartridge Concentrate 0.5g  
Communion  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30830002-005

Harvest/Lot ID: 5520 7193 3252 2832

Batch# : 5520 7193 3252  
2832

Sampled : 08/29/23

Ordered : 08/29/23

Sample Size Received : 15.5 gram

Total Amount : 1899 units

Completed : 09/02/23 Expires: 09/02/24

Sample Method : SOP.T.20.010

Page 2 of 6



## Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	20.44	4.088		FARNESENE	0.001	0.33	0.065	
TOTAL TERPINEOL	0.007	0.14	0.027		ALPHA-HUMULENE	0.007	0.54	0.107	
ALPHA-BISABOLOL	0.007	0.10	0.020		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.67	0.133		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	<0.10	<0.020		CARYOPHYLLENE OXIDE	0.007	ND	ND	
BETA-PINENE	0.007	0.90	0.179		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	4.55	0.910		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	0.58	0.116						
3-CARENE	0.007	0.43	0.085		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	0.28	0.055		Analytical Batch : DA063879TER				
LIMONENE	0.007	1.33	0.266		Instrument Used : DA-GCMS-008				
EUCALYPTOL	0.007	<0.10	<0.020		Analyzed Date : N/A				
OCIMENE	0.007	0.28	0.055		Dilution : 10				
GAMMA-TERPINENE	0.007	0.18	0.035		Reagent : 121622.26				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	7.02	1.404		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	0.77	0.154						
FENCHYL ALCOHOL	0.007	0.19	0.038						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	2.20	0.439						
Total (%)			4.088						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/02/23



# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30830002-005

Harvest/Lot ID: 5520 7193 3252 2832

 Batch# : 5520 7193 3252  
 2832

Sampled : 08/29/23

Ordered : 08/29/23

Sample Size Received : 15.5 gram

Total Amount : 1899 units

Completed : 09/02/23 Expires: 09/02/24

Sample Method : SOP.T.20.010

Page 3 of 6



## Pesticides

**PASSED**

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
AMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 4044	Weight: 0.219g	Extraction date: 08/30/23 15:40:23		Extracted by: 3379,450	
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA063853PES				Reviewed On : 09/01/23 11:24:43	
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002				Batch Date : 08/30/23 10:44:33	
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Analyzed Date : 08/30/23 15:21:10					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : N/A					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Consumables : N/A					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : N/A					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND						
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 4044	Weight: 0.219g	Extraction date: 08/30/23 15:40:23		Extracted by: 3379,450	
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville), SOP.T.40.151A.FL (Davie)					
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analytical Batch : DA063854VOL				Reviewed On : 08/31/23 12:39:58	
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001				Batch Date : 08/30/23 10:45:53	
MALATHION	0.010	ppm	0.2	PASS	ND	Analyzed Date : 08/31/23 11:05:24					
METALAXYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Reagent : 082923.R19; 040521.11; 080723.R26; 080723.R27					
METHOMYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30830002-005

Harvest/Lot ID: 5520 7193 3252 2832

 Batch# : 5520 7193 3252  
 2832

Sampled : 08/29/23

Ordered : 08/29/23

Sample Size Received : 15.5 gram

Total Amount : 1899 units

Completed : 09/02/23 Expires: 09/02/24

Sample Method : SOP.T.20.010

Page 4 of 6



## Residual Solvents

**PASSED**

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:  
 850, 585, 4044

 Weight:  
 0.0265g

 Extraction date:  
 09/01/23 11:52:51

 Extracted by:  
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA06387850L

Instrument Used : DA-GCMS-002

Analyzed Date : 09/01/23 11:57:06

Reviewed On : 09/01/23 14:20:47

Batch Date : 08/30/23 14:24:43

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.





# Certificate of Analysis

**PASSED**
**FLUENT**

 82 NE 26th street  
 Miami, FL, 33137, US  
 Telephone: (305) 900-6266  
 Email: Taylor.Jones@getfluent.com

Sample : DA30830002-005

Harvest/Lot ID: 5520 7193 3252 2832

 Batch# : 5520 7193 3252  
 2832

Sampled : 08/29/23

Ordered : 08/29/23



Sample Size Received : 15.5 gram



Total Amount : 1899 units

Completed : 09/02/23 Expires: 09/02/24

Sample Method : SOP.T.20.010

Page 5 of 6

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.219g	Extraction date: 08/30/23 15:40:23	Extracted by: 3379,450		
Analyzed by: 3621, 3390, 585, 4044	Weight: 0.851g	Extraction date: 08/30/23 12:13:06		Extracted by: 3390,3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 09/02/23 17:16:43 Batch Date : 08/30/23 08:07:58		Analytical Batch : DA063860MYC					
Analytical Batch : DA063837MIC						Instrument Used : N/A					
						Analyzed Date : 08/30/23 15:21:19					
Instrument Used : PathogenDx Scanner DA-111,Applied						Dilution : 250					
Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block						Reagent : 082323.R33; 082823.R03; 082923.R19; 082423.R01; 072523.R14; 083023.R01; 040521.11					
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific						Consumables : 326250IW					
Isotemp Heat Block DA-021						Pipette : DA-093; DA-094; DA-219					
Analyzed Date : 08/30/23 16:33:07						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A						<div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Reagent : 062123.15; 080923.R15; 071023.06; 092122.09; 052622.16; 052622.18											
Consumables : 7565002004											
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 4044	Weight: 0.851g	Extraction date: N/A		Extracted by: 3390,3621							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA063858TYM			Reviewed On : 09/01/23 14:23:54								
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 08/30/23 11:07:13								
Analyzed Date : 08/30/23 13:10:00											
Dilution : 10											
Reagent : 062123.15; 081523.R08; 052622.16; 052622.18											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

<div></div> <div>Microbial</div> <div>PASSED</div>						<div></div> <div>Mycotoxins</div> <div>PASSED</div>					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 4044	Weight: 0.219g	Extraction date: 08/30/23 15:40:23	Extracted by: 3379,450		
Analyzed by: 3621, 3390, 585, 4044	Weight: 0.851g	Extraction date: 08/30/23 12:13:06		Extracted by: 3390,3621		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 09/02/23 17:16:43 Batch Date : 08/30/23 08:07:58		Analytical Batch : DA063860MYC					
Analytical Batch : DA063837MIC						Instrument Used : N/A					
						Analyzed Date : 08/30/23 15:21:19					
Instrument Used : PathogenDx Scanner DA-111,Applied						Dilution : 250					
Biosystems Thermocycler DA-013,fisherbrand Isotemp Heat Block						Reagent : 082323.R33; 082823.R03; 082923.R19; 082423.R01; 072523.R14; 083023.R01; 040521.11					
DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific						Consumables : 326250IW					
Isotemp Heat Block DA-021						Pipette : DA-093; DA-094; DA-219					
Analyzed Date : 08/30/23 16:33:07						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Dilution : N/A						<div><div><div>Hg</div></div></div> <div>Heavy Metals</div> <div>PASSED</div>					
Reagent : 062123.15; 080923.R15; 071023.06; 092122.09; 052622.16; 052622.18											
Consumables : 7565002004											
Pipette : N/A											
Analyzed by: 3390, 3336, 585, 4044	Weight: 0.851g	Extraction date: N/A		Extracted by: 3390,3621							
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA063858TYM			Reviewed On : 09/01/23 14:23:54								
Instrument Used : Incubator (25-27C) DA-097			Batch Date : 08/30/23 11:07:13								
Analyzed Date : 08/30/23 13:10:00											
Dilution : 10											
Reagent : 062123.15; 081523.R08; 052622.16; 052622.18											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											


**Heavy Metals**
**PASSED**

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 4044	Weight: 0.2802g	Extraction date: 08/30/23 13:38:58	Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL					
Analytical Batch : DA063847HEA			Reviewed On : 08/31/23 10:38:45		
Instrument Used : DA-ICPMS-003			Batch Date : 08/30/23 09:55:57		
Analyzed Date : 08/30/23 16:07:17					
Dilution : 50					
Reagent : 082323.R34; 082523.R05; 082623.R03; 082523.R03; 082523.R04; 080823.01					
Consumables : 179436; 2209282; 210508058					
Pipette : DA-061; DA-191; DA-216					
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					



4131 SW 47th AVENUE SUITE 1408  
DAVIE, FL, 33314, US  
(954) 368-7664

Kaycha Labs

Communion Cartridge Concentrate 0.5g  
Communion  
Matrix : Derivative  
Type: Distillate



# Certificate of Analysis

PASSED

FLUENT

82 NE 26th street  
Miami, FL, 33137, US  
Telephone: (305) 900-6266  
Email: Taylor.Jones@getfluent.com

Sample : DA30830002-005  
Harvest/Lot ID: 5520 7193 3252 2832  
Batch# : 5520 7193 3252  
Sample Size Received : 15.5 gram  
Total Amount : 1899 units  
Sampled : 08/29/23  
Completed : 09/02/23 Expires: 09/02/24  
Ordered : 08/29/23  
Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign  
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA063870FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 08/30/23 13:21:56

Reviewed On : 08/30/23 13:41:06

Batch Date : 08/30/23 12:44:18

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.543	PASS	0.85

Analyzed by: 3807, 585, 4044	Weight: 0.422g	Extraction date: 08/30/23 15:14:55	Extracted by: 3807
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA063867WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : N/A

Reviewed On : 08/31/23 10:46:31

Batch Date : 08/30/23 11:55:52

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164

Signature  
09/02/23