



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30906003-003
Harvest/Lot ID: 6842 2328 8835 7531
Batch#: 6842 2328 8835 7531
Cultivation Facility: Tampa Cultivation
Source Facility : Tampa Cultivation
Seed to Sale# 0875 0920 4329 4919
Batch Date: 06/23/23
Sample Size Received: 15.5 gram
Total Amount: 1983 units
Retail Product Size: .5 gram
Ordered: 09/05/23
Sampled: 09/05/23
Completed: 09/08/23
Sampling Method: SOP.T.20.010

Sep 08, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 6

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
PASSED

Filtration
PASSED

Water Activity
PASSED

Moisture
NOT TESTED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
86.331%

Total THC/Container : 431.66 mg


Total CBD
0.247%

Total CBD/Container : 1.24 mg


Total Cannabinoids
90.910%

Total Cannabinoids/Container : 454.55 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	86.233	0.112	0.247	ND	0.254	1.871	ND	0.772	0.664	ND	0.757
mg/unit	431.17	0.56	1.24	ND	1.27	9.36	ND	3.86	3.32	ND	3.79
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1117g

Extraction date:
09/06/23 12:37:13

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064055POT

Instrument Used : DA-LC-007

Analyzed Date : 09/06/23 13:36:49

Reviewed On : 09/07/23 10:18:55

Batch Date : 09/06/23 09:15:19

Dilution : 400

Reagent : 090123.R02; 060723.24; 082923.R02

Consumables : 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164

Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Cartridge Concentrate 0.5g
Kingdom Dreams
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-003

Harvest/Lot ID: 6842 2328 8835 7531

Batch# : 6842 2328 8835
7531

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 1983 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	13.43	2.686		FARNESENE	0.001	<0.05	<0.009	
TOTAL TERPINEOL	0.007	0.35	0.070		ALPHA-HUMULENE	0.007	<0.10	<0.020	
ALPHA-BISABOLOL	0.007	1.98	0.395		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	0.35	0.069		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHENE	0.007	<0.10	<0.020		TRANS-NEROLIDOL	0.007	ND	ND	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	0.13	0.025	
BETA-PINENE	0.007	0.50	0.100		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	0.49	0.098		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch : DA064073TER				
LIMONENE	0.007	2.79	0.558		Instrument Used : DA-GCMS-009				
EUCALYPTOL	0.007	ND	ND		Analyzed Date : 09/07/23 12:44:48				
OCIMENE	0.007	ND	ND		Dilution : 10				
GAMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26				
SABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
TERPINOLENE	0.007	<0.10	<0.020		Pipette : N/A				
FENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
LINALOOL	0.007	1.06	0.211						
FENCHYL ALCOHOL	0.007	0.46	0.092						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	<0.30	<0.060						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	<0.10	<0.020						
NEROL	0.007	0.13	0.025						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	0.14	0.028						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	5.08	1.015						
Total (%)			2.686						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23



Certificate of Analysis

PASSED

FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906003-003

Harvest/Lot ID: 6842 2328 8835 7531

Batch# : 6842 2328 8835

7531

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 1983 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by: 3379, 585, 1440	Weight: 0.2652g	Extraction date: 09/06/23 16:52:59	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064068PES			Reviewed On : 09/07/23 10:57:30		
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002			Batch Date : 09/06/23 11:11:14		
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analized Date : N/A					
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Analized by: 450, 585, 1440	Weight: 0.2652g	Extraction date: 09/06/23 16:52:59	Extracted by: 450,3379		
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL (Gainesville)					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064069VOL			Reviewed On : 09/07/23 10:57:01		
IMAZALIL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-010			Batch Date : 09/06/23 11:17:37		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Analized Date : 09/06/23 17:08:02					
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MALATHION	0.010	ppm	0.2	PASS	ND	Reagent : 082923.R19; 040521.11; 080723.R26; 080723.R27					
METALAXYL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METHOMYL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND						
NALED	0.010	ppm	0.25	PASS	ND						



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906003-003

Harvest/Lot ID: 6842 2328 8835 7531

 Batch# : 6842 2328 8835
 7531

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 1983 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0274g

 Extraction date:
 09/07/23 13:25:35

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA064092SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 09/07/23 13:29:54

Reviewed On : 09/07/23 14:36:34

Batch Date : 09/06/23 14:46:47

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906003-003

Harvest/Lot ID: 6842 2328 8835 7531

 Batch# : 6842 2328 8835
 7531

Sampled : 09/05/23

Ordered : 09/05/23



Sample Size Received : 15.5 gram


Total Amount : 1983 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED						
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 585, 1440	Weight: 0.2652g	Extraction date: 09/06/23 16:52:59	Extracted by: 450,3379		
Analyzed by: 3336, 585, 1440	Weight: 0.925g	Extraction date: 09/06/23 12:51:14		Extracted by: 3336		Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL				Reviewed On : 09/07/23 14:42:27		Analytical Batch : DA064083MYC					
Analytical Batch : DA064061MIC				Batch Date : 09/06/23 09:44:54		Instrument Used : N/A					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Analyzed Date : N/A					
Analyzed Date : 09/06/23 15:11:25						Dilution : 250					
						Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11					
						Consumables : 326250IW					
						Pipette : DA-093; DA-094; DA-219					
Dilution : N/A						Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Reagent : 080923.R15; 071023.05; 092122.09; 083123.159											
Consumables : 7566001030											
Pipette : N/A											
Analyzed by: 3336, 585, 1440				Weight: 0.925g	Extraction date: 09/06/23 12:51:14		Extracted by: 3336				
Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL											
Analytical Batch : DA064088TYM				Reviewed On : 09/08/23 14:22:42							
Instrument Used : Incubator (25-27C) DA-097				Batch Date : 09/06/23 13:54:42							
Analyzed Date : 09/06/23 15:14:36											
Dilution : 10											
Reagent : 083123.159; 081523.R08											
Consumables : N/A											
Pipette : N/A											
Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.											

	Heavy Metals	PASSED			
Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1
ARSENIC	0.020	ppm	ND	PASS	0.2
CADMIUM	0.020	ppm	ND	PASS	0.2
MERCURY	0.020	ppm	ND	PASS	0.2
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2531g	Extraction date: 09/06/23 14:15:20	Extracted by: 1022.4056		

<div><div>Hg</div></div>		Heavy Metals		PASSED		
Metal		LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS		0.080	ppm	ND	PASS	1.1
ARSENIC		0.020	ppm	ND	PASS	0.2
CADMIUM		0.020	ppm	ND	PASS	0.2
MERCURY		0.020	ppm	ND	PASS	0.2
LEAD		0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440	Weight: 0.2531g	Extraction date: 09/06/23 14:15:20		Extracted by: 1022,4056		
Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL						
Analytical Batch : DA064062HEA		Reviewed On : 09/07/23 10:10:37				
Instrument Used : DA-ICPMS-004		Batch Date : 09/06/23 09:47:45				
Analyzed Date : 09/06/23 16:28:26						
Dilution : 50						
Reagent : 082323.R34; 083023.R58; 090123.R09; 090123.R21; 090123.R07; 090123.R08; 083123.R04; 080823.01; 083123.R03						
Consumables : 179436; 2209282; 210508058						
Pipette : DA-061; DA-191; DA-216						
Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.						



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Kingdom Dreams Cartridge Concentrate 0.5g
Kingdom Dreams
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-003

Harvest/Lot ID: 6842 2328 8835 7531

Batch# : 6842 2328 8835
7531

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 1983 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
----------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA064082FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/06/23 18:26:35

Reviewed On : 09/06/23 22:10:08

Batch Date : 09/06/23 12:49:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.488	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.49g	Extraction date: 09/06/23 15:34:13	Extracted by: 3619
---------------------------------	------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064065WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/06/23 15:35:37

Reviewed On : 09/07/23 10:18:56

Batch Date : 09/06/23 10:19:01

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23