



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30906003-005
Harvest/Lot ID: 7893 5676 6421 2009
Batch#: 7893 5676 6421 2009
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 8111 1406 9876 2781
Batch Date: 06/23/23
Sample Size Received: 15.5 gram
Total Amount: 2000 units
Retail Product Size: .5 gram
Ordered: 09/05/23
Sampled: 09/05/23
Completed: 09/08/23
Sampling Method: SOP.T.20.010

Sep 08, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

87.052%

Total THC/Container : 435.26 mg



Total CBD

0.238%

Total CBD/Container : 1.19 mg



Total Cannabinoids

91.466%

Total Cannabinoids/Container : 457.33 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 86.948 | 0.119 | 0.238 | ND | 0.229 | 1.868 | ND | 0.763 | 0.663 | ND | 0.638 |
| mg/unit | 434.74 | 0.60 | 1.19 | ND | 1.15 | 9.34 | ND | 3.82 | 3.32 | ND | 3.19 |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
0.1025g

Extraction date:
09/06/23 12:37:13

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031
Analytical Batch : DA064055POT
Instrument Used : DA-LC-007
Analyzed Date : 09/06/23 13:36:49

Reviewed On : 09/07/23 10:19:43
Batch Date : 09/06/23 09:15:19

Dilution : 400
Reagent : 090123.R02; 060723.24; 082923.R02
Consumables : 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270
Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze Cartridge Concentrate 0.5g
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-005

Harvest/Lot ID: 7893 5676 6421 2009

Batch# : 7893 5676 6421
2009

Sampled : 09/05/23
Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 2000 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

| Terpenes | LOD (%) | mg/unit | % | Result (%) | Terpenes | LOD (%) | mg/unit | % | Result (%) |
|--------------------|---------|---------|--------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------|---------|---------|--------|------------|
| TOTAL TERPENES | 0.007 | 7.55 | 1.509 | | FARNESENE | 0.001 | 0.26 | 0.051 | |
| TOTAL TERPINEOL | 0.007 | 0.11 | 0.021 | | ALPHA-HUMULENE | 0.007 | <0.10 | <0.020 | |
| ALPHA-BISABOLOL | 0.007 | 0.16 | 0.032 | | VALENCENE | 0.007 | 0.27 | 0.053 | |
| ALPHA-PINENE | 0.007 | 0.33 | 0.066 | | CIS-NEROLIDOL | 0.007 | ND | ND | |
| CAMPHENE | 0.007 | ND | ND | | TRANS-NEROLIDOL | 0.007 | ND | ND | |
| SABINENE | 0.007 | ND | ND | | CARYOPHYLLENE OXIDE | 0.007 | <0.10 | <0.020 | |
| BETA-PINENE | 0.007 | 0.45 | 0.089 | | GUAIOL | 0.007 | ND | ND | |
| BETA-MYRCENE | 0.007 | 0.74 | 0.147 | | CEDROL | 0.007 | ND | ND | |
| ALPHA-PHELLANDRENE | 0.007 | 0.18 | 0.035 | | | | | | |
| 3-CARENE | 0.007 | 0.11 | 0.022 | | Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL | | | | |
| ALPHA-TERPINENE | 0.007 | <0.10 | <0.020 | | Analytical Batch : DA064073TER | | | | |
| LIMONENE | 0.007 | 0.86 | 0.171 | | Instrument Used : DA-GCMS-009 | | | | |
| EUCALYPTOL | 0.007 | ND | ND | | Analyzed Date : 09/07/23 12:44:48 | | | | |
| OCIMENE | 0.007 | 0.47 | 0.093 | | Dilution : 10 | | | | |
| GAMMA-TERPINENE | 0.007 | ND | ND | | Reagent : 121622.26 | | | | |
| SABINENE HYDRATE | 0.007 | ND | ND | | Consumables : 210414634; MKCN9995; CE0123; R1KB14270 | | | | |
| TERPINOLENE | 0.007 | 2.34 | 0.468 | | Pipette : N/A | | | | |
| FENCHONE | 0.007 | ND | ND | | Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected. | | | | |
| LINALOOL | 0.007 | 0.16 | 0.032 | | | | | | |
| FENCHYL ALCOHOL | 0.007 | 0.11 | 0.022 | | | | | | |
| ISOPULEGOL | 0.007 | ND | ND | | | | | | |
| CAMPHOR | 0.007 | <0.30 | <0.060 | | | | | | |
| ISOBORNEOL | 0.007 | <0.10 | <0.020 | | | | | | |
| BORNEOL | 0.013 | ND | ND | | | | | | |
| HEXAHYDROTHYMOL | 0.007 | <0.10 | <0.020 | | | | | | |
| NEROL | 0.007 | <0.10 | <0.020 | | | | | | |
| PULEGONE | 0.007 | ND | ND | | | | | | |
| GERANIOL | 0.007 | <0.10 | <0.020 | | | | | | |
| GERANYL ACETATE | 0.007 | ND | ND | | | | | | |
| ALPHA-CEDRENE | 0.007 | ND | ND | | | | | | |
| BETA-CARYOPHYLLENE | 0.007 | 1.04 | 0.207 | | | | | | |
| Total (%) | | | 1.509 | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature

09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze Cartridge Concentrate 0.5g
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-005

Harvest/Lot ID: 7893 5676 6421 2009

Batch# : 7893 5676 6421
2009

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 2000 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|----------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|------------------------------------|------------------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 5 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 0.2 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 0.1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 0.5 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 0.2 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 0.1 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.1 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 0.1 | PASS | ND | PYRIDABEN | 0.010 | ppm | 0.2 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 0.1 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 0.1 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 0.1 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 0.1 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 0.1 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.1 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 0.5 | PASS | ND |
| BOSCALID | 0.010 | ppm | 0.1 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 0.1 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.15 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 1 | PASS | ND | CAPTAN * | 0.070 | PPM | 0.7 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 1 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.2 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 0.5 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie) | Weight: 0.2717g | Extraction date: 09/06/23 16:53:00 | Extracted by: 450,3379 | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | Analysis Batch : DA064068PES | | | | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-LCMS-002 | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| ETOXAZOLE | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 | | | | | |
| FENHEXAMID | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | Weight: 0.2717g | Extraction date: 09/06/23 16:53:00 | Extracted by: 450,3379 | | |
| FLONICAMID | 0.010 | ppm | 0.1 | PASS | ND | Analysis Batch : DA064069VOL | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 0.1 | PASS | ND | Instrument Used : DA-GCMS-010 | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : 09/06/23 17:08:02 | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| IMIDACLOPRID | 0.010 | ppm | 0.4 | PASS | ND | Reagent : 082923.R19; 040521.11; 080723.R26; 080723.R27 | | | | | |
| KRESOXIM-METHYL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 14725401; 326250IW | | | | | |
| MALATHION | 0.010 | ppm | 0.2 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |
| METALAXYL | 0.010 | ppm | 0.1 | PASS | ND | Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| NALED | 0.010 | ppm | 0.25 | PASS | ND | | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze Cartridge Concentrate 0.5g
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-005

Harvest/Lot ID: 7893 5676 6421 2009

Batch# : 7893 5676 6421
2009

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 2000 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|-----------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | 5000 | PASS | <2500.000 |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

Analyzed by:
850, 585, 1440

Weight:
0.0278g

Extraction date:
09/07/23 13:25:36

Extracted by:
850

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA064092SOL
Instrument Used : DA-GCMS-003
Analyzed Date : 09/07/23 13:29:54

Reviewed On : 09/07/23 14:36:36
Batch Date : 09/06/23 14:46:47

Dilution : 1
Reagent : 030420.09
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906003-005

Harvest/Lot ID: 7893 5676 6421 2009

 Batch# : 7893 5676 6421
 2009

 Sampled : 09/05/23
 Ordered : 09/05/23


Sample Size Received : 15.5 gram


Total Amount : 2000 units


Completed : 09/08/23 Expires: 09/08/24


Sample Method : SOP.T.20.010

Page 5 of 6

|  | <h1>Microbial</h1> | <h2>PASSED</h2> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------|--------------|---------------------|--|--|-------------|------|--|-------------------|--|--|-------------|------|--|-----------------------|--|--|-------------|------|--|--------------------|--|--|-------------|------|--|--------------------------|--|--|-------------|------|--|----------------|--|--|-------------|------|--|----------------------|----|-------|-----|------|--------|--|--|
| <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>ASPERGILLUS TERREUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS NIGER</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FUMIGATUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ASPERGILLUS FLAVUS</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>SALMONELLA SPECIFIC GENE</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>ECOLI SHIGELLA</td><td></td><td></td><td>Not Present</td><td>PASS</td><td></td></tr><tr><td>TOTAL YEAST AND MOLD</td><td>10</td><td>CFU/g</td><td><10</td><td>PASS</td><td>100000</td></tr></table> | Analyte | LOD | Units | Result | Pass / Fail | Action Level | ASPERGILLUS TERREUS | | | Not Present | PASS | | ASPERGILLUS NIGER | | | Not Present | PASS | | ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | ASPERGILLUS FLAVUS | | | Not Present | PASS | | SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | ECOLI SHIGELLA | | | Not Present | PASS | | TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS TERREUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS NIGER | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ECOLI SHIGELLA | | | Not Present | PASS | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3336, 585, 1440 | Weight: 0.99g | Extraction date: 09/06/23 12:51:15 | Extracted by: 3336 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | Reviewed On : 09/07/23 14:42:30 Batch Date : 09/06/23 09:44:54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analytical Batch : DA064061MIC | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-171,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed Date : 09/06/23 15:11:25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : N/A | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reagent : 080923.R15; 071023.05; 092122.09; 083123.159 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consumables : 7566001030 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3336, 585, 1440 | Weight: 0.99g | Extraction date: 09/06/23 12:51:15 | Extracted by: 3336 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | Reviewed On : 09/08/23 14:23:28 Batch Date : 09/06/23 13:54:42 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analytical Batch : DA064088TYM | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Instrument Used : Incubator (25-27C) DA-097 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed Date : 09/06/23 15:14:36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 10 | | | 1022, 585, 1440 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reagent : 083123.159; 081523.R08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consumables : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pipette : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  | <h1>Mycotoxins</h1> | <h2>PASSED</h2> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------|---------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------|--------------|--------------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|--------------|-------|-----|----|------|------|--|--|
| <table><tr><th>Analyte</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>AFLATOXIN B2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN B1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>OCHRATOXIN A</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G1</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr><tr><td>AFLATOXIN G2</td><td>0.002</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.02</td></tr></table> | Analyte | LOD | Units | Result | Pass / Fail | Action Level | AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 3379, 585, 1440 | Weight: 0.2717g | Extraction date: 09/06/23 16:53:00 | Extracted by: 450,3379 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analytical Batch : DA064083MYC | | | Reviewed On : 09/07/23 10:13:37 Batch Date : 09/06/23 13:02:22 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Instrument Used : N/A | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed Date : N/A | | | Dilution : 250 Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Dilution : 250 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consumables : 326250IW | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  | <h1>Heavy Metals</h1> | <h2>PASSED</h2> | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|---------------------------------------|----------------------------|-------------|--------------|--------------|-------------------------------|-------|-----|----|------|-----|---------|-------|-----|----|------|-----|---------|-------|-----|----|------|-----|---------|-------|-----|----|------|-----|------|-------|-----|----|------|-----|--|--|
| <table><tr><th>Metal</th><th>LOD</th><th>Units</th><th>Result</th><th>Pass / Fail</th><th>Action Level</th></tr><tr><td>TOTAL CONTAMINANT LOAD METALS</td><td>0.080</td><td>ppm</td><td>ND</td><td>PASS</td><td>1.1</td></tr><tr><td>ARSENIC</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>CADMIUM</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>MERCURY</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.2</td></tr><tr><td>LEAD</td><td>0.020</td><td>ppm</td><td>ND</td><td>PASS</td><td>0.5</td></tr></table> | Metal | LOD | Units | Result | Pass / Fail | Action Level | TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | MERCURY | 0.020 | ppm | ND | PASS | 0.2 | LEAD | 0.020 | ppm | ND | PASS | 0.5 | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 1.1 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| ARSENIC | 0.020 | ppm | ND | PASS | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| MERCURY | 0.020 | ppm | ND | PASS | 0.2 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Analyzed by: 1022, 585, 1440 | Weight: 0.2391g | Extraction date: 09/06/23 15:39:41 | Extracted by: 1022,4056 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |

|  | Mycotoxins | PASSED | | | |
|-------------------------------------------------------------------------------------------------------------------------------------|------------|--------------------|---------------------------------------|-------------|---------------------------|
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 | | Weight: 0.2717g | Extraction date: 09/06/23 16:53:00 | | Extracted by: 450,3379 |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA064083MYC | | | Reviewed On : 09/07/23 10:13:37 | | |
| Instrument Used : N/A | | | Batch Date : 09/06/23 13:02:22 | | |
| Analyzed Date : N/A | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 | | | | | |
| Consumables : 326250IW | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | | |
|-------------------------------------------------------------------------------------------------------------------------------|--|--------------------|---------------------------------------|--------|----------------------------|--------------|
| <div><div>Hg</div></div> | | Heavy Metals | | PASSED | | |
| Metal | | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | | 0.080 | ppm | ND | PASS | 1.1 |
| ARSENIC | | 0.020 | ppm | ND | PASS | 0.2 |
| CADMIUM | | 0.020 | ppm | ND | PASS | 0.2 |
| MERCURY | | 0.020 | ppm | ND | PASS | 0.2 |
| LEAD | | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | | Weight: 0.2391g | Extraction date: 09/06/23 15:39:41 | | Extracted by: 1022,4056 | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | | |
| Analytical Batch : DA064062HEA | | | Reviewed On : 09/07/23 10:10:39 | | | |
| Instrument Used : DA-ICPMS-004 | | | Batch Date : 09/06/23 09:47:45 | | | |
| Analyzed Date : 09/06/23 16:28:26 | | | | | | |
| Dilution : 50 | | | | | | |
| Reagent : 082323.R34; 083023.R58; 090123.R09; 090123.R21; 090123.R07; 090123.R08; 083123.R04; 080823.01; 083123.R03 | | | | | | |
| Consumables : 179436; 2209282; 210508058 | | | | | | |
| Pipette : DA-061; DA-191; DA-216 | | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | | |



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Everglade Haze Cartridge Concentrate 0.5g
Everglade Haze Cartridge Concentrate 0.5g
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-005

Harvest/Lot ID: 7893 5676 6421 2009

Batch# : 7893 5676 6421
2009

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 15.5 gram

Total Amount : 2000 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 6 of 6



**Filth/Foreign
Material**

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------------------|-------|-------|--------|------|--------------|
| Filth and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA064082FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : 09/06/23 18:26:35

Reviewed On : 09/06/23 22:10:06

Batch Date : 09/06/23 12:49:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.468 | PASS | 0.85 |

| | | | |
|---------------------------------|-------------------|---------------------------------------|-----------------------|
| Analyzed by: 3619, 585, 1440 | Weight: 0.463g | Extraction date: 09/06/23 15:34:21 | Extracted by: 3619 |
|---------------------------------|-------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA064065WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/06/23 15:35:37

Reviewed On : 09/07/23 10:19:45

Batch Date : 09/06/23 10:19:01

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23