



Certificate of Analysis

COMPLIANCE FOR RETAIL
Sample: DA30906003-006
Harvest/Lot ID: 7289 1696 7610 9676
Batch#: 7289 1696 7610 9676
Cultivation Facility: Tampa Cultivation
Processing Facility : Tampa Processing
Source Facility : Tampa Cultivation
Seed to Sale# 6650 2222 8537 7949
Batch Date: 04/19/23
Sample Size Received: 900 gram
Total Amount: 4862 units
Retail Product Size: 63.4200 gram
Ordered: 09/05/23
Sampled: 09/05/23
Completed: 09/08/23
Sampling Method: SOP.T.20.010

Sep 08, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

**Pesticides
PASSED**

**Heavy Metals
PASSED**

**Microbials
PASSED**

**Mycotoxins
PASSED**

**Residuals Solvents
PASSED**

**Filtration
PASSED**

**Water Activity
PASSED**

**Moisture
NOT TESTED**

**Terpenes
NOT TESTED**
MISC.

Cannabinoid
PASSED

Total THC
0.164%
Total THC/Container : 104.01 mg

Total CBD
ND
Total CBD/Container : 0.00 mg

Total Cannabinoids
0.176%
Total Cannabinoids/Container : 111.62 mg

| | D9-THC | THCA | CBD | CBDA | D8-THC | CBG | CBGA | CBN | THCV | CBDV | CBC |
|---------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| % | 0.164 | ND | ND | ND | 0.002 | 0.006 | ND | 0.002 | 0.002 | ND | ND |
| mg/unit | 104.01 | ND | ND | ND | 1.27 | 3.81 | ND | 1.27 | 1.27 | ND | ND |
| LOD | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| % | % | % | % | % | % | % | % | % | % | % | % |

Analyzed by:
3335, 1665, 585, 1440

Weight:
3.1404g

Extraction date:
09/06/23 13:05:56

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064056POT

Instrument Used : DA-LC-007

Analyzed Date : 09/06/23 13:08:21

Reviewed On : 09/07/23 10:33:35

Batch Date : 09/06/23 09:15:41

Dilution : 400

Reagent : 080823.01; 090123.R02; 060723.50; 060723.24; 082923.R02

Consumables : 947.109; 2209282; 250346; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-006

Harvest/Lot ID: 7289 1696 7610 9676

Batch# : 7289 1696 7610 9676

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 900 gram

Total Amount : 4862 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 2 of 5



Pesticides

PASSED

| Pesticide | LOD | Units | Action Level | Pass/Fail | Result | Pesticide | LOD | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---|---------|---------------------------------|---------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm | 30 | PASS | ND | OXAMYL | 0.010 | ppm | 0.5 | PASS | ND |
| TOTAL DIMETHOMORPH | 0.010 | ppm | 3 | PASS | ND | PACLOBUTRAZOL | 0.010 | ppm | 0.1 | PASS | ND |
| TOTAL PERMETHRIN | 0.010 | ppm | 1 | PASS | ND | PHOSMET | 0.010 | ppm | 0.2 | PASS | ND |
| TOTAL PYRETHRINS | 0.010 | ppm | 1 | PASS | ND | PIPERONYL BUTOXIDE | 0.010 | ppm | 3 | PASS | ND |
| TOTAL SPINETORAM | 0.010 | ppm | 3 | PASS | ND | PRALLETHRIN | 0.010 | ppm | 0.4 | PASS | ND |
| TOTAL SPINOSAD | 0.010 | ppm | 3 | PASS | ND | PROPICONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| ABAMECTIN B1A | 0.010 | ppm | 0.3 | PASS | ND | PROPOXUR | 0.010 | ppm | 0.1 | PASS | ND |
| ACEPHATE | 0.010 | ppm | 3 | PASS | ND | PYRIDABEN | 0.010 | ppm | 3 | PASS | ND |
| ACEQUINOCYL | 0.010 | ppm | 2 | PASS | ND | SPIROMESIFEN | 0.010 | ppm | 3 | PASS | ND |
| ACETAMIPRID | 0.010 | ppm | 3 | PASS | ND | SPIROTETRAMAT | 0.010 | ppm | 3 | PASS | ND |
| ALDICARB | 0.010 | ppm | 0.1 | PASS | ND | SPIROXAMINE | 0.010 | ppm | 0.1 | PASS | ND |
| AZOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND | TEBUCONAZOLE | 0.010 | ppm | 1 | PASS | ND |
| BIFENAZATE | 0.010 | ppm | 3 | PASS | ND | THIACLOPRID | 0.010 | ppm | 0.1 | PASS | ND |
| BIFENTHRIN | 0.010 | ppm | 0.5 | PASS | ND | THIAMETHOXAM | 0.010 | ppm | 1 | PASS | ND |
| BOSCALID | 0.010 | ppm | 3 | PASS | ND | TRIFLOXYSTROBIN | 0.010 | ppm | 3 | PASS | ND |
| CARBARYL | 0.010 | ppm | 0.5 | PASS | ND | PENTACHLORONITROBENZENE (PCNB) * | 0.010 | PPM | 0.2 | PASS | ND |
| CARBOFURAN | 0.010 | ppm | 0.1 | PASS | ND | PARATHION-METHYL * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORANTRANILIPROLE | 0.010 | ppm | 3 | PASS | ND | CAPTAN * | 0.070 | PPM | 3 | PASS | ND |
| CHLORMEQUAT CHLORIDE | 0.010 | ppm | 3 | PASS | ND | CHLORDANE * | 0.010 | PPM | 0.1 | PASS | ND |
| CHLORPYRIFOS | 0.010 | ppm | 0.1 | PASS | ND | CHLORFENAPYR * | 0.010 | PPM | 0.1 | PASS | ND |
| CLOFENTEZINE | 0.010 | ppm | 0.5 | PASS | ND | CYFLUTHRIN * | 0.050 | PPM | 1 | PASS | ND |
| COUMAPHOS | 0.010 | ppm | 0.1 | PASS | ND | CYPERMETHRIN * | 0.050 | PPM | 1 | PASS | ND |
| DAMINOZIDE | 0.010 | ppm | 0.1 | PASS | ND | | | | | | |
| DIAZINON | 0.010 | ppm | 3 | PASS | ND | Analized by: | Weight: | Extraction date: | Extracted by: | | |
| DICHLORVOS | 0.010 | ppm | 0.1 | PASS | ND | 3379, 585, 1440 | 1.0432g | 09/06/23 16:58:51 | 450,3379 | | |
| DIMETHOATE | 0.010 | ppm | 0.1 | PASS | ND | Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), | | | | | |
| ETHOPROPHOS | 0.010 | ppm | 0.1 | PASS | ND | SOP.T.40.102.FL (Davie) | | | | | |
| ETOFENPROX | 0.010 | ppm | 0.1 | PASS | ND | Analytical Batch : DA064075PES | | Reviewed On : 09/07/23 10:24:02 | | | |
| ETOXAZOLE | 0.010 | ppm | 1.5 | PASS | ND | Instrument Used : DA-LCMS-002 | | Batch Date : 09/06/23 11:27:25 | | | |
| FENHEXAMID | 0.010 | ppm | 3 | PASS | ND | Analyzed Date : N/A | | | | | |
| FENOXYCARB | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| FENPYROXIMATE | 0.010 | ppm | 2 | PASS | ND | Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 | | | | | |
| FIPRONIL | 0.010 | ppm | 0.1 | PASS | ND | Consumables : 326250IW | | | | | |
| FLONICAMID | 0.010 | ppm | 2 | PASS | ND | Pipette : DA-093; DA-094; DA-219 | | | | | |
| FLUDIOXONIL | 0.010 | ppm | 3 | PASS | ND | Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in | | | | | |
| HEXYTHIAZOX | 0.010 | ppm | 2 | PASS | ND | accordance with F.S. Rule 64ER20-39. | | | | | |
| IMAZALIL | 0.010 | ppm | 0.1 | PASS | ND | Analized by: | Weight: | Extraction date: | Extracted by: | | |
| IMIDACLOPRID | 0.010 | ppm | 1 | PASS | ND | 450, 585, 1440 | 1.0432g | 09/06/23 16:58:51 | 450,3379 | | |
| KRESOXIM-METHYL | 0.010 | ppm | 1 | PASS | ND | Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL | | | | | |
| MALATHION | 0.010 | ppm | 2 | PASS | ND | Analytical Batch : DA064076VOL | | Reviewed On : 09/07/23 10:22:06 | | | |
| METALAXYL | 0.010 | ppm | 3 | PASS | ND | Instrument Used : DA-GCMS-001 | | Batch Date : 09/06/23 11:28:49 | | | |
| METHIOCARB | 0.010 | ppm | 0.1 | PASS | ND | Analyzed Date : N/A | | | | | |
| METHOMYL | 0.010 | ppm | 0.1 | PASS | ND | Dilution : 250 | | | | | |
| MEVINPHOS | 0.010 | ppm | 0.1 | PASS | ND | Reagent : 082923.R19; 040521.11; 080723.R26; 080723.R27 | | | | | |
| MYCLOBUTANIL | 0.010 | ppm | 3 | PASS | ND | Consumables : 14725401; 326250IW | | | | | |
| NALED | 0.010 | ppm | 0.5 | PASS | ND | Pipette : DA-080; DA-146; DA-218 | | | | | |

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
09/08/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906003-006

Harvest/Lot ID: 7289 1696 7610 9676

Batch# : 7289 1696 7610 9676

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 900 gram

Total Amount : 4862 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



Residual Solvents

PASSED

| Solvents | LOD | Units | Action Level | Pass/Fail | Result |
|----------------------|---------|-------|--------------|-----------|--------|
| 1,1-DICHLOROETHENE | 0.800 | ppm | 8 | PASS | ND |
| 1,2-DICHLOROETHANE | 0.200 | ppm | 2 | PASS | ND |
| 2-PROPANOL | 50.000 | ppm | 500 | PASS | ND |
| ACETONE | 75.000 | ppm | 750 | PASS | ND |
| ACETONITRILE | 6.000 | ppm | 60 | PASS | ND |
| BENZENE | 0.100 | ppm | 1 | PASS | ND |
| BUTANES (N-BUTANE) | 500.000 | ppm | 5000 | PASS | ND |
| CHLOROFORM | 0.200 | ppm | 2 | PASS | ND |
| DICHLOROMETHANE | 12.500 | ppm | 125 | PASS | ND |
| ETHANOL | 500.000 | ppm | | TESTED | ND |
| ETHYL ACETATE | 40.000 | ppm | 400 | PASS | ND |
| ETHYL ETHER | 50.000 | ppm | 500 | PASS | ND |
| ETHYLENE OXIDE | 0.500 | ppm | 5 | PASS | ND |
| HEPTANE | 500.000 | ppm | 5000 | PASS | ND |
| METHANOL | 25.000 | ppm | 250 | PASS | ND |
| N-HEXANE | 25.000 | ppm | 250 | PASS | ND |
| PENTANES (N-PENTANE) | 75.000 | ppm | 750 | PASS | ND |
| PROPANE | 500.000 | ppm | 5000 | PASS | ND |
| TOLUENE | 15.000 | ppm | 150 | PASS | ND |
| TOTAL XYLENES | 15.000 | ppm | 150 | PASS | ND |
| TRICHLOROETHYLENE | 2.500 | ppm | 25 | PASS | ND |

 Analyzed by:
 850, 585, 1440

 Weight:
 0.0239g

 Extraction date:
 09/07/23 12:51:00

 Extracted by:
 850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA064093SOL

Instrument Used : DA-GCMS-002

Analyzed Date : 09/07/23 13:00:11

Reviewed On : 09/07/23 13:33:10

Batch Date : 09/06/23 14:53:50

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-006

Harvest/Lot ID: 7289 1696 7610 9676

Batch# : 7289 1696 7610 9676

Sampled : 09/05/23
Ordered : 09/05/23


Sample Size Received : 900 gram


Total Amount : 4862 units


Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 4 of 5

| | | | | | |
|--|------------------|------------------------------------|--------------------|--|---------------------|
|  | Microbial | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| ASPERGILLUS TERREUS | | | Not Present | PASS | |
| ASPERGILLUS NIGER | | | Not Present | PASS | |
| ASPERGILLUS FUMIGATUS | | | Not Present | PASS | |
| ASPERGILLUS FLAVUS | | | Not Present | PASS | |
| SALMONELLA SPECIFIC GENE | | | Not Present | PASS | |
| ECOLI SHIGELLA | | | Not Present | PASS | |
| TOTAL YEAST AND MOLD | 10 | CFU/g | <10 | PASS | 100000 |
| Analyzed by: 3336, 585, 1440 | Weight: 0.8608g | Extraction date: 09/06/23 13:28:29 | Extracted by: 3336 | <div><div>Reviewed On : 09/07/23 14:43:38</div><div>Batch Date : 09/06/23 09:52:10</div></div> | |
| Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA064064MIC | | | | | |
| Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021 | | | | | |
| Analyzed Date : 09/06/23 15:11:26 | | | | | |
| Dilution : N/A | | | | | |
| Reagent : 080923.R15; 071023.05; 092122.09; 083123.159 | | | | | |
| Consumables : 7566001030 | | | | | |
| Pipette : N/A | | | | | |
| Analyzed by: 3336, 585, 1440 | Weight: 0.8608g | Extraction date: 09/06/23 13:28:29 | Extracted by: 3336 | <div><div>Reviewed On : 09/08/23 18:07:38</div><div>Batch Date : 09/06/23 13:54:45</div></div> | |
| Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL | | | | | |
| Analytical Batch : DA064089TYM | | | | | |
| Instrument Used : Incubator (25-27C) DA-097 | | | | | |
| Analyzed Date : 09/06/23 15:14:37 | | | | | |
| Dilution : 10 | | | | | |
| Reagent : 083123.159; 081523.R08 | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|-------------------|------------------------------------|------------------------|--|---------------------|
|  | Mycotoxins | PASSED | | | |
| Analyte | LOD | Units | Result | Pass / Fail | Action Level |
| AFLATOXIN B2 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN B1 | 0.002 | ppm | ND | PASS | 0.02 |
| OCHRATOXIN A | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G1 | 0.002 | ppm | ND | PASS | 0.02 |
| AFLATOXIN G2 | 0.002 | ppm | ND | PASS | 0.02 |
| Analyzed by: 3379, 585, 1440 | Weight: 1.0432g | Extraction date: 09/06/23 16:58:51 | Extracted by: 450,3379 | <div><div>Reviewed On : 09/07/23 10:01:03</div><div>Batch Date : 09/06/23 13:02:57</div></div> | |
| Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) | | | | | |
| Analytical Batch : DA064085MYC | | | | | |
| Instrument Used : N/A | | | | | |
| Analyzed Date : N/A | | | | | |
| Dilution : 250 | | | | | |
| Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 | | | | | |
| Consumables : 326250IW | | | | | |
| Pipette : DA-093; DA-094; DA-219 | | | | | |
| Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

| | | | | | |
|---|---------------------|------------------------------------|--------------------|--|---------------------|
|  | Heavy Metals | PASSED | | | |
| Metal | LOD | Units | Result | Pass / Fail | Action Level |
| TOTAL CONTAMINANT LOAD METALS | 0.080 | ppm | ND | PASS | 5 |
| ARSENIC | 0.020 | ppm | ND | PASS | 1.5 |
| CADMIUM | 0.020 | ppm | ND | PASS | 0.5 |
| MERCURY | 0.020 | ppm | ND | PASS | 3 |
| LEAD | 0.020 | ppm | ND | PASS | 0.5 |
| Analyzed by: 1022, 585, 1440 | Weight: 0.2374g | Extraction date: 09/06/23 14:35:23 | Extracted by: 4056 | <div><div>Reviewed On : 09/08/23 18:07:38</div><div>Batch Date : 09/06/23 13:54:45</div></div> | |
| Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL | | | | | |
| Analytical Batch : DA064080HEA | | | | | |
| Instrument Used : DA-ICPMS-004 | | | | | |
| Analyzed Date : 09/06/23 18:05:48 | | | | | |
| Dilution : 50 | | | | | |
| Reagent : N/A | | | | | |
| Consumables : N/A | | | | | |
| Pipette : N/A | | | | | |
| Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39. | | | | | |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Original Peach Gels 10 Count
Original Peach
Matrix : Edible
Type: Gummy



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906003-006

Harvest/Lot ID: 7289 1696 7610 9676

Batch# : 7289 1696 7610 9676

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 900 gram

Total Amount : 4862 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filtration/Foreign
Material

PASSED

Homogeneity

PASSED

Amount of tests conducted : 28

| Analyte | LOD | Units | Result | P/F | Action Level |
|---------------------------------|-------|-------|--------|------|--------------|
| Filtration and Foreign Material | 0.100 | % | ND | PASS | 1 |

| | | | |
|----------------------------|---------------|-------------------------|----------------------|
| Analyzed by: 1879, 1440 | Weight: NA | Extraction date: N/A | Extracted by: N/A |
|----------------------------|---------------|-------------------------|----------------------|

Analysis Method : SOP.T.40.090

Analytical Batch : DA064082FIL

Instrument Used : Filtration/Foreign Material Microscope

Analyzed Date : 09/06/23 18:26:35

Reviewed On : 09/06/23 22:10:04

Batch Date : 09/06/23 12:49:43

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filtration and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

| Analyte | LOD | Units | Result | P/F | Action Level |
|----------------|-------|-------|--------|------|--------------|
| Water Activity | 0.010 | aw | 0.588 | PASS | 0.85 |

| | | | |
|---------------------------------|--------------------|---------------------------------------|-----------------------|
| Analyzed by: 3619, 585, 1440 | Weight: 11.953g | Extraction date: 09/06/23 15:33:26 | Extracted by: 3619 |
|---------------------------------|--------------------|---------------------------------------|-----------------------|

Analysis Method : SOP.T.40.019

Analytical Batch : DA064065WAT

Instrument Used : DA-028 Rotronic HygroPalm

Analyzed Date : 09/06/23 15:35:37

Reviewed On : 09/07/23 10:19:50

Batch Date : 09/06/23 10:19:01

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

| Analyte | LOD | Units | Pass/Fail | Result | Action Level |
|-------------------------------|-------|-------|-----------|--------|--------------|
| TOTAL THC - HOMOGENEITY (RSD) | 0.001 | % | PASS | 7.336 | 25 |

| | | | |
|-----------------------|--------------------------|--|------------------------|
| 3605, 1665, 585, 1440 | Average Weight 6.222g | Extraction date : 09/06/23 09:19:47 | Extracted By : 3605 |
|-----------------------|--------------------------|--|------------------------|

Analysis Method : SOP.T.30.111.FL, SOP.T.40.111.FL

Analytical Batch : DA064054HOM

Instrument Used : DA-LC-001 (Homo)

Analyzed Date : 09/06/23 09:20:29

Reviewed On : 09/07/23 10:26:35

Batch Date : 09/06/23 08:23:07

Dilution : 40

Reagent : 080823.01; 082323.R29; 060723.50; 082323.R26

Consumables : 947.109; LCJ0311R; 2209282; 266969; 250653; CE0123; R1KB14270

Pipette : DA-055; DA-063; DA-067

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23