



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30906004-006
Harvest/Lot ID: HYB-SC-082423-C0104
Batch#: 6346 5910 1907 9456
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 3311 7505 9725 1575
Batch Date: 07/20/23
Sample Size Received: 31.5 gram
Total Amount: 1148 units
Retail Product Size: 3.5 gram
Ordered: 09/05/23
Sampled: 09/05/23
Completed: 09/08/23
Sampling Method: SOP.T.20.010

Sep 08, 2023 | FLUENT


82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
24.267%
Dry Weight

Total CBD
0.054%
Dry Weight

Total Cannabinoids
28.245%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.556	23.764	ND	0.055	0.02	0.086	0.352	0.012	0.01	0.016	0.033
mg/unit	19.46	831.74	ND	1.925	0.7	3.01	12.32	0.42	0.35	0.56	1.155
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Total THC
21.397%
748.895 mg /Container

Total CBD
0.048%
1.68 mg /Container

Total Cannabinoids
24.904%
871.64 mg /Container

As Received

Analyzed by:
3335, 585, 4044

Weight:
0.1886g

Extraction date:
09/06/23 12:53:19

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064063POT

Instrument Used : DA-LC-002

Analyzed Date : 09/06/23 12:56:49

Reviewed On : 09/07/23 10:25:58

Batch Date : 09/06/23 09:51:44

Dilution : 400

Reagent : 090123.R01; 060723.24; 082923.R03

Consumables : 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Static Charge WF 3.5g (1/8oz)

FTH-Static Charge

Matrix : Flower

Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906004-006

Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 6346 5910 1907
9456

Sample Size Received : 31.5 gram

Total Amount : 1148 units

Completed : 09/08/23 Expires: 09/08/24

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 31.5 gram

Total Amount : 1148 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	68.60	1.960		FARNESENE	0.001	0.35	0.010	
TOTAL TERPINEOL	0.007	0.81	0.023		ALPHA-HUMULENE	0.007	6.34	0.181	
ALPHA-BISABOLOL	0.007	2.87	0.082		VALENCENE	0.007	ND	ND	
ALPHA-PINENE	0.007	2.87	0.082		CIS-NEROLIDOL	0.007	ND	ND	
CAMPHERE	0.007	<0.70	<0.020		TRANS-NEROLIDOL	0.007	<0.70	<0.020	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020	
BETA-PINENE	0.007	2.52	0.072		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	7.49	0.214		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND						
3-CARENE	0.007	ND	ND						
ALPHA-TERPINENE	0.007	ND	ND						
LIMONENE	0.007	17.50	0.500						
EUCALYPTOL	0.007	ND	ND						
OCIMENE	0.007	3.08	0.088						
GAMMA-TERPINENE	0.007	ND	ND						
SABINENE HYDRATE	0.007	ND	ND						
TERPINOLENE	0.007	ND	ND						
FENCHONE	0.007	ND	ND						
LINALOOL	0.007	<0.70	<0.020						
FENCHYL ALCOHOL	0.007	1.58	0.045						
ISOPULEGOL	0.007	ND	ND						
CAMPHOR	0.007	ND	ND						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	ND	ND						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	ND	ND						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	15.12	0.432						

Total (%)

1.960

Analyzed by: 2076, 585, 4044 Weight: 1.0644g Extraction date: 09/06/23 15:49:13 Extracted by: 2076, 3702
Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL
Analytical Batch : DA064071TER Reviewed On : 09/08/23 18:09:13
Instrument Used : DA-GCMS-008 Batch Date : 09/06/23 11:24:20
Analyzed Date : N/A
Dilution : 10
Reagent : 121622.26
Consumables : 210414634; MKCN9995; CE0123; R1KB14270
Pipette : N/A

Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH-Static Charge WF 3.5g (1/8oz)
FTH-Static Charge
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906004-006

Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 6346 5910 1907

9456

Sampled : 09/05/23

Ordered : 09/05/23

Sample Size Received : 31.5 gram

Total Amount : 1148 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analized by:	3379, 585, 4044	Weight:	1.0107g	Extraction date:	09/06/23 16:56:17
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)			Extracted by:	450,3379
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA064070PES			Reviewed On :	09/07/23 11:56:57
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Instrument Used :	DA-LCMS-002			Batch Date :	09/06/23 11:22:36
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analized Date :	N/A				
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Dilution :	250				
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Reagent :	090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11				
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Consumables :	326250IW				
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Pipette :	DA-093; DA-094; DA-219				
FIPRONIL	0.010	ppm	0.1	PASS	ND						
FLONICAMID	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Analized by:	450, 585, 4044	Weight:	1.0107g	Extraction date:	09/06/23 16:56:17
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	Analysis Method :	SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL			Extracted by:	450,3379
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch :	DA064072VOL			Reviewed On :	09/07/23 11:34:07
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	Instrument Used :	DA-GCMS-010			Batch Date :	09/06/23 11:24:36
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analized Date :	09/06/23 17:13:35				
MALATHION	0.010	ppm	0.2	PASS	ND	Dilution :	250				
METALAXYL	0.010	ppm	0.1	PASS	ND	Reagent :	082923.R19; 040521.11; 080723.R26; 080723.R27				
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables :	14725401; 326250IW				
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette :	DA-080; DA-146; DA-218				
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
NALED	0.010	ppm	0.25	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PjLA-
Testing 97164

Signature
09/08/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30906004-006

Harvest/Lot ID: HYB-SC-082423-C0104

 Batch# : 6346 5910 1907
 9456

 Sampled : 09/05/23
 Ordered : 09/05/23




Sample Size Received : 31.5 gram

Total Amount : 1148 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	400	PASS	100000						
Analyzed by: 3336, 585, 4044 Weight: 1.0743g Extraction date: 09/06/23 13:28:31 Extracted by: 3336 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064064MIC Reviewed On : 09/07/23 14:43:48 Batch Date : 09/06/23 09:52:10 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 09/06/23 15:11:26 Dilution : N/A Reagent : 080923.R15; 071023.05; 092122.09; 083123.159 Consumables : 7566001030 Pipette : N/A						Analyzed by: 3379, 585, 4044 Weight: 1.0107g Extraction date: 09/06/23 16:56:17 Extracted by: 450,3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064084MYC Reviewed On : 09/07/23 11:35:25 Instrument Used : N/A Batch Date : 09/06/23 13:02:52 Analyzed Date : N/A Dilution : 250 Reagent : 090123.R03; 090623.R28; 090623.R29; 090123.R04; 090623.R01; 090623.R02; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3336, 585, 4044 Weight: 1.0743g Extraction date: 09/06/23 13:28:31 Extracted by: 3336 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA064089TYM Reviewed On : 09/08/23 18:09:15 Instrument Used : Incubator (25-27C) DA-097 Batch Date : 09/06/23 13:54:45 Analyzed Date : 09/06/23 15:14:37 Dilution : 10 Reagent : 083123.159; 081523.R08 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 4044 Weight: 0.2435g Extraction date: 09/06/23 12:46:25 Extracted by: 1022,4056 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064060HEA Reviewed On : 09/07/23 10:25:28 Instrument Used : DA-ICPMS-004 Batch Date : 09/06/23 09:42:57 Analyzed Date : 09/06/23 16:18:59 Dilution : 50 Reagent : 082323.R34; 083023.R58; 090123.R09; 090123.R21; 090123.R07; 090123.R08; 083123.R04; 080823.01; 083123.R03 Consumables : 179436; 2209282; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

.....
FTH-Static Charge WF 3.5g (1/8oz)
FTH-Static Charge
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30906004-006

Harvest/Lot ID: HYB-SC-082423-C0104

Batch# : 6346 5910 1907
9456

Sampled : 09/05/23
Ordered : 09/05/23

Sample Size Received : 31.5 gram

Total Amount : 1148 units

Completed : 09/08/23 Expires: 09/08/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	11.83	PASS	15
Analyzed by: 1879, 4044	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3619, 585, 4044	Weight: 0.448g	Extraction date: 09/06/23 14:58:25	Extracted by: 3619		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064082FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : 09/06/23 18:26:35						Analysis Method : SOP.T.40.021 Analytical Batch : DA064078MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/06/23 15:01:30					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.566	PASS	0.65
Analyzed by: 3619, 585, 4044	Weight: 0.519g	Extraction date: 09/06/23 15:20:15	Extracted by: 3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064077WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/06/23 15:22:52					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Jorge Segredo
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/08/23