

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

## **Certificate of Analysis COMPLIANCE FOR RETAIL**

**Kaycha Labs** 

FTH-Sundae's Best WF 3.5g (1/8oz) FTH-Sundae's Best Matrix: Flower Type: Flower-Cured



Sample:DA30906004-008 Harvest/Lot ID: HYB-SB-082523-C0106 Batch#: 4944 7000 5858 0218 **Cultivation Facility: Zolfo Springs Cultivation Processing Facility : Zolfo Springs** Processing Source Facility : Zolfo Springs Cultivation Seed to Sale# 7125 3672 6228 5921 Batch Date: 07/20/23 Sample Size Received: 31.5 gram Total Amount: 1730 units Retail Product Size: 3.5 gram Ordered: 09/05/23 Sampled: 09/05/23 Completed: 09/08/23 Sampling Method: SOP.T.20.010

PASSED



SAFETY RESULTS

Pesticides


PASSED

Miami, FL, 33137, US

PRODUCT IMAGE

Million and and and





Hg

Heavy Metals

PASSED







PASSED

Water Activity PASSED

Pages 1 of 5

Moisture PASSED

#### TESTED

PASSED

MISC.

Cannabinoid

Total THC	
28.28	89
Dry Weight	

тнса

27.891

0.001

%

976.185

I THC	
8.28%	
/eight	

CBD

ND

ND

%

0.001

CRDA

0.062

2.17

%

Weight:

0.2082a

0.001



D8-THC

0.015

0.525

0.001

%

CBG

0.129

4.515

0.001

%



CBGA

0.819

0.001

%

Extraction date

09/06/23 12:53:20

28.665

CBN

0.011

0.385

0.001

%

Reviewed On : 09/07/23 10:26:07

Batch Date: 09/06/23 09:51:44

тнсу

< 0.010

< 0.35

0.001

%



CRDV

0.02

0.7

%

0.001

СВС

0.064

2.24

0.001

Extracted by:

3335

%

**Total Cannabinoids** 402% Dry Weight

Total THC	
25.124%	

879.34 mg /Container

#### Total CBD 0.054% 1.89 mg /Container

**Total Cannabinoids** 29.675% 1038.625 mg /Container

As Received

Analyzed by: 3335, 585, 4044

Analysis Method : SOP.T.40.031, SOP.T.30.031 Analytical Batch : DA064063POT

D9-THC

0.664

23.24

0.001

%

Instrument Used : DA-LC-002

Analyzed Date : 09/06/23 12:56:49

%

ma/unit

LOD

Dilution: 400 Reagent : 090123.R01; 060723.24; 082923.R03

Consumables : 947.109; 2209282; 266969; CE0123; 115C4-1151; 61691-131C6-131C; R1KB14270 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA Testing 97164



Signature 09/08/23



FTH-Sundae's Best WF 3.5g (1/8oz) FTH-Sundae's Best Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com 
 Sample : DA30906004-008

 Harvest/Lot ID: HYB-SB-082523-C0106

 Batch# : 4944 7000 5858
 Sample S

 0218
 Total Am

Sampled : 09/05/23 Ordered : 09/05/23 Sample Size Received : 31.5 gram Total Amount : 1730 units Completed : 09/08/23 Expires: 09/08/24 Sample Method : SOP.T.20.010

Page 2 of 5

# Ô

To	rno	noc
16	rpe	nes

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes		LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	98.25	2.807		FARNESENE		0.001	0.53	0.015	
OTAL TERPINEOL	0.007	0.95	0.027		ALPHA-HUMULENE		0.007	10.68	0.305	
LPHA-BISABOLOL	0.007	5.67	0.162		VALENCENE		0.007	ND	ND	
LPHA-PINENE	0.007	1.47	0.042		CIS-NEROLIDOL		0.007	ND	ND	
AMPHENE	0.007	ND	ND		TRANS-NEROLIDOL		0.007	2.10	0.060	
ABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE		0.007	<0.70	< 0.020	
ETA-PINENE	0.007	2.10	0.060		GUAIOL		0.007	ND	ND	
ETA-MYRCENE	0.007	13.02	0.372		CEDROL		0.007	ND	ND	
LPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by:	Weight:		Extraction date		Extracted by:
CARENE	0.007	ND	ND		2076, 585, 4044	0.8491g		09/06/23 15:48		2076,3702
LPHA-TERPINENE	0.007	ND	ND		Analysis Method : SOP.T.30.061A.F	L, SOP.T.40.061A.FL				
MONENE	0.007	14.18	0.405		Analytical Batch : DA064071TER					/08/23 18:09:20
JCALYPTOL	0.007	ND	ND		Instrument Used : DA-GCMS-008 Analyzed Date : N/A			Batch	Date : 09/0	6/23 11:24:20
CIMENE	0.007	ND	ND		Dilution : 10					
AMMA-TERPINENE	0.007	ND	ND		Reagent : 121622.26					
ABINENE HYDRATE	0.007	ND	ND		Consumables : 210414634; MKCN9	995; CE0123; R1KB	L4270			
ERPINOLENE	0.007	ND	ND		Pipette : N/A					
ENCHONE	0.007	ND	ND		Terpenoid testing is performed utilizing	Gas Chromatography I	Aass Spect	rometry. For all F	lower sample	es, the Total Terpenes % is dry-weight corrected.
NALOOL	0.007	3.43	0.098		1					
ENCHYL ALCOHOL	0.007	1.75	0.050		- T					
OPULEGOL	0.007	ND	ND							
AMPHOR	0.007	ND	ND							
OBORNEOL	0.007	ND	ND							
DRNEOL	0.013	ND	ND							
EXAHYDROTHYMOL	0.007	ND	ND							
EROL	0.007	ND	ND							
ULEGONE	0.007	ND	ND							
ERANIOL	0.007	ND	ND							
ERANYL ACETATE	0.007	ND	ND							
LPHA-CEDRENE	0.007	ND	ND							
ETA-CARYOPHYLLENE	0.007	31.43	0.898							

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



Signature 09/08/23

### PASSED

TESTED



FTH-Sundae's Best WF 3.5g (1/8oz) FTH-Sundae's Best Matrix : Flower Type: Flower-Cured



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30906004-008 Harvest/Lot ID: HYB-SB-082523-C0106 Batch#: 4944 7000 5858

0218 Sampled : 09/05/23 Ordered : 09/05/23 Sample Size Received : 31.5 gram Total Amount : 1730 units Completed : 09/08/23 Expires: 09/08/24 Sample Method : SOP.T.20.010

Page 3 of 5



### **Pesticides**

Pesticide		Units	Action Level	Pass/Fail	Result	Pesticide	LOI	O Units	Action Level	Pass/Fail	Result
OTAL CONTAMINANT LOAD (PESTICIDES)	0.010		5	PASS	ND	OXAMYL	0.0	L0 ppm	0.5	PASS	ND
OTAL DIMETHOMORPH	0.010		0.2	PASS	ND	PACLOBUTRAZOL	0.03	L0 ppm	0.1	PASS	ND
OTAL PERMETHRIN	0.010		0.1	PASS	ND	PHOSMET	0.03	L0 ppm	0.1	PASS	ND
OTAL PYRETHRINS	0.010		0.5	PASS	ND	PIPERONYL BUTOXIDE	0.0	LO ppm	3	PASS	ND
OTAL SPINETORAM	0.010		0.2	PASS	ND	PRALLETHRIN		LO ppm	0.1	PASS	ND
OTAL SPINOSAD	0.010		0.1	PASS	ND	PROPICONAZOLE		LO ppm	0.1	PASS	ND
BAMECTIN B1A	0.010		0.1	PASS	ND				0.1	PASS	
CEPHATE	0.010		0.1	PASS	ND	PROPOXUR		L0 ppm			ND
CEQUINOCYL	0.010		0.1	PASS	ND	PYRIDABEN		L0 ppm	0.2	PASS	ND
CETAMIPRID	0.010		0.1	PASS	ND	SPIROMESIFEN		L0 ppm	0.1	PASS	ND
LDICARB	0.010		0.1	PASS	ND	SPIROTETRAMAT	0.0	L0 ppm	0.1	PASS	ND
ZOXYSTROBIN	0.010		0.1	PASS	ND	SPIROXAMINE	0.03	L0 ppm	0.1	PASS	ND
IFENAZATE	0.010		0.1	PASS	ND	TEBUCONAZOLE	0.0	L0 ppm	0.1	PASS	ND
IFENTHRIN	0.010		0.1	PASS	ND	THIACLOPRID	0.03	L0 ppm	0.1	PASS	ND
OSCALID	0.010		0.1	PASS	ND	THIAMETHOXAM	0.0	LO ppm	0.5	PASS	ND
ARBARYL	0.010		0.5	PASS	ND	TRIFLOXYSTROBIN		LO ppm	0.1	PASS	ND
ARBOFURAN	0.010		0.1	PASS	ND			LO PPM	0.15	PASS	ND
HLORANTRANILIPROLE	0.010		1	PASS	ND	PENTACHLORONITROBENZENE (PCI				PASS	
HLORMEQUAT CHLORIDE	0.010	1.1.	1	PASS	ND	PARATHION-METHYL *		LO PPM	0.1		ND
HLORPYRIFOS	0.010		0.1	PASS	ND	CAPTAN *		70 PPM	0.7	PASS	ND
LOFENTEZINE	0.010	T. F.	0.2	PASS	ND	CHLORDANE *	0.0	LO PPM	0.1	PASS	ND
OUMAPHOS	0.010		0.1	PASS	ND	CHLORFENAPYR *	0.0	LO PPM	0.1	PASS	ND
AMINOZIDE	0.010		0.1	PASS	ND	CYFLUTHRIN *	0.0	50 PPM	0.5	PASS	ND
IAZINON	0.010		0.1	PASS	ND	CYPERMETHRIN *	0.0	50 PPM	0.5	PASS	ND
ICHLORVOS	0.010		0.1	PASS	ND	Analyzed by: Wo	eight: Extra	ction date:		Extracted	by:
DIMETHOATE	0.010		0.1	PASS	ND			/23 16:56:18		450,3379	.,.
THOPROPHOS	0.010		0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (	Gainesville), SOP.T.30.	102.FL (Davie)	, SOP.T.40.101	1.FL (Gainesville	2),
TOFENPROX	0.010		0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
TOXAZOLE	0.010		0.1	PASS	ND	Analytical Batch : DA064070PES			n:09/07/231		
ENHEXAMID	0.010		0.1	PASS	ND	Instrument Used : DA-LCMS-002 Analyzed Date : N/A		Batch Date	:09/06/23 11:	22:36	
ENOXYCARB	0.010		0.1	PASS	ND	Dilution : 250					
ENPYROXIMATE	0.010		0.1	PASS	ND	Reagent : 090123.R03: 090623.R28:	090623.R29: 090123.	R04: 090623.R	01: 090623.R	02:040521.11	
IPRONIL	0.010		0.1	PASS	ND	Consumables : 326250IW				,	
LONICAMID	0.010		0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
LUDIOXONIL	0.010		0.1	PASS	ND	Testing for agricultural agents is perfor	med utilizing Liquid Chr	omatography T	riple-Quadrupo	le Mass Spectro	metry in
EXYTHIAZOX	0.010		0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
MAZALIL	0.010		0.1	PASS	ND			tion date: 23 16:56:18		Extracted k 450.3379	by:
MIDACLOPRID	0.010		0.4	PASS	ND	450, 585, 4044 0.96 Analysis Method : SOP.T.30.151.FL (0			) COD T 40 1		
RESOXIM-METHYL	0.010		0.1	PASS	ND	Analysis Method : SOP.1.30.131.FL (C Analytical Batch : DA064072VOL	Jainesville), SUP.1.30.	Reviewed On			
ALATHION	0.010		0.2	PASS	ND	Instrument Used :DA-GCMS-010		Batch Date :			
IETALAXYL	0.010		0.1	PASS	ND	Analyzed Date :09/06/23 17:13:35					
ETHIOCARB	0.010		0.1	PASS	ND	Dilution: 250					
ETHOMYL	0.010		0.1	PASS	ND	Reagent: 082923.R19; 040521.11; 0		27			
IEVINPHOS	0.010		0.1	PASS	ND	Consumables : 14725401; 326250IW					
			0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
IYCLOBUTANIL IALED	0.010 0.010		0.25	PASS	ND	Testing for agricultural agents is perform					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

#### Jorge Segredo Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/08/23

#### PASSED

PASSED



FTH-Sundae's Best WF 3.5g (1/8oz) FTH-Sundae's Best Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30906004-008 Harvest/Lot ID: HYB-SB-082523-C0106 Batch# : 4944 7000 5858 Sample 5

0218 Sampled : 09/05/23 Ordered : 09/05/23 Sample Size Received : 31.5 gram Total Amount : 1730 units Completed : 09/08/23 Expires: 09/08/24 Sample Method : SOP.T.20.010

Page 4 of 5	of 5	0	4	je	ag
-------------	------	---	---	----	----

Ċ.	Microbia	I			PAS	SED	လို့	Mycoto	xins			PAS	SED
ASPERGILLU	S NIGER S FUMIGATUS S FLAVUS A SPECIFIC GENE	LOD	Units	Result Not Present Not Present Not Present Not Present Not Present	Pass / Fail PASS PASS PASS PASS PASS PASS	Action Level	Analyte AFLATOXIN I AFLATOXIN I OCHRATOXIN AFLATOXIN ( AFLATOXIN (	B1 N A G1	LOD 0.002 0.002 0.002 0.002 0.002	Units ppm ppm ppm ppm ppm	Result ND ND ND ND ND	Pass / Fail PASS PASS PASS PASS PASS	Action Level 0.02 0.02 0.02 0.02 0.02 0.02
TOTAL YEAS		10	CFU/g	10	PASS	100000	Analyzed by: 3379, 585, 404	4 0.9654g	Extraction da 09/06/23 16			xtracted I 50,3379	by:
Analytical Batc Instrument Use Biosystems Th DA-020,fisherb Isotemp Heat B	d: SOP.T.40.056C, SOP h: DA064064MIC ed: PathogenDx Scanne ermocycler DA-010,fish- prand Isotemp Heat Bloc	.T.40.058 r DA-111 erbrand I	,Applied sotemp Hea	40.209.FL Review 14:43: Batch t Block 09:52:	Date : 09/0	, , = .	Analytical Bate Instrument Use Analyzed Date Dilution : 250 Reagent : 090 040521.11 Consumables : Pipette : DA-09	: N/A 123.R03; 090623.R28; 326250IW 93; DA-094; DA-219	Revie Batch 090623.R29; 090		06/23 13:0	02:52 1; 09062:	
	923.R15; 071023.05; 09 7566001030	2122.09;	083123.159	9			accordance with	ing utilizing Liquid Chroma n F.S. Rule 64ER20-39.		le-Quadrupo			
Analyzed by: 3336, 585, 404	Weight: 4 1.0352g		action date: 6/23 13:28:3	32	Extracted 3336	by:	[ Hg ]	Heavy M	letals			PAS	SED
Analytical Bato Instrument Use	od : SOP.T.40.208 (Gaine h : DA064089TYM ed : Incubator (25-27C) I : 09/06/23 15:14:37		Revie	9.FL ewed On : 09/0 h Date : 09/06/			Metal TOTAL CONT	AMINANT LOAD MET	LOD ALS 0.080	<b>Units</b> ppm	Result	Pass / Fail PASS	Action Level
Dilution : 10 Reagent : 0831 Consumables : Pipette : N/A	123.159; 081523.R08 N/A						ARSENIC CADMIUM MERCURY LEAD		0.020 0.020 0.020 0.020	ppm ppm ppm ppm	ND ND ND ND	PASS PASS PASS PASS	0.2 0.2 0.2 0.5
	mold testing is performed u F.S. Rule 64ER20-39.	tilizing MI	PN and tradition	onal culture base	d techniques	s in	Analyzed by: 1022, 585, 404	<b>Weight:</b> 4 0.2643g	Extraction da 09/06/23 12:			<b>xtracted b</b> 022,4056	
							Analytical Bato	od : SOP.T.30.082.FL, S h : DA064060HEA ed : DA-ICPMS-004 : 09/06/23 16:18:59	Review	<b>red On :</b> 09 Date : 09/0			

Dilution : 50

Reagent : 082323.R34; 083023.R58; 090123.R09; 090123.R21; 090123.R07; 090123.R08; 083123.R04; 080823.01; 083123.R03 Consumables : 179436; 2209282; 210508058

Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/08/23



FTH-Sundae's Best WF 3.5g (1/8oz) FTH-Sundae's Best Matrix : Flower Type: Flower-Cured



PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

# **Certificate of Analysis**

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30906004-008 Harvest/Lot ID: HYB-SB-082523-C0106 Batch# : 4944 7000 5858 Sample S

0218 Sampled : 09/05/23 Ordered : 09/05/23 Sample Size Received : 31.5 gram Total Amount : 1730 units Completed : 09/08/23 Expires: 09/08/24 Sample Method : SOP.T.20.010



Filth/Foreign Material





Page 5 of 5

PASSED

Analyte Filth and Fore	gn Material	<b>LOD</b> 0.100	Units %	<b>Result</b> ND	P/F PASS	Action Level	Analyte Moisture Content		<b>LOD</b> 1.00	Units %	<b>Result</b> 11.16	P/F PASS	Action Level
Analyzed by: 1879, 4044	Weight: NA		xtraction	date:	Extra N/A	cted by:		<b>/eight:</b> .467g		<b>(traction (</b> 9/06/23 14			<b>tracted by:</b>
		erial Micro	oscope			/23 22:09:56 3 12:49:43	Analysis Method : SOP.T.40.02 Analytical Batch : DA064078M Instrument Used : DA-003 Moi Analyzed Date : 09/06/23 15:0	MOI bisture A	nalyzei		Reviewed On Batch Date : (		
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	/A						Dilution : N/A Reagent : 031523.19; 020123 Consumables : N/A Pipette : DA-066	3.02					
	aterial inspection is p cordance with F.S. Rul			spection utilizi	ng naked ey	e and microscope	Moisture Content analysis utilizing	ig loss-on	-drying	technology	in accordance	with F.S. Ru	ıle 64ER20-39.
$\bigcirc$	Water A	ctiv	vity		PA	SSED							

Analyte Water Activity	-	. <b>OD</b> ).010	<b>Result</b> 0.551	P/F PASS	Action Level 0.65	
Analyzed by: 3619, 585, 4044	Weight: 0.508g		traction d			tracted by: 519
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 09/06	64077WAT 028 Rotronic Hyg	gropal	m	Reviewed Or Batch Date :		
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

### Jorge Segredo

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164



09/08/23