



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30912003-002
Harvest/Lot ID: 6114 2049 1204 9285
Batch#: 6114 2049 1204 9285
Cultivation Facility: Tampa Cultivation
Processing Facility: Tampa Processing
Source Facility: Tampa Cultivation
Seed to Sale#: 3714 0705 8793 3017
Batch Date: 06/01/23
Sample Size Received: 67.5 gram
Total Amount: 1388 units
Retail Product Size: 11.25 gram
Ordered: 09/11/23
Sampled: 09/11/23
Completed: 09/14/23
Sampling Method: SOP.T.20.010

Sep 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US



PASSED

Pages 1 of 6

PRODUCT IMAGE



SAFETY RESULTS



Pesticides
PASSED



Heavy Metals
PASSED



Microbials
PASSED



Mycotoxins
PASSED



Residuals Solvents
PASSED



Filtration
PASSED



Water Activity
PASSED



Moisture
NOT TESTED



Terpenes
TESTED

MISC.



Cannabinoid

PASSED



Total THC

4.088%

Total THC/Container : 459.90 mg



Total CBD

0.011%

Total CBD/Container : 1.24 mg



Total Cannabinoids

4.288%

Total Cannabinoids/Container : 482.40 mg

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	4.083	0.006	0.011	ND	0.010	0.085	ND	0.028	0.044	ND	0.021
mg/unit	459.34	0.68	1.24	ND	1.13	9.56	ND	3.15	4.95	ND	2.36
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
	%	%	%	%	%	%	%	%	%	%	%

Analyzed by:
3335, 1665, 585, 1440

Weight:
1.5247g

Extraction date:
09/12/23 16:15:09

Extracted by:
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064270POT

Instrument Used : DA-LC-007

Analyzed Date : 09/12/23 16:16:35

Reviewed On : 09/13/23 12:30:00

Batch Date : 09/12/23 10:20:08

Dilution : 200

Reagent : 081523.R02; 061623.02; 081523.R01

Consumables : 947.109; 1852142; CE0123; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164



Signature
09/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Drops 11.25g

Midnight Cruiser

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912003-002

Harvest/Lot ID: 6114 2049 1204 9285

Batch# : 6114 2049 1204
9285

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 67.5 gram

Total Amount : 1388 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 2 of 6



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)
TOTAL TERPENES	0.007	162.11	1.441		FARNESENE	0.001	ND	ND	
TOTAL TERPINEOL	0.007	ND	ND		ALPHA-HUMULENE	0.007	4.16	0.037	
ALPHA-BISABOLOL	0.007	3.94	0.035		VALENCENE	0.007	8.44	0.075	
ALPHA-PINENE	0.007	8.78	0.078		CIS-NEROLIDOL	0.007	<2.25	<0.020	
CAMPHENE	0.007	ND	ND		TRANS-NEROLIDOL	0.007	<2.25	<0.020	
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<2.25	<0.020	
BETA-PINENE	0.007	ND	ND		GUAIOL	0.007	ND	ND	
BETA-MYRCENE	0.007	29.81	0.265		CEDROL	0.007	ND	ND	
ALPHA-PHELLANDRENE	0.007	ND	ND		Analyzed by: 2076, 585, 1440				
3-CARENE	0.007	ND	ND		Weight: 0.9826g				
ALPHA-TERPINENE	0.007	ND	ND		Extraction date: 09/13/23 10:54:59				
LIMONENE	0.007	72.34	0.643		Extracted by: 2076				
EUCALYPTOL	0.007	ND	ND		Analysis Method : SOP.T.30.061A.FL, SOP.T.40.061A.FL				
OCIMENE	0.007	4.16	0.037		Analytical Batch : DA064272TER				
GAMMA-TERPINENE	0.007	ND	ND		Instrument Used : DA-GCMS-009				
SABINENE HYDRATE	0.007	ND	ND		Analyzed Date : N/A				
TERPINOLENE	0.007	ND	ND		Dilution : 10				
FENCHONE	0.007	ND	ND		Reagent : 121622.26				
LINALOOL	0.007	4.95	0.044		Consumables : 210414634; MKCN9995; CE0123; R1KB14270				
FENCHYL ALCOHOL	0.007	ND	ND		Pipette : N/A				
ISOPULEGOL	0.007	ND	ND		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.				
CAMPHOR	0.007	<6.75	<0.060						
ISOBORNEOL	0.007	ND	ND						
BORNEOL	0.013	<4.50	<0.040						
HEXAHYDROTHYMOL	0.007	ND	ND						
NEROL	0.007	8.44	0.075						
PULEGONE	0.007	ND	ND						
GERANIOL	0.007	ND	ND						
GERANYL ACETATE	0.007	ND	ND						
ALPHA-CEDRENE	0.007	ND	ND						
BETA-CARYOPHYLLENE	0.007	17.10	0.152						
Total (%)				1.441					

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Drops 11.25g

Midnight Cruiser

Matrix : Derivative

Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912003-002

Harvest/Lot ID: 6114 2049 1204 9285

Batch# : 6114 2049 1204
9285

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 67.5 gram

Total Amount : 1388 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 3 of 6



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	3	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)	Weight: 0.2769g	Extraction date: 09/12/23 16:38:10	Extracted by: 450,3379		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analysis Method : DA064284PES					
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analysis Date : 09/12/23 16:43:03					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Dilution : 250					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Reagent : 090123.R03; 090723.R14; 090623.R29; 091223.R10; 090623.R01; 090623.R02; 040521.11					
FENHEXAMID	0.010	ppm	3	PASS	ND	Consumables : 326250IW					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL	Weight: 0.2769g	Extraction date: 09/12/23 16:38:10	Extracted by: 450,3379		
FLONICAMID	0.010	ppm	2	PASS	ND	Analysis Method : DA064285VOL					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-010					
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analysis Date : N/A					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
IMIDACLOPRID	0.010	ppm	1	PASS	ND	Reagent : 090623.R29; 040521.11; 090723.R17; 090723.R16					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Consumables : 14725401; 326250IW					
MALATHION	0.010	ppm	2	PASS	ND	Pipette : DA-080; DA-146; DA-218					
METALAXYL	0.010	ppm	3	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
METHIACARB	0.010	ppm	0.1	PASS	ND						
METHOMYL	0.010	ppm	0.1	PASS	ND						
MEVINPHOS	0.010	ppm	0.1	PASS	ND						
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Drops 11.25g
Midnight Cruiser
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912003-002

Harvest/Lot ID: 6114 2049 1204 9285

Batch# : 6114 2049 1204
9285

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 67.5 gram

Total Amount : 1388 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 4 of 6



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
ACETONE	75.000	ppm	750	PASS	ND
ACETONITRILE	6.000	ppm	60	PASS	ND
BENZENE	0.100	ppm	1	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND
CHLOROFORM	0.200	ppm	2	PASS	ND
DICHLOROMETHANE	12.500	ppm	125	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	400	PASS	ND
ETHYL ETHER	50.000	ppm	500	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	250	PASS	ND
N-HEXANE	25.000	ppm	250	PASS	ND
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND
PROPANE	500.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	150	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND

Analyzed by:
850, 585, 1440

Weight:
0.0202g

Extraction date:
09/13/23 13:49:34

Extracted by:
850

Analysis Method : SOP.T.40.041.FL

Analytical Batch : DA064302SOL

Instrument Used : DA-GCMS-003

Analyzed Date : 09/13/23 14:19:25

Reviewed On : 09/13/23 15:22:41

Batch Date : 09/12/23 16:56:47

Dilution : 1

Reagent : 030420.09

Consumables : R2017.167; G201.167

Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30912003-002

Harvest/Lot ID: 6114 2049 1204 9285

Batch# : 6114 2049 1204 9285

 Sampled : 09/11/23
 Ordered : 09/11/23

Sample Size Received : 67.5 gram

Total Amount : 1388 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 5 of 6

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000	Analyzed by: 3379, 4056, 585, 1440	Weight: 0.2769g	Extraction date: 09/12/23 16:38:10		Extracted by: 450,3379	
Analyzed by: 3390, 585, 3621, 1440						Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie)					
Weight: 0.8896g						Analytical Batch : DA064299MYC					
Extraction date: 09/12/23 11:37:58						Instrument Used : N/A					
Extracted by: 3336,3390						Reviewed On : 09/13/23 21:15:09					
Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL						Batch Date : 09/12/23 08:35:47					
Analytical Batch : DA064263MIC						Dilution : 250					
						Reagent : 090123.R03; 090723.R14; 090623.R29; 091223.R10; 090623.R01; 090623.R02; 040521.11					
Instrument Used : PathogenDx Scanner DA-111,Applied Biosystems Thermocycler DA-010,fisherbrand Isotemp Heat Block DA-020,fisherbrand Isotemp Heat Block DA-049,Fisher Scientific Isotemp Heat Block DA-021						Consumables : 326250IW					
Analyzed Date : 09/13/23 17:43:31						Pipette : DA-093; DA-094; DA-219					

<div>Analized by: 3621, 3336, 585, 1440</div> <div>Weight: 0.8896g</div> <div>Extraction date: 09/12/23 11:37:58</div> <div>Extracted by: 3336,3390</div>	<div><div><div>Heavy Metals</div><div>PASSED</div></div></div>
<div>Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL</div> <div>Analytical Batch : DA064294TYM</div> <div>Instrument Used : Incubator (25-27C) DA-096</div> <div>Analyzed Date : 09/12/23 13:06:45</div> <div>Dilution : 10</div> <div>Reagent : 083123.142; 081523.R08</div> <div>Consumables : N/A</div> <div>Pipette : N/A</div>	<div><div>Metal</div><div>LOD</div><div>Units</div><div>Result</div><div>Pass / Fail</div><div>Action Level</div></div> <div><div>TOTAL CONTAMINANT LOAD METALS</div><div>0.080</div><div>ppm</div><div>ND</div><div>PASS</div><div>5</div></div> <div><div>ARSENIC</div><div>0.020</div><div>ppm</div><div>ND</div><div>PASS</div><div>1.5</div></div> <div><div>CADMIUM</div><div>0.020</div><div>ppm</div><div>ND</div><div>PASS</div><div>0.5</div></div> <div><div>MERCURY</div><div>0.020</div><div>ppm</div><div>ND</div><div>PASS</div><div>3</div></div> <div><div>LEAD</div><div>0.020</div><div>ppm</div><div>ND</div><div>PASS</div><div>0.5</div></div>
<div>Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.</div>	<div><div>Analyzed by: 1022, 585, 1440</div><div>Weight: 0.2393g</div><div>Extraction date: 09/12/23 11:32:45</div><div>Extracted by: 1022</div></div> <div><div>Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL</div><div>Analytical Batch : DA064268HEA</div><div>Instrument Used : DA-ICPMS-004</div><div>Analyzed Date : 09/12/23 15:21:39</div><div>Dilution : 50</div><div>Reagent : 082323.R34; 083023.R58; 090823.R11; 090123.R21; 090823.R09; 090823.R10; 083123.R04; 083123.R03</div><div>Consumables : 179436; 1852142; 210508058</div><div>Pipette : DA-061; DA-191; DA-216</div></div> <div><div>Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.</div></div>



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

Midnight Cruiser Drops 11.25g
Midnight Cruiser
Matrix : Derivative
Type: Distillate



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912003-002

Harvest/Lot ID: 6114 2049 1204 9285

Batch# : 6114 2049 1204 9285

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 67.5 gram

Total Amount : 1388 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 6 of 6



Filth/Foreign
Material

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090

Analytical Batch : DA064274FIL

Instrument Used : Filth/Foreign Material Microscope

Analyzed Date : N/A

Reviewed On : 09/12/23 10:58:37

Batch Date : 09/12/23 10:48:16

Dilution : N/A

Reagent : N/A

Consumables : N/A

Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.506	PASS	0.85

Analyzed by: 3619, 585, 1440	Weight: 0.514g	Extraction date: 09/12/23 14:38:39	Extracted by: 3619
---------------------------------	-------------------	---------------------------------------	-----------------------

Analysis Method : SOP.T.40.019

Analytical Batch : DA064293WAT

Instrument Used : DA-028 Rotronic Hygropalm

Analyzed Date : 09/12/23 14:39:35

Reviewed On : 09/13/23 12:30:01

Batch Date : 09/12/23 12:26:14

Dilution : N/A

Reagent : 050923.04

Consumables : PS-14

Pipette : N/A

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23