



Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA30912004-001
Harvest/Lot ID: HYB-BJF-090723-C0107
Batch#: 7696 4335 5584 5652
Cultivation Facility: Zolfo Springs Cultivation
Processing Facility: Zolfo Springs Processing
Source Facility: Zolfo Springs Cultivation
Seed to Sale# 1241 1896 8236 3439
Batch Date: 08/02/23
Sample Size Received: 31.5 gram
Total Amount: 1913 units
Retail Product Size: 3.5 gram
Ordered: 09/11/23
Sampled: 09/11/23
Completed: 09/14/23
Sampling Method: SOP.T.20.010

Sep 14, 2023 | FLUENT

82 NE 26th street
Miami, FL, 33137, US

PASSED

Pages 1 of 5

PRODUCT IMAGE

SAFETY RESULTS

Pesticides
PASSED

Heavy Metals
PASSED

Microbials
PASSED

Mycotoxins
PASSED

Residuals Solvents
NOT TESTED

Filtration
PASSED

Water Activity
PASSED

Moisture
PASSED

Terpenes
TESTED
MISC.

Cannabinoid
PASSED

Total THC
28.399%
Dry Weight

Total CBD
0.066%
Dry Weight

Total Cannabinoids
34.083%
Dry Weight

	D9-THC	THCA	CBD	CBDA	D8-THC	CBG	CBGA	CBN	THCV	CBDV	CBC
%	0.821	27.289	ND	0.067	0.025	0.095	1.328	0.014	ND	ND	0.068
mg/unit	28.735	955.115	ND	2.345	0.875	3.325	46.48	0.49	ND	ND	2.38
LOD	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001	0.001
%	%	%	%	%	%	%	%	%	%	%	%

Total THC
24.753%
866.355 mg /Container

Total CBD
0.058%
2.03 mg /Container

Total Cannabinoids
29.707%
1039.745 mg /Container

As Received

Analyzed by:
1665, 585, 1440

Weight:
0.1974g

Extraction date:
09/12/23 16:13:45

Extracted by:
3605,1665

Analysis Method : SOP.T.40.031, SOP.T.30.031

Analytical Batch : DA064281POT

Instrument Used : DA-LC-002

Analyzed Date : 09/12/23 21:00:29

Reviewed On : 09/13/23 21:17:19

Batch Date : 09/12/23 11:29:10

Dilution : 400

Reagent : 081123.07; 090723.R01; 060723.24

Consumables : 947.109; 1852142; 250346; CE0123; 115C4-1151; 61630-123C6-123E; R1KB14270

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation P/LA-
Testing 97164

Signature
09/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Black Jet Fuel WF 3.5g
FTH - Black Jet Fuel
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912004-001

Harvest/Lot ID: HYB-BJF-090723-C0107

Batch# : 7696 4335 5584
5652

Sampled : 09/11/23
Ordered : 09/11/23

Sample Size Received : 31.5 gram

Total Amount : 1913 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 2 of 5



Terpenes

TESTED

Terpenes	LOD (%)	mg/unit	%	Result (%)	Terpenes	LOD (%)	mg/unit	%	Result (%)			
TOTAL TERPENES	0.007	104.44	2.984		FARNESENE	0.001	1.12	0.032				
TOTAL TERPINEOL	0.007	2.66	0.076		ALPHA-HUMULENE	0.007	2.87	0.082				
ALPHA-BISABOLOL	0.007	1.40	0.040		VALENCENE	0.007	ND	ND				
ALPHA-PINENE	0.007	3.08	0.088		CIS-NEROLIDOL	0.007	ND	ND				
CAMPHENE	0.007	0.81	0.023		TRANS-NEROLIDOL	0.007	1.51	0.043				
SABINENE	0.007	ND	ND		CARYOPHYLLENE OXIDE	0.007	<0.70	<0.020				
BETA-PINENE	0.007	4.38	0.125		GUAIOL	0.007	ND	ND				
BETA-MYRCENE	0.007	11.24	0.321		CEDROL	0.007	ND	ND				
ALPHA-PHELLANDRENE	0.007	ND	ND		Analized by:	2076, 585, 1440	Weight:	1.0409g	Extraction date:	09/13/23 10:57:37	Extracted by:	2076
3-CARENE	0.007	ND	ND		Analysis Method :	SOP.T.30.061A.FL, SOP.T.40.061A.FL						
ALPHA-TERPINENE	0.007	ND	ND		Analytical Batch :	DA064271TER						
LIMONENE	0.007	31.68	0.905		Instrument Used :	DA-GCMS-008						
EUCALYPTOL	0.007	ND	ND		Analyzed Date :	N/A						
OCIMENE	0.007	ND	ND		Dilution :	10						
GAMMA-TERPINENE	0.007	ND	ND		Reagent :	121622.26						
SABINENE HYDRATE	0.007	ND	ND		Consumables :	210414634; MKCN9995; CE0123; R1KB14270						
TERPINOLENE	0.007	<0.70	<0.020		Pipette :	N/A						
FENCHONE	0.007	<1.40	<0.040		Terpenoid testing is performed utilizing Gas Chromatography Mass Spectrometry. For all Flower samples, the Total Terpenes % is dry-weight corrected.							
LINALOOL	0.007	17.40	0.497									
FENCHYL ALCOHOL	0.007	2.94	0.084									
ISOPULEGOL	0.007	ND	ND									
CAMPHOR	0.007	ND	ND									
ISOBORNEOL	0.007	ND	ND									
BORNEOL	0.013	<1.40	<0.040									
HEXAHYDROTHYMOL	0.007	ND	ND									
NEROL	0.007	ND	ND									
PULEGONE	0.007	ND	ND									
GERANIOL	0.007	ND	ND									
GERANYL ACETATE	0.007	ND	ND									
ALPHA-CEDRENE	0.007	ND	ND									
BETA-CARYOPHYLLENE	0.007	9.98	0.285									
Total (%)				2.984								

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Black Jet Fuel WF 3.5g
FTH - Black Jet Fuel
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912004-001

Harvest/Lot ID: HYB-BJF-090723-C0107

Batch# : 7696 4335 5584

5652

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 31.5 gram

Total Amount : 1913 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 3 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	5	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	0.2	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	0.1	PASS	ND	PHOSMET	0.010	ppm	0.1	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	0.5	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	0.2	PASS	ND	PRALLETHRIN	0.010	ppm	0.1	PASS	ND
TOTAL SPINOSAD	0.010	ppm	0.1	PASS	ND	PROPICONAZOLE	0.010	ppm	0.1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.1	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	0.1	PASS	ND	PYRIDABEN	0.010	ppm	0.2	PASS	ND
ACEQUINOCYL	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	0.1	PASS	ND
ACETAMIPRID	0.010	ppm	0.1	PASS	ND	SPIROTETRAMAT	0.010	ppm	0.1	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROXAMINE	0.010	ppm	0.1	PASS	ND
AZOXYSTROBIN	0.010	ppm	0.1	PASS	ND	TEBUCONAZOLE	0.010	ppm	0.1	PASS	ND
BIFENAZATE	0.010	ppm	0.1	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BIFENTHRIN	0.010	ppm	0.1	PASS	ND	THIAMETHOXAM	0.010	ppm	0.5	PASS	ND
BOSCALID	0.010	ppm	0.1	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	0.1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.15	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	1	PASS	ND	CAPTAN *	0.070	PPM	0.7	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.2	PASS	ND	CYFLUTHRIN *	0.050	PPM	0.5	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	0.5	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND						
DIAZINON	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
DICHLORVOS	0.010	ppm	0.1	PASS	ND	3379, 4056, 585, 1440	0.9035g	09/12/23 16:35:49	450,3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville),					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	SOP.T.40.102.FL (Davie)					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA064288PES		Reviewed On : 09/13/23 15:18:45			
ETOXAZOLE	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-002		Batch Date : 09/12/23 11:37:42			
FENHEXAMID	0.010	ppm	0.1	PASS	ND	Analyzed Date : 09/12/23 16:43:00					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Dilution : 250					
FENPYROXIMATE	0.010	ppm	0.1	PASS	ND	Reagent : 090123.R03; 090723.R14; 090623.R29; 091223.R10; 090623.R01; 090623.R02; 040521.11					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW					
FLONICAMID	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLUDIOXONIL	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in					
HEXYTHIAZOX	0.010	ppm	0.1	PASS	ND	accordance with F.S. Rule 64ER20-39.					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analyzed by:	Weight:	Extraction date:	Extracted by:		
IMIDACLOPRID	0.010	ppm	0.4	PASS	ND	450, 585, 1440	0.9035g	09/12/23 16:35:49	450,3379		
KRESOXIM-METHYL	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
MALATHION	0.010	ppm	0.2	PASS	ND	Analytical Batch : DA064289VOL		Reviewed On : 09/13/23 13:04:54			
METALAXYL	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-GCMS-001		Batch Date : 09/12/23 11:38:53			
METHIOCARB	0.010	ppm	0.1	PASS	ND	Analyzed Date : N/A					
METHOMYL	0.010	ppm	0.1	PASS	ND	Dilution : 250					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Reagent : 090623.R29; 040521.11; 090723.R17; 090723.R16					
MYCLOBUTANIL	0.010	ppm	0.1	PASS	ND	Consumables : 14725401; 326250IW					
NALED	0.010	ppm	0.25	PASS	ND	Pipette : DA-080; DA-146; DA-218					

Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23



Certificate of Analysis

PASSED
FLUENT

 82 NE 26th street
 Miami, FL, 33137, US
 Telephone: (305) 900-6266
 Email: Taylor.Jones@getfluent.com

Sample : DA30912004-001

Harvest/Lot ID: HYB-BJF-090723-C0107

Batch# : 7696 4335 5584

5652

Sampled : 09/11/23

Ordered : 09/11/23




Sample Size Received : 31.5 gram

Total Amount : 1913 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 4 of 5

 Microbial PASSED						 Mycotoxins PASSED					
Analyte	LOD	Units	Result	Pass / Fail	Action Level	Analyte	LOD	Units	Result	Pass / Fail	Action Level
SALMONELLA SPECIFIC GENE			Not Present	PASS		AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
ECOLI SHIGELLA			Not Present	PASS		AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FLAVUS			Not Present	PASS		OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
ASPERGILLUS FUMIGATUS			Not Present	PASS		AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
ASPERGILLUS TERREUS			Not Present	PASS		AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
ASPERGILLUS NIGER			Not Present	PASS							
TOTAL YEAST AND MOLD	10	CFU/g	120	PASS	100000						
Analyzed by: 3390, 585, 3621, 1440 Weight: 1.0645g Extraction date: 09/12/23 11:38:00 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA064263MIC Reviewed On : 09/13/23 21:15:15 Batch Date : 09/12/23 08:35:47 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 09/13/23 17:43:31 Dilution : N/A Reagent : 083123.142; 081623.R13; 092122.09 Consumables : 7566001069 Pipette : N/A						Analyzed by: 3379, 4056, 585, 1440 Weight: 0.9035g Extraction date: 09/12/23 16:35:49 Extracted by: 450, 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA064301MYC Instrument Used : N/A Analyzed Date : 09/12/23 16:43:05 Reviewed On : 09/13/23 15:18:00 Batch Date : 09/12/23 16:40:15 Dilution : 250 Reagent : 090123.R03; 090723.R14; 090623.R29; 091223.R10; 090623.R01; 090623.R02; 040521.11 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219 Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
Analyzed by: 3621, 3336, 585, 1440 Weight: 1.0645g Extraction date: 09/12/23 11:38:00 Extracted by: 3336, 3390 Analysis Method : SOP.T.40.208 (Gainesville), SOP.T.40.209.FL Analytical Batch : DA064294TYM Instrument Used : Incubator (25-27C) DA-096 Analyzed Date : 09/12/23 13:06:45 Reviewed On : 09/14/23 15:43:09 Batch Date : 09/12/23 12:37:03 Dilution : 10 Reagent : 083123.142; 081523.R08 Consumables : N/A Pipette : N/A Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.						 Heavy Metals PASSED					
Metal	LOD	Units	Result	Pass / Fail	Action Level						
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	1.1						
ARSENIC	0.020	ppm	ND	PASS	0.2						
CADMIUM	0.020	ppm	ND	PASS	0.2						
MERCURY	0.020	ppm	ND	PASS	0.2						
LEAD	0.020	ppm	ND	PASS	0.5						
Analyzed by: 1022, 585, 1440 Weight: 0.2224g Extraction date: 09/12/23 11:53:45 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA064267HEA Instrument Used : DA-ICPMS-004 Analyzed Date : 09/12/23 15:18:53 Reviewed On : 09/13/23 12:29:26 Batch Date : 09/12/23 10:06:16 Dilution : 50 Reagent : 082323.R34; 083023.R58; 090823.R11; 090123.R21; 090823.R09; 090823.R10; 083123.R04; 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216 Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.											



4131 SW 47th AVENUE SUITE 1408
DAVIE, FL, 33314, US
(954) 368-7664

Kaycha Labs

FTH - Black Jet Fuel WF 3.5g
FTH - Black Jet Fuel
Matrix : Flower
Type: Flower-Cured



Certificate of Analysis

PASSED

FLUENT

82 NE 26th street
Miami, FL, 33137, US
Telephone: (305) 900-6266
Email: Taylor.Jones@getfluent.com

Sample : DA30912004-001

Harvest/Lot ID: HYB-BJF-090723-C0107

Batch# : 7696 4335 5584
5652

Sampled : 09/11/23

Ordered : 09/11/23

Sample Size Received : 31.5 gram

Total Amount : 1913 units

Completed : 09/14/23 Expires: 09/14/24

Sample Method : SOP.T.20.010

Page 5 of 5



Filth/Foreign
Material

PASSED



Moisture

PASSED

Analyte	LOD	Units	Result	P/F	Action Level	Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1	Moisture Content	1.00	%	12.84	PASS	15
Analyzed by: 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A			Analyzed by: 3619, 585, 1440	Weight: 0.483g	Extraction date: 09/12/23 14:21:34	Extracted by: 3619		
Analysis Method : SOP.T.40.090 Analytical Batch : DA064276FIL Instrument Used : Filth/Foreign Material Microscope Analyzed Date : N/A						Analysis Method : SOP.T.40.021 Analytical Batch : DA064291MOI Instrument Used : DA-003 Moisture Analyzer Analyzed Date : 09/12/23 14:22:39					
Dilution : N/A Reagent : N/A Consumables : N/A Pipette : N/A						Dilution : N/A Reagent : 031523.19; 020123.02 Consumables : N/A Pipette : DA-066					

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

Moisture Content analysis utilizing loss-on-drying technology in accordance with F.S. Rule 64ER20-39.



Water Activity

PASSED

Analyte	LOD	Units	Result	P/F	Action Level
Water Activity	0.010	aw	0.541	PASS	0.65
Analyzed by: 3619, 585, 1440	Weight: 0.506g	Extraction date: 09/12/23 14:30:37	Extracted by: 3619		
Analysis Method : SOP.T.40.019 Analytical Batch : DA064292WAT Instrument Used : DA-028 Rotronic HygroPalm Analyzed Date : 09/12/23 14:31:29					
Dilution : N/A Reagent : 050923.04 Consumables : PS-14 Pipette : N/A					

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
09/14/23