

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis COMPLIANCE FOR RETAIL

Kaycha Labs

Sour Watermelon Gels 10 Count Sour Watermelon Matrix: Edible Type: Soft Chew



Sample:DA30919002-001 Harvest/Lot ID: 8558 2331 3651 6612 Batch#: 8558 2331 3651 6612 **Cultivation Facility: Tampa Cultivation Processing Facility : Tampa Processing Source Facility : Tampa Cultivation** Seed to Sale# 2766 0697 6293 6335 Batch Date: 06/09/23 Sample Size Received: 960 gram Total Amount: 5197 units Retail Product Size: 62.7403 gram Ordered: 09/18/23 Sampled: 09/18/23 Completed: 09/21/23

Sampling Method: SOP.T.20.010

Sep 21, 2023 | FLUENT 82 NE 26th street

Miami, FL, 33137, US

PRODUCT IMAGE

ñ

Cannabinoid

SAFETY RESULTS

Pesticides

PASSED

Ha

Heavy Metals

PASSED

Microbials

PASSED



Residuals Solvents

PASSED

Filth

PASSED



Pages 1 of 5





MISC.

PASSED

NOT TESTED

Terpenes

PASSED

	Total THC 0.159% Total THC/Container : 99.76 mg			A K	tal CBD D al CBD/Containe	r : 0.00 mg	Total Cannabinoids 0.168% Total Cannabinoids/Container : 105 mg				
% mg/unit LOD	рэ-тнс 0.159 99.76 0.001 %	THCA ND ND 0.001 %	CBD ND ND 0.001 %	CBDA ND ND 0.001 %	^{D8-THC} ND ND 0.001 %	свс 0.004 2.51 0.001 %	CBGA ND ND 0.001 %	CBN 0.002 1.25 0.001 %	тнсv ND ND 0.001 %	CBDV ND ND 0.001 %	свс 0.003 1.88 0.001 %
halyzed by: 335, 1665, 585, 1440 halysis Method : SOP.T.40.031, SOP.T.30.031 halysis Method : SOP.T.40.031, SOP.T.30.031 halytical Batch : DA064506POT strument Used : DA-LC-007 halyzed Date : 09/19/23 12:59:25					Extraction date: Extracted by: 09/19/23 12:56:50 3335 Reviewed On : 09/20/23 08:40:13 Batch Date : 09/19/23 08:43:07						

Mycotoxins

PASSED

Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 54-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/21/23



Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30919002-001 Harvest/Lot ID: 8558 2331 3651 6612 Batch#:8558 2331 3651

6612 Sampled : 09/18/23 Ordered : 09/18/23

Sample Size Received : 960 gram Total Amount : 5197 units Completed : 09/21/23 Expires: 09/21/24 Sample Method : SOP.T.20.010

Page 2 of 5

	R Ø
Ī	Pesticide

Pesticides

Units 0 ppm	Action Level 30 3 1 1 3 0.3 3 0.3 3 0.1 3 0.5 3 0.5	Pass/Fail PASS PASS PASS PASS PASS PASS PASS PAS	Result ND ND ND ND ND ND ND ND ND ND ND ND ND	Pesticide OXAMYL PACLOBUTRAZOL PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROMESIFEN SPIROTETRAMAT SPIROXAMINE	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	Units ppm ppm ppm ppm ppm ppm ppm ppm ppm pp	Action Level 0.5 0.1 0.2 3 0.4 1 0.1 3 3 3 0.1	Pass/Fail PASS PASS PASS PASS PASS PASS PASS PAS	Result ND ND ND ND ND ND ND ND ND ND
0 ppm 0 ppm	3 1 3 0.3 3 0.1 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND ND	PACLOBUTRAZOL PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROMESIFEN	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm ppm	0.1 0.2 3 0.4 1 0.1 3 3 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND
0 ppm 0 ppm	1 3 3 0.3 3 0.1 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND ND	PHOSMET PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROMESIFEN	0.010 0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm ppm	0.2 3 0.4 1 0.1 3 3 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND
0 ppm 0	1 3 0.3 3 2 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND	PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	3 0.4 1 0.1 3 3 3	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0	3 0.3 3 2 3 0.1 3 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND ND ND	PIPERONYL BUTOXIDE PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT	0.010 0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm ppm	3 0.4 1 0.1 3 3 3	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 pp	3 0.3 2 3 0.1 3 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND ND	PRALLETHRIN PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROMESIFEN	0.010 0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	0.4 1 0.1 3 3 3	PASS PASS PASS PASS PASS PASS	ND ND ND ND ND
0 ppm 0 ppm	0.3 3 2 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND ND	PROPICONAZOLE PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT	0.010 0.010 0.010 0.010 0.010	ppm ppm ppm ppm ppm	1 0.1 3 3 3	PASS PASS PASS PASS PASS	ND ND ND ND
0 ppm 0 ppm	3 2 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS PASS	ND ND ND ND ND	PROPOXUR PYRIDABEN SPIROMESIFEN SPIROTETRAMAT	0.010 0.010 0.010 0.010	ppm ppm ppm ppm	0.1 3 3 3	PASS PASS PASS PASS	ND ND ND ND
0 ppm 0 ppm	2 3 0.1 3 0.5 3	PASS PASS PASS PASS PASS PASS	ND ND ND ND	PYRIDABEN SPIROMESIFEN SPIROTETRAMAT	0.010 0.010 0.010	ppm ppm ppm	3 3 3	PASS PASS PASS	ND ND ND
0 ppm 0 ppm	3 0.1 3 0.5 3	PASS PASS PASS PASS PASS	ND ND ND ND	SPIROMESIFEN SPIROTETRAMAT	0.010	ppm ppm	3	PASS	ND ND
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm	0.1 3 0.5 3	PASS PASS PASS PASS	ND ND ND	SPIROTETRAMAT	0.010	ppm	3	PASS	ND
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm	3 3 0.5 3	PASS PASS PASS	ND ND						
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm 0 ppm	3 0.5 3	PASS PASS	ND	SPIROXAMINE	0.010	ppm	0.1	DACC	ND
0 ppm 0 ppm 0 ppm 0 ppm 0 ppm	0.5 3	PASS						FAJJ	ND
.0 ppm .0 ppm .0 ppm .0 ppm	3		ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
.0 ppm .0 ppm .0 ppm		PASS	ND	THIACLOPRID		ppm	0.1	PASS	ND
.0 ppm .0 ppm	0.5		ND			ppm	1	PASS	ND
.0 ppm		PASS	ND	THIAMETHOXAM			3	PASS	
	0.1	PASS	ND	TRIFLOXYSTROBIN		ppm			ND
A	3	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010		0.2	PASS	ND
.0 ppm	3	PASS	ND	PARATHION-METHYL *	0.010		0.1	PASS	ND
.0 ppm	0.1	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
.0 ppm	0.5	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
.0 ppm	0.1	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
.0 ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
.0 ppm	3	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
.0 ppm	0.1	PASS	ND				-		
.0 ppm	0.1	PASS	ND						by:
.0 ppm	0.1	PASS	ND				SOP T 40 101)
.0 ppm	0.1	PASS	ND		///////////////////////////////////////	2.1 E (Duvie)	, 501.11.40.101	LI E (Oumesvine	h
.0 ppm	1.5	PASS	ND	Analytical Batch : DA064527PES		Reviewed O	n:09/21/23 0	9:43:17	
.0 ppm	3	PASS	ND	Instrument Used : DA-LCMS-002		Batch Date	:09/19/23 11:	54:35	
.0 ppm	0.1	PASS	ND						
.0 ppm	2	PASS	ND						
.0 ppm	0.1	PASS	ND		.R12; 091823.R03	; 091223.RI	0; 090623.R01	; 091323.R01	
.0 ppm	2	PASS	ND						
.0 ppm	3	PASS	ND		ilizina Liquid Chror	natography T	rinle-Quadruno	le Mass Spectror	metry in
.0 ppm	2	PASS	ND	accordance with F.S. Rule 64ER20-39.	incing Elquid enror	nacography n	inpic quadrapo	ie nass spectro	neary in
.0 ppm	0.1	PASS	ND	Analyzed by: Weight:	Extractio	on date:		Extracted I	ay:
.0 ppm	1	PASS	ND	450, 585, 1440 1.0096g	09/19/23	16:20:32		450,585	
.0 ppm	1	PASS	ND						
0 ppm	2	PASS	ND						
	3	PASS	ND		Ba	atch Date :0	9/19/23 11:56	:07	
.0 ppm	0.1	PASS	ND	· · · · · · · · · · · · · · · · · · ·					
	0.1	PASS	ND		P17-000723 P14				
	0.1	PASS	ND		.N17, 090723.R10				
	3	PASS	ND	Pipette : DA-080; DA-146; DA-218					
	0.5	PASS	ND		ilizing Gas Chroma	tography Trip	le-Quadrupole	Mass Spectrome	try in
	0 ppm 0 ppm	0 ppm 0.1 0 ppm 0.1 0 ppm 0.1 0 ppm 0.1 0 ppm 1.5 0 ppm 3 0 ppm 2 0 ppm 2 0 ppm 2 0 ppm 3 0 ppm 2 0 ppm 1 0 ppm 1 0 ppm 1 0 ppm 3 0 ppm 3 0 ppm 3 0 ppm 0.1 0 ppm 0.1 0 ppm 0.1 0 ppm 3	0 ppm 0.1 PASS 0 ppm 0.1 PASS 0 ppm 0.1 PASS 0 ppm 0.1 PASS 0 ppm 1.5 PASS 0 ppm 3 PASS 0 ppm 0.1 PASS 0 ppm 2 PASS 0 ppm 1 PASS 0 ppm 1 PASS 0 ppm 2 PASS 0 ppm 1 PASS 0 ppm 3 PASS 0 ppm 0.1 PASS 0 ppm 0.1 PASS 0	0 ppm 0.1 PASS ND 0 ppm 1.5 PASS ND 0 ppm 3 PASS ND 0 ppm 0.1 PASS ND 0 ppm 0.1 PASS ND 0 ppm 2 PASS ND 0 ppm 1 PASS ND 0 ppm 1 PASS ND 0 ppm 1 PASS ND 0 ppm 3 PASS ND 0 ppm 0.1 PASS ND <td>0.0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed by: Weight: 0.0 ppm 0.1 PASS ND Analyzed by: 1.0096g 0.0 ppm 0.1 PASS ND Analysis Method: SOP.T.30.101.FL (Gainest 0.0 ppm 0.1 PASS ND Analysis Method: SOP.T.40.102.FL (Davie) 0 ppm 3 PASS ND Instrument Used: DA-LCMS-002 0.0 ppm 0.1 PASS ND Instrument Used: DA-LCMS-002 0.0 ppm 0.1 PASS ND Dilution: 250 0.0 ppm 2 PASS ND Consumables: 326250W 0.0 ppm 2 PASS ND Testing for agricultural agents is performed ut accordance with F.S. Rule 64ER20-32 0.0 ppm 1 PASS ND Analysis Method: SOP.T.30.151.FL (Gainest actin: DAO64531VOL 0.0 ppm 1 PASS ND <td< td=""><td>0 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed method SOP.T.40.102.FL (Davie) ND SOP.T.40.102.FL (Gainesville), SOP.T.30.101.FL SOP.T.40.102.FL (Davie) 00 ppm 1.5 PASS ND Analyzed Method 150.PT.30.101.FL (Gainesville), SOP.T.30.102 00 ppm 3. PASS ND Instrument Used 10A-LCMS-002 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Testing for agricultural agents is performed utilizing Liquid Chore accordance with FS. Rule 64ER20-39. 00 ppm 2. PASS ND Analyzed by: Weight: Extractin Accordance with FS. Rule 64ER20-39. 00 ppm<td>00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extraction date: 0.0197, 02316:20:32 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 1.0096g 09/19/2316:20:32 00 ppm 0.1 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) 00 ppm 3 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 3 PASS ND Instrument Used 1:0A1.CMS-002 Batch Date 00 ppm 2 PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R1 00 ppm 2 PASS ND Pipette: 1A-003; DA-094; DA-219 00 ppm 2 PASS ND accordance with F.S. Rule 64ER20-39. 01 ppm 2 PASS ND Analyzed bat: 10096g 09/919/23 16:20:32 01</td><td>0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) SOP.T.40.102.FL (Davie) 0.0 ppm 1.5 PASS ND SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Consumables SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm PASS ND Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Dilution: 250 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Consumables: 326250W Dilution: 250 Consumables: 326250W Consumables: 326250W</td><td>00 ppm 0.1 PASS ND Analyzed by: Analyzed by: Analyzed</td></td></td<></td>	0.0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed by: Weight: 0.0 ppm 0.1 PASS ND Analyzed by: 1.0096g 0.0 ppm 0.1 PASS ND Analysis Method: SOP.T.30.101.FL (Gainest 0.0 ppm 0.1 PASS ND Analysis Method: SOP.T.40.102.FL (Davie) 0 ppm 3 PASS ND Instrument Used: DA-LCMS-002 0.0 ppm 0.1 PASS ND Instrument Used: DA-LCMS-002 0.0 ppm 0.1 PASS ND Dilution: 250 0.0 ppm 2 PASS ND Consumables: 326250W 0.0 ppm 2 PASS ND Testing for agricultural agents is performed ut accordance with F.S. Rule 64ER20-32 0.0 ppm 1 PASS ND Analysis Method: SOP.T.30.151.FL (Gainest actin: DAO64531VOL 0.0 ppm 1 PASS ND <td< td=""><td>0 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed method SOP.T.40.102.FL (Davie) ND SOP.T.40.102.FL (Gainesville), SOP.T.30.101.FL SOP.T.40.102.FL (Davie) 00 ppm 1.5 PASS ND Analyzed Method 150.PT.30.101.FL (Gainesville), SOP.T.30.102 00 ppm 3. PASS ND Instrument Used 10A-LCMS-002 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Testing for agricultural agents is performed utilizing Liquid Chore accordance with FS. Rule 64ER20-39. 00 ppm 2. PASS ND Analyzed by: Weight: Extractin Accordance with FS. Rule 64ER20-39. 00 ppm<td>00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extraction date: 0.0197, 02316:20:32 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 1.0096g 09/19/2316:20:32 00 ppm 0.1 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) 00 ppm 3 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 3 PASS ND Instrument Used 1:0A1.CMS-002 Batch Date 00 ppm 2 PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R1 00 ppm 2 PASS ND Pipette: 1A-003; DA-094; DA-219 00 ppm 2 PASS ND accordance with F.S. Rule 64ER20-39. 01 ppm 2 PASS ND Analyzed bat: 10096g 09/919/23 16:20:32 01</td><td>0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) SOP.T.40.102.FL (Davie) 0.0 ppm 1.5 PASS ND SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Consumables SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm PASS ND Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Dilution: 250 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Consumables: 326250W Dilution: 250 Consumables: 326250W Consumables: 326250W</td><td>00 ppm 0.1 PASS ND Analyzed by: Analyzed by: Analyzed</td></td></td<>	0 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extract 0.01972 00 ppm 0.1 PASS ND Analyzed method SOP.T.40.102.FL (Davie) ND SOP.T.40.102.FL (Gainesville), SOP.T.30.101.FL SOP.T.40.102.FL (Davie) 00 ppm 1.5 PASS ND Analyzed Method 150.PT.30.101.FL (Gainesville), SOP.T.30.102 00 ppm 3. PASS ND Instrument Used 10A-LCMS-002 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03 00 ppm 2. PASS ND Testing for agricultural agents is performed utilizing Liquid Chore accordance with FS. Rule 64ER20-39. 00 ppm 2. PASS ND Analyzed by: Weight: Extractin Accordance with FS. Rule 64ER20-39. 00 ppm <td>00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extraction date: 0.0197, 02316:20:32 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 1.0096g 09/19/2316:20:32 00 ppm 0.1 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) 00 ppm 3 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 3 PASS ND Instrument Used 1:0A1.CMS-002 Batch Date 00 ppm 2 PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R1 00 ppm 2 PASS ND Pipette: 1A-003; DA-094; DA-219 00 ppm 2 PASS ND accordance with F.S. Rule 64ER20-39. 01 ppm 2 PASS ND Analyzed bat: 10096g 09/919/23 16:20:32 01</td> <td>0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) SOP.T.40.102.FL (Davie) 0.0 ppm 1.5 PASS ND SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Consumables SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm PASS ND Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Dilution: 250 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Consumables: 326250W Dilution: 250 Consumables: 326250W Consumables: 326250W</td> <td>00 ppm 0.1 PASS ND Analyzed by: Analyzed by: Analyzed</td>	00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 Weight: 1.0096g Extraction date: 0.0197, 02316:20:32 00 ppm 0.1 PASS ND Analyzed by: 4056, 585, 1440 1.0096g 09/19/2316:20:32 00 ppm 0.1 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) 00 ppm 3 PASS ND Analyzei Method 1:50P.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie) 00 ppm 3 PASS ND Instrument Used 1:0A1.CMS-002 Batch Date 00 ppm 2 PASS ND Reagent: 091523.R13; 040521.11; 091523.R12; 091823.R03; 091223.R1 00 ppm 2 PASS ND Pipette: 1A-003; DA-094; DA-219 00 ppm 2 PASS ND accordance with F.S. Rule 64ER20-39. 01 ppm 2 PASS ND Analyzed bat: 10096g 09/919/23 16:20:32 01	0 ppm 0.1 PASS ND 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND Analyzed Da: 4056, 585, 1440 1.0096g 09/19/23 16:20:32 0.0 ppm 0.1 PASS ND SOP.T.40.102.FL (Davie) SOP.T.40.102.FL (Davie) 0.0 ppm 1.5 PASS ND SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Consumables SOP.T.40.102.FL (Davie) Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm Dilution: 250 Batch Date: (09/19/23 11: 40.00 ppm PASS ND Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Dilution: 250 Consumables: 326250W Pipette: DA.003; DA.094; DA.219 Consumables: 326250W Consumables: 326250W Dilution: 250 Consumables: 326250W Consumables: 326250W	00 ppm 0.1 PASS ND Analyzed by: Analyzed

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/21/23

PASSED

PASSED



Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew

Page 3 of 5



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30919002-001

 Harvest/Lot ID: 8558 2331 3651 6612

 Batch#: 8558 2331 3651

 Sample

 6612

 Sample: 09/18/23

 Comple:

 Ordered: 09/18/23

L 3651 6612 Sample Size Received : 960 gram Total Amount : 5197 units Completed : 09/21/23 Expires: 09/21/24 Sample Method : SOP.T.20.010

ñ

Residual Solvents

Solvents	LOD	Units	Action Level	Pass/Fail	Result	
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND	
1,2-DICHLOROETHANE	0.200	ppm	2	PASS	ND	
2-PROPANOL	50.000	ppm	500	PASS	ND	
ACETONE	75.000	ppm	750	PASS	ND	
ACETONITRILE	6.000	ppm	60	PASS	ND	
BENZENE	0.100	ppm	1	PASS	ND	
BUTANES (N-BUTANE)	500.000	ppm	5000	PASS	ND	
CHLOROFORM	0.200	ppm	2	PASS	ND	
DICHLOROMETHANE	12.500	ppm	125	PASS	ND	
ETHANOL	500.000	ppm	5000	PASS	ND	
ETHYL ACETATE	40.000	ppm	400	PASS	ND	
ETHYL ETHER	50.000	ppm	500	PASS	ND	
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND	
HEPTANE	500.000	ppm	5000	PASS	ND	
METHANOL	25.000	ppm	250	PASS	ND	
N-HEXANE	25.000	ppm	250	PASS	ND	
PENTANES (N-PENTANE)	75.000	ppm	750	PASS	ND	
PROPANE	500.000	ppm	5000	PASS	ND	
TOLUENE	15.000	ppm	150	PASS	ND	
TOTAL XYLENES	15.000	ppm	150	PASS	ND	
TRICHLOROETHYLENE	2.500	ppm	25	PASS	ND	
Analyzed by: 850, 585, 1440	Weight: 0.0299g	Extraction date: 09/20/23 14:12:34	Ļ	Extracted by: 850		
Analysis Method : SOP.T.40.041.FL Analytical Batch : DA064539SOL Instrument Used : DA-GCMS-002 Analyzed Date : 09/20/23 14:15:37			d On : 09/20/23 15:55:37 te : 09/19/23 14:44:27			
Dilution : 1 Reagent : N/A						

Reagent : N/A Consumables : N/A

Pipette : N/A

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/21/23



..... Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



PASSED

4131 SW 47th AVENUE SUITE 1408 **DAVIE, FL, 33314, US** (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com Sample : DA30919002-001 Harvest/Lot ID: 8558 2331 3651 6612 Batch#: 8558 2331 3651

6612 Sampled : 09/18/23 Ordered : 09/18/23

Sample Size Received : 960 gram Total Amount : 5197 units Completed : 09/21/23 Expires: 09/21/24 Sample Method : SOP.T.20.010

Page 4 of 5

Ċ,	Micro	bial			PAS	SED	స్తో	M	ycotoxi	ns			PAS	SED
Analyte		LOD	O Units	Result	Pass / Fail	Action Level	Analyte			LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLU	IS TERREUS			Not Present	PASS	Level	AFLATOXIN	B2		0.002	ppm	ND	PASS	0.02
ASPERGILLU				Not Present	PASS		AFLATOXIN			0.002	ppm	ND	PASS	0.02
SPERGILLU	IS FUMIGATUS			Not Present	PASS		OCHRATOXI	NA		0.002	ppm	ND	PASS	0.02
ASPERGILLU	IS FLAVUS			Not Present	PASS		AFLATOXIN	G1		0.002	ppm	ND	PASS	0.02
ALMONELL	A SPECIFIC GEN	E		Not Present	PASS		AFLATOXIN	G2		0.002	ppm	ND	PASS	0.02
COLI SHIGE	ELLA			Not Present	PASS		Analyzed by:		Weight:	Extraction da	te:	F	xtracted	hv
TOTAL YEAS	T AND MOLD	10	CFU/g	<10	PASS	100000		40	1.0096g	09/19/23 16:			150,585	<i></i>
nalyzed by: 621, 3390, 58	35, 1440	Weight: 1.0368g	Extraction d 09/19/23 12		Extracted 3390,362				.T.30.101.FL (Gain e), SOP.T.40.102.F		40.101.FL	. (Gainesv	ille),	
	od : SOP.T.40.056 ch : DA064510MIC		058.FL, SOP.T		ved On : 09	/20/23	Analytical Bat Instrument Us Analyzed Date	ed:N/A	54534MYC			9/21/23 0 19/23 11:		
sotemp Heat I Analyzed Date Dilution : N/A Reagent : 0833	brand Isotemp He Block DA-021 : 09/19/23 13:05: 123.177; 081623. : 7566001029	:02					091323.R01 Consumables Pipette : DA-0 Mycotoxins tes accordance wit	93; DA-0 ting utilizin th F.S. Rule	9 4; DA-219 ng Liquid Chromatog e 64ER20-39.		e-Quadrupo			
Analyzed by: 8621, 3336, 58	85, 1440	Weight: 1.0368g	Extraction on N/A		acted by: 6,3390,362	21	Hg	He	eavy Me	etals			PAS	SED
Analytical Bate	od : SOP.T.40.208 ch : DA064529TYN ed : Incubator (25	4	Rev	9.FL iewed On : 09/2 ch Date : 09/19/			Metal			LOD	Units	Result	Fail	Action Level
	: 09/19/23 13:25							TAMINA	NT LOAD METAL		ppm	ND	PASS	5
ilution: 10							ARSENIC			0.020	ppm	ND	PASS	1.5
	123.177; 081523.	R08					CADMIUM			0.020	ppm	ND	PASS	0.5
consumables :	: N/A						MERCURY			0.020	ppm	ND	PASS PASS	3 0.5
ipette : N/A							LEAD			0.020	ppm	ND		
	mold testing is perfo n F.S. Rule 64ER20-3		MPN and tradit	ional culture base	d techniques	sin	Analyzed by: 1022, 585, 14	40	Weight: 0.2861g	Extraction da 09/19/23 14:			Extracted 1022	by:
							Analysis Meth Analytical Bat Instrument Us Analyzed Date	ch : DA06 ed : DA-I0	CPMS-004	Review		/20/23 15: 9/23 10:23		
							Dilution : 50 Reagent : 082		; 083023.R58; 091	523.R16; 0913	323.R27; 0	91523.R1	4; 09152	3.R15;

083123.R04: 083123.R03 Consumables : 179436; 1852142; 210508058 Pipette : DA-061; DA-191; DA-216

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors

Vivian Celestino Lab Director

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature

09/21/23



Page 5 of 5

Sour Watermelon Gels 10 Count Sour Watermelon Matrix : Edible Type: Soft Chew



PASSED

PASSED

4131 SW 47th AVENUE SUITE 1408 DAVIE, FL, 33314, US (954) 368-7664

Certificate of Analysis

FLUENT

82 NE 26th street Miami, FL, 33137, US Telephone: (305) 900-6266 Email: Taylor.Jones@getfluent.com
 Sample : DA30919002-001

 Harvest/Lot ID: 8558 2331 3651 6612

 Batch#: 8558 2331 3651
 Sample

 6612
 Total Ar

Sampled : 09/18/23 Ordered : 09/18/23 Sample Size Received : 960 gram Total Amount : 5197 units Completed : 09/21/23 Expires: 09/21/24 Sample Method : SOP.T.20.010

Filth/Foreign Material

PASSED Homogeneity

Amount of tests conducted : 30

Analyte Filth and Foreign Material		LOD 0.100	Units %	Result ND	P/F PASS	Action Level
Analyzed by: 1879, 1440	Weight: NA	E) N/	traction (date:	Extra N/A	cted by:
Analytical Batch Instrument Used	1 : SOP.T.40.090 1 : DA064541FIL d : Filth/Foreign Mater 09/19/23 21:43:40	ial Micro	scope			9/23 21:53:48 23 21:29:01
Dilution : N/A Reagent : N/A Consumables : N Pipette : N/A	N/A					
	material inspection is pe ccordance with F.S. Rule			spection utilizi	ng naked ey	e and microscope
\bigcirc	Water A	ctiv	ity		ΡΑ	SSED

Analyte Water Activity	-	OD .010	Units aw	Result 0.548	P/F PASS	Action Level 0.85
Analyzed by: 3619, 585, 1440	Weight: 11.448g		Atraction d 9/19/23 14			tracted by:
Analysis Method : SOP Analytical Batch : DAO Instrument Used : DA- Analyzed Date : 09/19	64533WAT 028 Rotronic Hyg	ropal	m		Dn : 09/19/2 : 09/19/23	
Dilution : N/A Reagent : 050923.02 Consumables : PS-14 Pipette : N/A						

Water Activity is performed using a Rotronic HygroPalm HP 23-AW in accordance with F.S. Rule 64ER20-39.

Analyte		LOD	Units	Pass/Fail	Result	Action Level
_ TOTAL THC - HOMOGE (RSD)	NEITY	0.001	%	PASS	6.361	25
Analyzed by	Average Weight	•	Extractio	n date :	E	tracted By :
3605, 585, 1440	5.237g		09/19/23	12:50:34	36	505
Analysis Method : SOP.T. Analytical Batch : DA064 Instrument Used : DA-LC Analyzed Date : 09/19/23	499HOM -004	OP.T.40.	Reviewe	ed On:09/20/2 ate:09/19/23		3
Dilution : 40 Reagent : 091523.R01; 0 Consumables : 947.109; Pipette : DA-055; DA-063	LCJ0311R; 18				3; R1KB14	270
Homogeneity testing is perf		g High Per	rformance L	iquid Chromatog	raphy with	UV detection in

Homogeneity testing is performed utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino

State License # CMTL-0002 ISO 17025 Accreditation # ISO/IEC 17025:2017 Accreditation PJLA-Testing 97164

Signature 09/21/23